

KaVo PROPHYflex 2 & 3

After Use

1. Remove glass/plastic jar from PROPHYflex
2. Screw on empty jar and run for 10 seconds to remove residue powder
3. Remove tip and wash/rinse tip through both ends with running water (use file if any clog is visible)
4. Wash/Rinse glass/plastic jar under running water, making sure no powder remains
5. Wash/Rinse PROPHYflex and run water from front to back through chamber to remove any remaining powder (screw may be removed and flushed if desired)
6. Dry with clean paper towel
7. STERILIZE (using steam or chemical)

After Sterilization

8. Remove PROPHYflex from sterilizer and dry with clean towel, be sure powder chamber and screw are **VERY** dry
9. Dry top and glass/plastic jar with towel, again, very dry
10. Install tip and glass/plastic jar (without powder)
11. Run PROPHYflex for 30 seconds without powder (this will dry the inner chamber)
12. Fill with powder

Note

Compressor air must be absolutely free of any moisture
Do not let the PROPHYflex set too long after use without cleaning