

# Safety Data Sheet

© 2021, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 29-9416-8
 Version number:
 3.00

 Issue Date:
 08/03/2021
 Supersedes date:
 07/11/2017

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **IDENTIFICATION:**

#### 1.1. Product identifier

3M<sup>TM</sup> RelyX<sup>TM</sup> Ultimate Intro Kit (56891)

### **Product Identification Numbers**

70-2011-3870-1

### 1.2. Recommended use and restrictions on use

### Recommended use

Dental Product, Adhesive resin cement

#### Restrictions on use

For use by dental professionals only.

### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the SDSs for components of this product are:

29-9001-8, 29-9002-6, 29-8287-4, 29-8286-6

One or more components of this KIT is classified as a hazardous substance in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017.

# TRANSPORT INFORMATION

The Dangerous Goods Classification for the complete Kit is provided below.

### 3M<sup>TM</sup> RelyX<sup>TM</sup> Ultimate Intro Kit (56891)

UN No.: UN1133; UN1805

Proper shipping name: ADHESIVES; PHOSPHORIC ACID SOLUTION

Class/Division: 3, 8
Packing Group: III

Marine Pollutant: Not applicable.

Hazchem Code: -3Y; 2R

**IERG:** 14, 37

Land Transport Rule: Dangerous Goods - Road/Rail Transport Special Instructions: Dangerous goods in Excepted Quantities, Class 3, 8

International Air Transport Association (IATA)- Air Transport Special Instructions: Dangerous goods in Excepted Quantities, Class 3, 8

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

Special Instructions: FORBIDDEN BY THIS MODE OF TRANSPORT, 3M DIVISION POLICY

### **Revision information:**

Complete document review.

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



# **Safety Data Sheet**

© 2019, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 29-9002-6 **Version number:** 3.00

**Issue Date:** 26/08/2019 **Supersedes date:** 01/04/2019

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **SECTION 1: Identification**

### 1.1. Product identifier

3M<sup>™</sup> ESPE<sup>™</sup> RelyX<sup>™</sup> Ultimate Catalyst Paste

### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Adhesive resin cement.

### Restrictions on use

For use by dental professionals only.

### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

# 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

# **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

### 2.1. Classification of the substance or mixture

GHS	HSNO
Acute Toxicity (oral): Category 5	6.1E Acute toxicity (oral)
Serious Eye Damage/Irritation: Category 2	6.4A Irritating to the eye
Skin Corrosion/Irritation: Category 3	6.3B Irritating to the skin
Skin Sensitiser: Category 1	6.5B Skin sensitiser
Acute Aquatic Toxicity: Category 1	9.1A Aquatic toxicity (acute)
Chronic Aquatic Toxicity: Category 2	9.1B Aquatic toxicity (chronic)

# 2.2. Label elements SIGNAL WORD

WARNING!

**Symbols:** 

Exclamation mark | Environment |







#### **HAZARD STATEMENTS:**

H303 May be harmful if swallowed. H319 Causes serious eye irritation. H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

### PRECAUTIONARY STATEMENTS

**Prevention:** 

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280A Wear eye/face protection. P280E Wear protective gloves.

P273 Avoid release to the environment.

P264B Wash exposed skin thoroughly after handling.

P272A Contaminated work clothing must not be allowed out of the workplace.

**Response:** 

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P321 Specific treatment (see Notes to Physician on this label).

P312 Call a POISON CENTRE or doctor/physician if you feel unwell.

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl)	27689-12-9	20 - 30
bismethacrylate		
1,12-dodecane dimethycrylate	72829-09-5	< 5

### 3M<sup>TM</sup> ESPE<sup>TM</sup> RelyX<sup>TM</sup> Ultimate Catalyst Paste

2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis	68909-20-6	< 5
products with silica		
Sodium P-Toluenesulfinate	824-79-3	< 5
Calcium dihydroxide	1305-62-0	< 2

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

### Eve contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

### 5.4. Hazchem code: 2Z

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### **6.2.** Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

### 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

### 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient CAS Nbr Agency Limit type Additional comments

Calcium dihydroxide 1305-62-0 New Zealand TWA(8 hours):5 mg/m3 WES

Calcium dihydroxide 1305-62-0 **ACGIH** TWA:5 mg/m3

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit ppm: parts per million mg/m3: milligrams per cubic metre

CEIL: Ceiling

### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

# 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical stateSolid.Specific Physical Form:Paste

Tooth Colour Slight Acrylic Odour Odour threshold No data available. Not applicable. Melting point/Freezing point No data available. Boiling point/Initial boiling point/Boiling range No data available. Flash point No flash point **Evaporation rate** No data available. Flammability (solid, gas) Not classified Flammable Limits(LEL) No data available.

Flammable Limits(UEL)

Vapour pressure

No data available.

Vapour density

No data available.

No data available.

2 - 2.2 g/cm3

**Relative density** 2 - 2.2 [*Ref Std*:WATER=1]

Water solubility Nil

Solubility- non-water

Partition coefficient: n-octanol/water

Autoignition temperature

Decomposition temperature

Viscosity

Molecular weight

Volatile organic compounds (VOC)

No data available.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat

### 10.5 Incompatible materials

None known.

## 10.6 Hazardous decomposition products

**Substance** 

None known.

**Condition** 

Refer to Section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

### Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

### Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

### Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

### **Additional Health Effects:**

### **Carcinogenicity:**

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Contains a chemical or chemicals which can cause cancer.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE2,000 - 5,000 mg/kg
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	Ingestion	Rat	LD50 > 17,600 mg/kg
1,12-dodecane dimethycrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be 2,000 - 5,000 mg/kg
1,12-dodecane dimethycrylate	Ingestion	similar compoun ds	LD50 2000-5000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Rat	LD50 > 5,110 mg/kg
Calcium dihydroxide	Dermal	Rabbit	LD50 > 2,500 mg/kg
Calcium dihydroxide	Ingestion	Rat	LD50 7,340 mg/kg
Sodium P-Toluenesulfinate	Dermal	Professio nal judgeme nt	LD50 estimated to be 2,000 - 5,000 mg/kg
Sodium P-Toluenesulfinate	Ingestion	Rat	LD50 3,200 mg/kg

ATE = acute toxicity estimate

# Skin Corrosion/Irritation

Name	Species	Value
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	Rabbit	No significant irritation
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Rabbit	No significant irritation
Calcium dihydroxide	Human	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	Rabbit	Mild irritant
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Rabbit	No significant irritation
Calcium dihydroxide	Rabbit	Corrosive

# **Skin Sensitisation**

Skin Schsitisation		
Name	Species	Value
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	Guinea pig	Not classified
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Human and animal	Not classified

# **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

# **Germ Cell Mutagenicity**

### 3M<sup>TM</sup> ESPE<sup>TM</sup> RelyX<sup>TM</sup> Ultimate Catalyst Paste

Name	Route	Value
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	In Vitro	Not mutagenic
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products	In Vitro	Not mutagenic
with silica		

### Carcinogenicity

Name	Route	Species	Value
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester,	Not	Mouse	Some positive data exist, but the data are not
hydrolysis products with silica	specified.		sufficient for classification

### Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

### Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Calcium dihydroxide	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	LOAEL 2.5 mg/m3	20 minutes

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2-Propenoic acid, 2- methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

Ecotoxic to the aquatic environment.

Acute Aquatic Toxicity: Category 1 (HSNO 9.1A Aquatic toxicity) Chronic Aquatic Toxicity: Category 2 (HSNO 9.1B Aquatic toxicity)

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
(1- Methylethylide ne)bis(4, 1- phenyleneoxy-	27689-12-9	Green algae	Experimental	72 hours	EC50	>100 mg/l
3, 1- propanediyl) bismethacrylate						
	27689-12-9	Water flea	Experimental	48 hours	EC50	>100 mg/l
	27689-12-9	Green algae	Experimental	72 hours	NOEC	>100 mg/l
1,12-dodecane dimethycrylate	72829-09-5	Water flea	Experimental	48 hours	EC50	>100 mg/l
1,12-dodecane dimethycrylate	72829-09-5	Green Algae	Experimental	72 hours	EC50	17 ug/l
	72829-09-5	Green Algae	Experimental	72 hours	Effect Concentration 10%	6.4 ug/l
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl) propyl ester, hydrolysis products with silica	68909-20-6	Algae	Estimated	72 hours	EC50	>100 mg/l
Sodium P- Toluenesulfinat e	824-79-3	Water flea	Estimated	48 hours	EC50	>400 mg/l
	824-79-3	Green Algae	Estimated	96 hours	EC50	230 mg/l
	824-79-3	Fathead minnow	Estimated	96 hours	LC50	>400 mg/l
	824-79-3	Green Algae	Estimated	96 hours	NOEC	31 mg/l
Calcium	1305-62-0	Green Algae	Estimated	72 hours	EC50	>4,000 mg/l

dihydroxide						
Calcium	1305-62-0	Water flea	Estimated	48 hours	EC50	2,400 mg/l
dihydroxide						_
Calcium	1305-62-0	Fathead	Estimated	96 hours	LC50	4,630 mg/l
dihydroxide		minnow				_

# 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
(1-	27689-12-9	Experimental	28 days	CO2 evolution	7-12 % weight	OECD 301B - Modified
Methylethylide		Biodegradation				sturm or CO2
ne)bis(4, 1-						
phenyleneoxy-						
3, 1-						
propanediyl)						
bismethacrylate	i					
1,12-dodecane	72829-09-5	Experimental	28 days	CO2 evolution	97.3 %CO2	OECD 301B - Modified
dimethycrylate		Biodegradation			evolution/THC	sturm or CO2
		_			O2 evolution	
2-Propenoic	68909-20-6	Data not			N/A	
acid, 2-methyl-,		availbl-				
3-		insufficient				
(trimetoxysilyl)						
propyl ester,						
hydrolysis						
products with silica						
Sodium P-	824-79-3	Evmanimantal	20 days	BOD	91 %	OECD 301C - MITI
Toluenesulfinat		Experimental Biodegradation	28 days	ВОД	BOD/ThBOD	
		Biodegradation				test (I)
e Calcium	1305-62-0	Data not			N/A	
dihydroxide	1303-02-0	availbl-			11/71	
diliyaloxide		insufficient				
		Imparmetall				

# 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
(1-	27689-12-9	Estimated		Log Kow	7.61	Estimated: Octanol-
Methylethylide		Bioconcentrati				water partition
ne)bis(4, 1-		on				coefficient
phenyleneoxy-						
3, 1-						
propanediyl)						
bismethacrylate						
1,12-dodecane	72829-09-5	Estimated		Bioaccumulatio	6.6	Estimated:
dimethycrylate		Bioconcentrati		n factor		Bioconcentration factor
		on				
2-Propenoic	68909-20-6	Data not	N/A	N/A	N/A	N/A
acid, 2-methyl-,		available or				
3-		insufficient for				
(trimetoxysilyl)		classification				
propyl ester,						
hydrolysis						
products with						
silica						

Sodium P-	824-79-3	Estimated		Bioaccumulatio	3.9	Estimated:
Toluenesulfinat		Bioconcentrati		n factor		Bioconcentration factor
e		on				
Calcium	1305-62-0	Data not	N/A	N/A	N/A	N/A
dihydroxide		available or				
		insufficient for				
		classification				

### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

# **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: UN3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., ((2-PROPENOIC

ACID, 2-METHYL-,1,12-DODECANEDIDYL ESTER))

Class/Division: 9

**Sub Risk:** Not applicable. **Packing Group:** III

Special Instructions: Not restricted, environmentally hazardous substance exception.

Hazchem Code: 2Z

**IERG: 47** 

### International Air Transport Association (IATA) - Air Transport

**UN No.: UN3077** 

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., ((2-PROPENOIC

ACID, 2-METHYL-,1,12-DODECANEDIDYL ESTER))

Class/Division: 9

**Sub Risk:** Not applicable. **Packing Group:** III

Special Instructions: Not restricted, as per Special Provision A197, environmentally hazardous substance exception.

### International Maritime Dangerous Goods Code (IMDG) - Marine Transport

**UN No.:** UN3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., ((2-PROPENOIC

ACID, 2-METHYL-,1,12-DODECANEDIDYL ESTER))

Class/Division: 9

**Sub Risk:** Not applicable. **Packing Group:** III

Marine Pollutant: Not applicable.

**Special Instructions:**Not restricted, as per IMDG code 2.10.2.7, marine pollutant exception.

\_\_\_\_\_

# **SECTION 15: Regulatory information**

HSNO Approval number HSR002558

Group standard name Dental Products (Subsidiary Hazard) Group Standard 2017

HSNO Hazard classification Refer to Section 2: Hazard identification

### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017

Certified handler Not required
Location Compliance Certificate Not required
Hazardous atmosphere zone Not required
Fire extinguishers Not required

Emergency response plan 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a

HSNO 6.1D, 6.5A, 6.5B, 9.1B or 9.1C substance); or 10,000 L or 10,000 kg

(for a HSNO 6.6A, 6.8A, 6.9A, 8.3A, 9.1D substance)

Secondary containment 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a

HSNO 6.1D, 6.5A, 6.5B, 9.1B or 9.1C substance); or 10,000 L or 10,000 kg

(for a HSNO 6.6A, 6.8A, 6.9A, 8.3A, 9.1D substance)

Tracking Not required

Warning signage 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a

HSNO 8.3A, 9.1B or 9.1C substance); or 10,000 L or 10,000 kg (for a HSNO

6.1D or 9.1D substance)

# **SECTION 16: Other information**

### **Revision information:**

Complete document review.

Document group:	29-9002-6	Version number:	3.00
<b>Issue Date:</b>	26/08/2019	Supersedes date:	01/04/2019

### Key to abbreviations and acronyms

GHS means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013 HSNO means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



# **Safety Data Sheet**

© 2019, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 29-9001-8
 Version number:
 3.00

 Issue Date:
 26/08/2019
 Supersedes date:
 18/12/2017

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **SECTION 1: Identification**

### 1.1. Product identifier

3M<sup>TM</sup> ESPE<sup>TM</sup> RelyX<sup>TM</sup> Ultimate Base Paste

### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Adhesive resin cement.

### Restrictions on use

For use by dental professionals only.

### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

# 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

# **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

### 2.1. Classification of the substance or mixture

GHS	HSNO
Acute Toxicity (oral): Category 5	6.1E Acute toxicity (oral)
Skin Corrosion/Irritation: Category 3	6.3B Irritating to the skin
Skin Sensitiser: Category 1	6.5B Skin sensitiser
Chronic Aquatic Toxicity: Category 2	9.1B Aquatic toxicity (chronic)
Acute Aquatic Toxicity: Category 2	9.1D Aquatic toxicity (acute)

# 2.2. Label elements SIGNAL WORD

WARNING!

**Symbols:** 

Exclamation mark | Environment |





### **HAZARD STATEMENTS:**

H303 May be harmful if swallowed. H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

### PRECAUTIONARY STATEMENTS

**Prevention:** 

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280E Wear protective gloves.

P273 Avoid release to the environment.

P272A Contaminated work clothing must not be allowed out of the workplace.

Response:

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P332 + P313

If skin irritation occurs: Get medical advice/attention.

P333 + P313

If skin irritation or rash occurs: Get medical advice/attention.

P362 + P364

Take off contaminated clothing and wash it before reuse.

P321

Specific treatment (see Notes to Physician on this label).

P312

Call a POISON CENTRE or doctor/physician if you feel unwell.

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl]	1224866-76-5	20 - 30
ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate		
and phosphorus oxide		
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	10 - 20
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis	68909-20-6	5 - 10
products with silica		

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

# **Hazardous Decomposition or By-Products**

1045 1	Jecom	JUSICION	01.	-J	 uucus
Sub	stance				

Carbon monoxide.

Carbon dioxide.

Irritant vapours or gases.

# Condition

During combustion.

During combustion.

During combustion.

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

5.4. Hazchem code: 2Z

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

## 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with

applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

### 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

### 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

# 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state Solid.

### 3M<sup>TM</sup> ESPE<sup>TM</sup> RelyX<sup>TM</sup> Ultimate Base Paste

Specific Physical Form: Paste

**Colour** Tooth

Odour Slight Acrylic
Odour threshold No data available.
PH Not applicable.
Melting point/Freezing point No data available.
Boiling point/Initial boiling point/Boiling range
Flash point No flash point

Flash point

Evaporation rate

Flammability (solid, gas)

Flammable Limits(LEL)

Flammable Limits(UEL)

Vapour pressure

Vapour density

No data available.

Vapour density

No data available.

2 - 2.2 g/cm3

**Relative density** 2 - 2.2 [*Ref Std:* WATER=1]

Water solubility Negligible Solubility- non-water No data available. Partition coefficient: n-octanol/water No data available. No data available. Autoignition temperature **Decomposition temperature** No data available. Viscosity No data available. Molecular weight No data available. Volatile organic compounds (VOC) No data available.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

# 10.4 Conditions to avoid

Heat.

# 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

**Substance** Condition

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be

reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

### Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

### **Acute Toxicity**

Acute Toxicity		1	1
Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE2,000 - 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Dermal		LD50 estimated to be > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Ingestion	Rat	LD50 > 2,000 mg/kg
2,2'-ethylenedioxydiethyl dimethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
2,2'-ethylenedioxydiethyl dimethacrylate	Ingestion	Rat	LD50 10,837 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Rat	LD50 > 5,110 mg/kg

ATE = acute toxicity estimate

# Skin Corrosion/Irritation

Name	Species	Value
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Rabbit	Minimal irritation
2,2'-ethylenedioxydiethyl dimethacrylate	Guinea	Mild irritant
	pig	

Page 6 of 12

# 3M<sup>TM</sup> ESPE<sup>TM</sup> RelyX<sup>TM</sup> Ultimate Base Paste

2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products	Rabbit	No significant irritation
with silica		

Serious Eye Damage/Irritation

Name	Species	Value
Overall product		No significant irritation
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Rabbit	Corrosive
2,2'-ethylenedioxydiethyl dimethacrylate	Professio nal judgemen t	Moderate irritant
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Rabbit	No significant irritation

### **Skin Sensitisation**

Name	Species	Value
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester,	Guinea	Not classified
reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus	pig	
oxide		
2,2'-ethylenedioxydiethyl dimethacrylate	Human	Sensitising
	and	
	animal	
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products	Human	Not classified
with silica	and	
	animal	

# **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	In Vitro	Not mutagenic
2,2'-ethylenedioxydiethyl dimethacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
2,2'-ethylenedioxydiethyl dimethacrylate	Dermal	Mouse	Not carcinogenic
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester,	Not	Mouse	Some positive data exist, but the data are not
hydrolysis products with silica	specified.		sufficient for classification

# **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure
Name	Route	Value	Species	Test result	Duration
2,2'-ethylenedioxydiethyl dimethacrylate	Ingestion	Not classified for female reproduction	Mouse	NOAEL 1 mg/kg/day	1 generation
2,2'-ethylenedioxydiethyl dimethacrylate	Ingestion	Not classified for male reproduction	Mouse	NOAEL 1 mg/kg/day	1 generation
2,2'-ethylenedioxydiethyl dimethacrylate	Ingestion	Not classified for development	Mouse	NOAEL 1 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3-	Ingestion	Not classified for female reproduction	Rat	NOAEL 509	1 generation

Page: 7 of 12

(trimetoxysilyl)propyl ester, hydrolysis products with silica				mg/kg/day	
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

# Target Organ(s)

### Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2,2'-ethylenedioxydiethyl dimethacrylate	Dermal	kidney and/or bladder   blood	Not classified	Mouse	NOAEL 833 mg/kg/day	78 weeks
2-Propenoic acid, 2- methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

### Ecotoxic to the aquatic environment.

Acute Aquatic Toxicity: Category 2 (HSNO 9.1D Aquatic toxicity) Chronic Aquatic Toxicity: Category 2 (HSNO 9.1B Aquatic toxicity)

No product test data available.

Material	CAS Number	Organism	Туре	Exposure	Test endpoint	Test result
2-Propenoic	1224866-76-5	Green algae	Endpoint not	72 hours	EC50	>100 mg/l
acid, 2-methyl-,			reached			
1,1'-[1-						
(hydroxymethy						
1)-1,2-						
ethanediyl]						
ester, reaction						
products with						
2-hydroxy-1,3-						
propanediyl						
dimethacrylate						

Page: 8 of 12

and phosphorus						
oxide						
2-Propenoic	1224866-76-5	Water flea	Experimental	48 hours	EC50	>100 mg/l
acid, 2-methyl-,						
1,1'-[1-						
(hydroxymethy						
1)-1,2-						
ethanediyl]						
ester, reaction						
products with						
2-hydroxy-1,3-						
propanediyl						
dimethacrylate						
and phosphorus						
oxide						
2-Propenoic	1224866-76-5	Green algae	Experimental	72 hours	NOEC	56 mg/l
acid, 2-methyl-,		Green argue	Experimental	72 Hours	NOLC	Jo mg/1
1,1'-[1-						
(hydroxymethy						
1)-1,2-						
ethanediyl]						
ester, reaction						
products with						
2-hydroxy-1,3-						
propanediyl						
dimethacrylate						
and phosphorus						
oxide 2,2'-	100 16 0	Zebra Fish	F	061	1.050	16.4
	109-16-0	Zebra Fish	Experimental	96 hours	LC50	16.4 mg/l
ethylenedioxyd						
iethyl						
dimethacrylate	100 16 0	G 41			FG50	100 #
2,2'-	109-16-0	Green Algae	Experimental	72 hours	EC50	>100 mg/l
ethylenedioxyd						
iethyl						
dimethacrylate						
2,2'-	109-16-0	Water flea	Experimental	21 days	NOEC	32 mg/l
ethylenedioxyd						
iethyl						
dimethacrylate						
2,2'-	109-16-0	Green algae	Experimental	72 hours	NOEC	18.6 mg/l
ethylenedioxyd						
iethyl		1				
dimethacrylate						
2-Propenoic	68909-20-6	Algae	Estimated	72 hours	EC50	>100 mg/l
acid, 2-methyl-,		1				
3-						
(trimetoxysilyl)						
propyl ester,		1				
hydrolysis						
products with		1				
silica						

# 12.2. Persistence and degradability

\_\_\_\_\_

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
2-Propenoic	1224866-76-5	Experimental	28 days	BOD	82 %	OECD 301F -
acid, 2-methyl-,		Biodegradation	-		BOD/ThBOD	Manometric
1,1'-[1-						respirometry
(hydroxymethy						
1)-1,2-						
ethanediyl]						
ester, reaction						
products with						
2-hydroxy-1,3-						
propanediyl						
dimethacrylate						
and phosphorus						
oxide						
2,2'-	109-16-0	Experimental	28 days	CO2 evolution	85 % weight	OECD 301B - Modified
ethylenedioxyd		Biodegradation				sturm or CO2
iethyl						
dimethacrylate						
2-Propenoic	68909-20-6	Data not			N/A	
acid, 2-methyl-,		availbl-				
3-		insufficient				
(trimetoxysilyl)						
propyl ester,						
hydrolysis						
products with						
silica						

# 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
2-Propenoic acid, 2-methyl-,	1224866-76-5	Experimental Bioconcentrati		Log Kow	-0.2	Other methods
1,1'-[1-		on				
(hydroxymethy		011				
1)-1,2-						
ethanediyl]						
ester, reaction						
products with						
2-hydroxy-1,3-						
propanediyl						
dimethacrylate						
and phosphorus						
oxide						
2,2'-	109-16-0	Experimental		Log Kow	2.3	Other methods
ethylenedioxyd	107-10-0	Bioconcentrati		Log Kow	2.3	Other methods
iethyl		on				
dimethacrylate		011				
2-Propenoic	68909-20-6	Data not	N/A	N/A	N/A	N/A
acid, 2-methyl-,	00707 20 0	available or	11/11	14/14	11/11	11/11
3-		insufficient for				
(trimetoxysilyl)		classification				
propyl ester,		Classification				
hydrolysis						
products with						
silica						
Silica						

Page: 10 of 12

### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

# **SECTION 14: Transport Information**

### New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: UN3077

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (TERT-BUTYL PEROXY-3, 5, 5-TRIMETHYLHEXANOATE, (ACETIC ACID, COPPER (2+) SALT, MONOHYDRATE))

Class/Division: 9

**Sub Risk:** Not applicable. **Packing Group:** III

**Special Instructions:** Not restricted, environmentally hazardous substance exception.

Hazchem Code: 2Z

**IERG: 47** 

### International Air Transport Association (IATA) - Air Transport

UN No.: UN3077

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (TERT-BUTYL PEROXY-3, 5, 5-TRIMETHYLHEXANOATE, (ACETIC ACID, COPPER (2+) SALT, MONOHYDRATE))

Class/Division: 9

**Sub Risk:** Not applicable. **Packing Group:** III

Special Instructions: Not restricted, as per Special Provision A197, environmentally hazardous substance exception.

### International Maritime Dangerous Goods Code (IMDG) - Marine Transport

**UN No.: UN3077** 

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (TERT-BUTYL PEROXY-3, 5, 5-TRIMETHYLHEXANOATE, (ACETIC ACID, COPPER (2+) SALT, MONOHYDRATE))

Class/Division: 9

Sub Risk: Not applicable. Packing Group: III

Marine Pollutant: Not applicable.

**Special Instructions:** Not restricted, as per IMDG code 2.10.2.7, marine pollutant exception.

# **SECTION 15: Regulatory information**

HSNO Approval number HSR002558

Group standard name Dental Products (Subsidiary Hazard) Group Standard 2017

HSNO Hazard classification Refer to Section 2: Hazard identification

### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017

Certified handler Not required
Location Compliance Certificate Not required
Hazardous atmosphere zone Not required
Fire extinguishers Not required

Emergency response plan 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a

HSNO 6.1D, 6.5A, 6.5B, 9.1B or 9.1C substance); or 10,000 L or 10,000 kg

(for a HSNO 6.6A, 6.8A, 6.9A, 8.3A, 9.1D substance)

Secondary containment 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a

HSNO 6.1D, 6.5A, 6.5B, 9.1B or 9.1C substance); or 10,000 L or 10,000 kg

(for a HSNO 6.6A, 6.8A, 6.9A, 8.3A, 9.1D substance)

Tracking Not required

Warning signage 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a

HSNO 8.3A, 9.1B or 9.1C substance); or 10,000 L or 10,000 kg (for a HSNO

6.1D or 9.1D substance)

# **SECTION 16: Other information**

#### **Revision information:**

Complete document review.

Document group:	29-9001-8	Version number:	3.00
Issue Date:	26/08/2019	Supersedes date:	18/12/2017

### Key to abbreviations and acronyms

GHS means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013
 HSNO means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



# Safety Data Sheet

© 2021, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 29-8286-6 **Version number:** 4.00

**Issue Date:** 04/03/2021 **Supersedes date:** 09/11/2020

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **SECTION 1: Identification**

### 1.1. Product identifier

3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal Etchant (41263)

### 1.2. Recommended use and restrictions on use

### Recommended use

Dental Product, Etching gel

### Restrictions on use

For use by dental professionals only.

### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

# 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

# **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

### 2.1. Classification of the substance or mixture

GHS	HSNO
Corrosive to metal: Category 1	8.1A Corrosive to metals
Serious Eye Damage/Irritation: Category 1	8.3A Corrosive to eye
Skin Corrosion/Irritation: Category 1C	8.2C Corrosive to skin
No GHS Equivalent	9.3C Terrestrial vertebrate toxicity

### 2.2. Label elements

### SIGNAL WORD

DANGER!

### **Symbols:**

Corrosion |

### **Pictograms**



### **HAZARD STATEMENTS:**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H433 Harmful to terrestrial vertebrates.

### PRECAUTIONARY STATEMENTS

**Prevention:** 

P234A Keep only in original packaging.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280A Wear eye/face protection.

P280D Wear protective gloves, protective clothing, and eye/face protection.

P273 Avoid release to the environment.

P264B Wash exposed skin thoroughly after handling.

**Response:** 

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P321 Specific treatment (see Notes to Physician on this label).

P390 Absorb spillage to prevent material damage.

P303 + P361 + P353A IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

Storage:

P405 Store locked up.

P406A Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

### 2.3. Other hazards

- May cause chemical gastrointestinal burns.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Water	7732-18-5	50 - 65
Phosphoric Acid	7664-38-2	30 - 40
Synthetic Amorphous Silica, Fumed, Crystalline Free	112945-52-5	5 - 10
Polyethylene Glycol	25322-68-3	1 - 5
Aluminium Oxide	1344-28-1	< 2

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

### Eye contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

### If swallowed

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

5.4. Hazchem code: 2R

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible. Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Clean up residue with water. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Do not get in eyes.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Keep only in original container. Store in a corrosive resistant container with a resistant inner liner. Store away from strong bases.

### 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

for the component.				
Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Aluminium Oxide	1344-28-1	New Zealand	TWA(8 hours):10 mg/m3	
		WES		
Aluminum, insoluble compounds	1344-28-1	ACGIH	TWA(respirable fraction):1 mg/m3	A4: Not class. as human carcinogin
Polyethylene Glycol	25322-68-3	AIHA	TWA(as aerosol):10 mg/m3	
Phosphoric Acid	7664-38-2	ACGIH	TWA: 1 mg/m³; STEL: 3 mg/m³	
Phosphoric Acid	7664-38-2	New Zealand WFS	TWA(8 hours): 1 mg/m3	

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

ppm: parts per million

mg/m3: milligrams per cubic metre

CEIL: Ceiling

# 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

information on basic physical and chemical propertie	s
Physical state	Liquid.
Specific Physical Form:	Gel
Colour	Blue
Odour	Slight Odour, Characteristic Odour
Odour threshold	No data available.
pH	< 1
Melting point/Freezing point	Not applicable.
Boiling point/Initial boiling point/Boiling range	No data available.
Flash point	> 100 °C [Test Method:Closed Cup]
Evaporation rate	No data available.
Flammability (solid, gas)	Not applicable.
Flammable Limits(LEL)	No data available.
Flammable Limits(UEL)	No data available.
Vapour pressure	No data available.
Vapor Density and/or Relative Vapor Density	No data available.
Density	1.1 g/ml - 1.2 g/ml
Relative density	1.1 - 1.2 [ <i>Ref Std</i> :WATER=1]
Water solubility	Complete
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	No data available.
Volatile organic compounds (VOC)	No data available.
Percent volatile	No data available.
VOC less H2O & exempt solvents	No data available.
Molecular weight	No data available.

### Nanoparticles

This material contains nanoparticles.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

Strong bases.

### 10.6 Hazardous decomposition products

**Substance** 

**Condition** 

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

### Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

#### Skin contact

Corrosive (skin burns): Signs/symptoms may include localised redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

### Eye contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

### Ingestion

Gastrointestinal corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea; blood in the faeces and/or vomitus may also be seen.

# **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Dermal	1	No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Phosphoric Acid	Dermal	Rabbit	LD50 2,740 mg/kg
Phosphoric Acid	Ingestion	Rat	LD50 1,530 mg/kg
Synthetic Amorphous Silica, Fumed, Crystalline Free	Dermal	Rabbit	LD50 > 5,000 mg/kg
Synthetic Amorphous Silica, Fumed, Crystalline Free	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Synthetic Amorphous Silica, Fumed, Crystalline Free	Ingestion	Rat	LD50 > 5,110 mg/kg
Polyethylene Glycol	Dermal	Rabbit	LD50 > 20,000 mg/kg
Polyethylene Glycol	Ingestion	Rat	LD50 32,770 mg/kg
Aluminium Oxide	Dermal		LD50 estimated to be > 5,000 mg/kg
Aluminium Oxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 2.3 mg/l
Aluminium Oxide	Ingestion	Rat	LD50 > 5,000 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name		Value
Phosphoric Acid	Rabbit	Corrosive
Synthetic Amorphous Silica, Fumed, Crystalline Free	Rabbit	No significant irritation
Polyethylene Glycol	Rabbit	Minimal irritation
Aluminium Oxide	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Serious Lye Damage/II Ittation		<u> </u>
Name	Species	Value
Phosphoric Acid	official	Corrosive
	classificat	
	ion	
Synthetic Amorphous Silica, Fumed, Crystalline Free	Rabbit	No significant irritation
Polyethylene Glycol	Rabbit	Mild irritant
Aluminium Oxide	Rabbit	No significant irritation

# Sensitisation:

### **Skin Sensitisation**

Name	Species	Value
Phosphoric Acid	Human	Not classified
Synthetic Amorphous Silica, Fumed, Crystalline Free	Human	Not classified
	and	
	animal	
Polyethylene Glycol	Guinea	Not classified
	pig	

# **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

# **Germ Cell Mutagenicity**

# 3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal Etchant (41263)

Name		Value
Phosphoric Acid	In Vitro	Not mutagenic
Synthetic Amorphous Silica, Fumed, Crystalline Free	In Vitro	Not mutagenic
Polyethylene Glycol	In Vitro	Not mutagenic
Polyethylene Glycol	In vivo	Not mutagenic
Aluminium Oxide	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Synthetic Amorphous Silica, Fumed, Crystalline Free	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
Polyethylene Glycol	Ingestion	Rat	Not carcinogenic
Aluminium Oxide	Inhalation	Rat	Not carcinogenic

# Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Route Value		Test result	Exposure Duration	
Phosphoric Acid	Ingestion	Not classified for female reproduction	Rat	NOAEL 750 mg/kg/day	2 generation	
Phosphoric Acid	Ingestion	Not classified for male reproduction	Rat	NOAEL 750 mg/kg/day	2 generation	
Phosphoric Acid	Ingestion	Not classified for development	Rat	NOAEL 750 mg/kg/day	2 generation	
Synthetic Amorphous Silica, Fumed, Crystalline Free	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation	
Synthetic Amorphous Silica, Fumed, Crystalline Free	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation	
Synthetic Amorphous Silica, Fumed, Crystalline Free	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis	
Polyethylene Glycol	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,125 mg/kg/day	during gestation	
Polyethylene Glycol	Ingestion	Not classified for male reproduction	Rat	NOAEL 5699 +/-1341 mg/kg/day	5 days	
Polyethylene Glycol	Not specified.	Not classified for reproduction and/or development		NOEL N/A		
Polyethylene Glycol	Ingestion	Not classified for development	Mouse	NOAEL 562 mg/animal/da y	during gestation	

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Phosphoric Acid	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Polyethylene Glycol	Inhalation	respiratory irritation	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks

Specific Target Organ Toxicity - repeated exposure

Name Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Synthetic Amorphous Silica, Fumed, Crystalline Free	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure
Polyethylene Glycol	Inhalation	respiratory system	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks

Polyethylene Glycol	Ingestion	kidney and/or bladder   heart   endocrine system   hematopoietic system   liver   nervous system	Not classified	Rat	NOAEL 5,640 mg/kg/day	13 weeks
Aluminium Oxide	Inhalation	pneumoconiosis	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Aluminium Oxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

### **Ecotoxic to terrestrial vertebrates**

9.3C Terrestrial vertebrate toxicity

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Phosphoric	7664-38-2	Green algae	Experimental	72 hours	EC50	>100 mg/l
Acid						
Phosphoric	7664-38-2	Water flea	Experimental	48 hours	EC50	>100 mg/l
Acid						
Phosphoric	7664-38-2	Green algae	Experimental	72 hours	NOEC	100 mg/l
Acid						
Synthetic	112945-52-5	Green Algae	Experimental	72 hours	EC50	>100 mg/l
Amorphous						
Silica, Fumed,						
Crystalline						
Free						
Synthetic	112945-52-5	Water flea	Experimental	24 hours	EC50	>100 mg/l
Amorphous						
Silica, Fumed,						
Crystalline						
Free						
Synthetic	112945-52-5	Zebra Fish	Experimental	96 hours	LC50	>100 mg/l
Amorphous						
Silica, Fumed,						
Crystalline						
Free						
Synthetic	112945-52-5	Green Algae	Experimental	72 hours	NOEC	60 mg/l
Amorphous						

Silica, Fumed, Crystalline Free						
Polyethylene Glycol	25322-68-3	Activated sludge	Experimental		EC50	>1,000 mg/l
Polyethylene Glycol	25322-68-3	Atlantic Salmon	Experimental	96 hours	LC50	>1,000 mg/l
Aluminium Oxide	1344-28-1	Fish	Experimental	96 hours	LC50	>100 mg/l
Aluminium Oxide	1344-28-1	Green Algae	Experimental	72 hours	EC50	>100 mg/l
Aluminium Oxide	1344-28-1	Water flea	Experimental	48 hours	LC50	>100 mg/l
Aluminium Oxide	1344-28-1	Green Algae	Experimental	72 hours	NOEC	>100 mg/l

# 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Phosphoric	7664-38-2	Data not			N/A	
Acid		availbl-				
		insufficient				
Synthetic	112945-52-5	Data not			N/A	
Amorphous		availbl-				
Silica, Fumed,		insufficient				
Crystalline						
Free						
Polyethylene	25322-68-3	Experimental	28 days	BOD	53 %	OECD 301C - MITI
Glycol		Biodegradation	-		BOD/ThBOD	test (I)
Aluminium	1344-28-1	Data not			N/A	
Oxide		availbl-				
		insufficient				

# 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Phosphoric Acid	7664-38-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Synthetic Amorphous Silica, Fumed, Crystalline Free	112945-52-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polyethylene Glycol	25322-68-3	Estimated Bioconcentrati on		Bioaccumulatio n factor	2.3	Estimated: Bioconcentration factor
Aluminium Oxide	1344-28-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

# 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

# **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: UN1805

Proper Shipping Name: PHOSPHORIC ACID SOLUTION

Class/Division: 8

**Sub Risk:** Not applicable. **Packing Group:** III

Special Instructions: Dangerous Goods in Excepted Quantities, Class 8

Hazchem Code: 2R

**IERG:** 37

International Air Transport Association (IATA) - Air Transport

UN No.: UN1805

**Proper Shipping Name: PHOSPHORIC ACID SOLUTION** 

Class/Division: 8

**Sub Risk:** Not applicable. **Packing Group:** III

Special Instructions: Dangerous Goods in Excepted Quantities, Class 8

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: UN1805

**Proper Shipping Name: PHOSPHORIC ACID SOLUTION** 

Class/Division: 8

**Sub Risk:** Not applicable. **Packing Group:** III

Marine Pollutant: Not applicable.

Special Instructions: FORBIDDEN BY THIS MODE OF TRANSPORT, 3M DIVISION POLICY

# **SECTION 15: Regulatory information**

HSNO Approval number HSR002555

Group standard name Dental Products (Corrosive) Group Standard 2017

HSNO Hazard classification Refer to Section 2: Hazard identification

### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017

Certified handler Not required

### 3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal Etchant (41263)

Location Compliance Certificate Not required Hazardous atmosphere zone Not required Fire extinguishers Not required

Emergency response plan 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a

HSNO 6.1D, 6.5A, 6.5B, 8.2B, 9.1B or 9.1C substance); or 10,000 L or 10,000

kg (for all other substances)

Secondary containment 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a

HSNO 6.1D, 6.5A, 6.5B, 8.2B, 9.1B or 9.1C substance); or 10,000 L or 10,000

kg (for all other substances)

Tracking Not required

Warning signage 100 L or 100 kg (for a HSNO 9.1A substance); or 250 L or 250 kg (for a

HSNO 8.2B substance); or 1.000 L or 1,000 kg (for all other substances)

# **SECTION 16: Other information**

#### **Revision information:**

Complete document review.

Document group:	29-8286-6	Version number:	4.00
Issue Date:	04/03/2021	Supersedes date:	09/11/2020

#### Key to abbreviations and acronyms

GHS means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013 HSNO means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



# Safety Data Sheet

© 2021, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 29-8287-4
 Version number:
 4.00

 Issue Date:
 03/03/2021
 Supersedes date:
 10/04/2019

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal (41258)

#### **Product Identification Numbers**

70-2011-3903-0

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Adhesive

For use only by dental professionals.

#### Restrictions on use

For use by dental professionals only.

### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

# **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

GHS	HSNO				
Flammable Liquid: Category 3	3.1C Flammable Liquid				

Serious Eye Damage/Irritation: Category 1	8.3A Corrosive to eye
Skin Sensitiser: Category 1	6.5B Skin sensitiser

# 2.2. Label elements SIGNAL WORD

DANGER!

**Symbols:** 

Flame | Corrosion | Exclamation mark |





### **HAZARD STATEMENTS:**

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

#### PRECAUTIONARY STATEMENTS

**Prevention:** 

P210A Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240B Ground and bond container and receiving equipment.

P242A Use non-sparking tools.
P233 Keep container tightly closed.

P243A Take action to prevent static discharges.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280A Wear eye/face protection.

P280B Wear protective gloves and eye/face protection.

P280E Wear protective gloves.

P272A Contaminated work clothing must not be allowed out of the workplace.

Response:

P302 + P352

P310

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/physician.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P321 Specific treatment (see Notes to Physician on this label).

P370 + P378G In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry

chemical or carbon dioxide to extinguish.

P303 + P361 + P353A IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

#### 2.3. Other hazards

- May cause chemical gastrointestinal burns. Eye damage/irritation class. based on test data
tested for eye damage/irritation and the test results are reflected in the assigned classification.

Skin corrosion/irritation and the test results do not meet the criteria for classification.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
2-Hydroxyethyl methacrylate	868-77-9	15 - 25
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	1565-94-2	15 - 25
bismethacrylate		
Ethanol	64-17-5	10 - 15
Water	7732-18-5	10 - 15
1,10-Decanediol methacrylated phosphates	1207736-18-2	1 - 10
Copolymer of acrylic and itaconic acid	25948-33-8	1 - 5
Camphorquinone	10373-78-1	< 2
Ethyl 4-dimethylaminobenzoate	10287-53-3	< 2

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

#### If swallowed

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### **Hazardous Decomposition or By-Products**

<u>Substance</u>	<u>Condition</u>
Formaldehyde	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.
Oxides of nitrogen.	During combustion.

# 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**5.4. Hazchem code:** 3Y

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### **6.2.** Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire extinguishing foam that is resistant to polar solvents. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

#### 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharge. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not get in eyes.

#### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from heat. Store away from acids. Store away from oxidising agents.

#### 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

IngredientCAS Nbr<br/>EthanolAgency<br/>64-17-5Limit type<br/>ACGIHAdditional comments<br/>STEL:1000 ppmAdditional comments<br/>A3: Confirmed animal<br/>carcinogen.Ethanol64-17-5New ZealandTWA(8 hours):1880

mg/m3(1000 ppm)

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

ppm: parts per million

mg/m³: milligrams per cubic metre

CEIL: Ceiling

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

#### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

mornation on basic physical and chemical properties	
Physical state	Liquid.
Specific Physical Form:	Viscous Liquid
Colour	Yellow
Odour	Characteristic Odour
Odour threshold	No data available.
рН	Not applicable.
Melting point/Freezing point	No data available.

Boiling point/Initial boiling point/Boiling range	>= 78 °C		
Flash point	30.5 °C [Test Method:Closed Cup]		
Evaporation rate	No data available.		
Flammability (solid, gas)	Not applicable.		
Flammable Limits(LEL)	No data available.		
Flammable Limits(UEL)	No data available.		
Vapour pressure	No data available.		
Vapor Density and/or Relative Vapor Density	No data available.		
Density	1 g/cm3 - 1.2 g/cm3		
Relative density	1 - 1.2 [ <i>Ref Std</i> :WATER=1]		
Water solubility Appreciable			
Solubility- non-water No data available.			
Partition coefficient: n-octanol/water	No data available.		
Autoignition temperature	No data available.		
Decomposition temperature	No data available.		
Viscosity/Kinematic Viscosity	Not applicable.		
Volatile organic compounds (VOC)	No data available.		
Percent volatile			
VOC less H2O & exempt solvents			
Molecular weight	No data available.		

### **Nanoparticles**

This material contains nanoparticles.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

## 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.

#### 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

Substance
None known.

**Condition** 

Refer to Section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be

relevant to the material as a whole.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

No health effects are expected.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

#### **Ingestion**

Gastrointestinal corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea; blood in the faeces and/or vomitus may also be seen.

#### **Additional information:**

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

# **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
2-Hydroxyethyl methacrylate	Dermal	Rabbit	LD50 > 5,000 mg/kg
2-Hydroxyethyl methacrylate	Ingestion	Rat	LD50 5,564 mg/kg
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Ingestion	Rat	LD50 > 11,700 mg/kg
Ethanol	Dermal	Rabbit	LD50 > 15,800 mg/kg
Ethanol	Inhalation- Vapor (4 hours)	Rat	LC50 124.7 mg/l
Ethanol	Ingestion	Rat	LD50 17,800 mg/kg
1,10-Decanediol methacrylated phosphates	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
1,10-Decanediol methacrylated phosphates	Ingestion	Rat	LD50 > 2,000 mg/kg
Copolymer of acrylic and itaconic acid	Ingestion	Rat	LD50 > 5,000 mg/kg
Copolymer of acrylic and itaconic acid	Dermal	similar health hazards	LD50 estimated to be > 5,000 mg/kg

# 3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal (41258)

Camphorquinone	Dermal	Professio	LD50 estimated to be 2,000 - 5,000 mg/kg
		nal	
		judgeme	
		nt	
Camphorquinone	Ingestion	Rat	LD50 > 2,000 mg/kg
Ethyl 4-dimethylaminobenzoate	Dermal	Rat	LD50 > 2,000 mg/kg
Ethyl 4-dimethylaminobenzoate	Ingestion	Rat	LD50 > 2,000 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Overall product	Rabbit	No significant irritation
2-Hydroxyethyl methacrylate	Rabbit	Minimal irritation
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	Rabbit	No significant irritation
bismethacrylate		
Ethanol	Rabbit	No significant irritation
1,10-Decanediol methacrylated phosphates	In vitro	Corrosive
	data	
Ethyl 4-dimethylaminobenzoate	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Overall product	In vitro	Corrosive
	data	
2-Hydroxyethyl methacrylate	Rabbit	Moderate irritant
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	In vitro	No significant irritation
bismethacrylate	data	
Ethanol	Rabbit	Severe irritant
1,10-Decanediol methacrylated phosphates	In vitro	Corrosive
	data	
Ethyl 4-dimethylaminobenzoate	Rabbit	Mild irritant

# **Sensitisation:**

#### **Skin Sensitisation**

Name	Species	Value
2-Hydroxyethyl methacrylate	Human	Sensitising
	and	
	animal	
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	Mouse	Not classified
bismethacrylate		
Ethanol	Human	Not classified
1,10-Decanediol methacrylated phosphates	Professio	Sensitising
	nal	
	judgemen	
	t	

# **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value		
2-Hydroxyethyl methacrylate	In vivo	Not mutagenic		
2-Hydroxyethyl methacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification		
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	In Vitro	Not mutagenic		
Ethanol	In Vitro	Some positive data exist, but the data are not		

Dagge 9 of 14

# 3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal (41258)

		sufficient for classification
Ethanol	In vivo	Some positive data exist, but the data are not
		sufficient for classification
1,10-Decanediol methacrylated phosphates	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Ethanol	Ingestion	Multiple animal	Some positive data exist, but the data are not sufficient for classification
		species	

# Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
2-Hydroxyethyl methacrylate	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
2-Hydroxyethyl methacrylate	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	49 days
2-Hydroxyethyl methacrylate	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during gestation
Ethanol	Inhalation	Not classified for development	Rat	NOAEL 38 mg/l	during gestation
Ethanol	Ingestion	Not classified for development	Rat	NOAEL 5,200 mg/kg/day	premating & during gestation

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	LOAEL 9.4 mg/l	not available
Ethanol	Inhalation	central nervous system depression	Not classified	Human and animal	NOAEL not available	
Ethanol	Ingestion	central nervous system depression	Not classified	Multiple animal species	NOAEL not available	
Ethanol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 3,000 mg/kg	
1,10-Decanediol methacrylated phosphates	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
Copolymer of acrylic and itaconic acid	Ingestion	nervous system	Not classified	Rat	NOAEL 5,000 mg/kg	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
(1- methylethylidene)bis[4,1- phenyleneoxy(2-hydroxy- 3,1-propanediyl)] bismethacrylate	Ingestion	endocrine system   hematopoietic system   liver   heart   skin   gastrointestinal tract   bone, teeth, nails,	Not classified	Rat	NOAEL 1,000 mg/kg/day	90 days

		and/or hair   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system				
Ethanol	Inhalation	liver	Some positive data exist, but the data are not sufficient for classification	Rabbit	LOAEL 124 mg/l	365 days
Ethanol	Inhalation	hematopoietic system   immune system	Not classified	Rat	NOAEL 25 mg/l	14 days
Ethanol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 8,000 mg/kg/day	4 months
Ethanol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 3,000 mg/kg/day	7 days
Copolymer of acrylic and itaconic acid	Ingestion	endocrine system   hematopoietic system   liver	Not classified	Rat	NOAEL 200 mg/kg/day	28 days
Copolymer of acrylic and itaconic acid	Ingestion	heart   bone, teeth, nails, and/or hair   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system	Not classified	Rat	NOAEL 2,000 mg/kg/day	28 days

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

No product test data available.

Material	CAS Number	Organism	Туре	Exposure	Test endpoint	Test result
2-	868-77-9	Fathead	Experimental	96 hours	LC50	227 mg/l
Hydroxyethyl		minnow				
methacrylate						
2-	868-77-9	Green algae	Experimental	72 hours	EC50	710 mg/l
Hydroxyethyl						
methacrylate						
2-	868-77-9	Water flea	Experimental	48 hours	EC50	380 mg/l
Hydroxyethyl						
methacrylate						

2-	868-77-9	Green Algae	Experimental	72 hours	NOEC	160 mg/l
Hydroxyethyl			F			
methacrylate						
2-	868-77-9	Water flea	Experimental	21 days	NOEC	24.1 mg/l
Hydroxyethyl						
methacrylate						
(1-	1565-94-2		Data not			N/A
methylethylide			available or			
ne)bis[4,1-			insufficient for			
phenyleneoxy(			classification			
2-hydroxy-3,1-						
propanediyl)]						
bismethacrylate		F-411	F	061	1.050	14 200 /1
Ethanol	64-17-5	Fathead	Experimental	96 hours	LC50	14,200 mg/l
Eth an al	(4.17.5	minnow	E-manina antal	96 hours	LC50	11.000/1
Ethanol	64-17-5	Fish other	Experimental	72 hours		11,000 mg/l 275 mg/l
Ethanol	64-17-5	Green algae Water flea	Experimental	48 hours	EC50	
Ethanol	64-17-5		Experimental	72 hours	LC50	5,012 mg/l
Ethanol	64-17-5	Green algae	Experimental		ErC10	11.5 mg/l
Ethanol	64-17-5	Water flea	Experimental	10 days	NOEC	9.6 mg/l
1,10- Decanediol	1207736-18-2		Data not available or			N/A
methacrylated			insufficient for			
phosphates			classification			
Copolymer of	25948-33-8		Data not			N/A
acrylic and	23710 33 0		available or			
itaconic acid			insufficient for			
			classification			
Camphorquino	10373-78-1		Data not			N/A
ne			available or			
			insufficient for			
			classification			
Ethyl 4-	10287-53-3	Activated	Experimental	3 hours	EC50	>1,000 mg/l
dimethylamino		sludge				
benzoate						
Ethyl 4-	10287-53-3	Green Algae	Experimental	72 hours	EC50	2.8 mg/l
dimethylamino						
benzoate						
Ethyl 4-	10287-53-3	Rainbow trout	Experimental	96 hours	LC50	1.9 mg/l
dimethylamino						
benzoate	1.0205 52 2	777 . O	D	40.1	FG50	1.5
Ethyl 4-	10287-53-3	Water flea	Experimental	48 hours	EC50	4.5 mg/l
dimethylamino						
benzoate	10207 52 2	Cusan Aless	E-m oning t - 1	72 hazz	E=C10	0.71 2/1
Ethyl 4-	10287-53-3	Green Algae	Experimental	72 hours	ErC10	0.71 mg/l
dimethylamino benzoate						
UCIIZUAIC	<u> </u>			I		

# 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
2-	868-77-9	Experimental	14 days	BOD	95 %	OECD 301C - MITI
Hydroxyethyl		Biodegradation	-		BOD/ThBOD	test (I)
methacrylate						

(1- methylethylide ne)bis[4,1- phenyleneoxy( 2-hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Estimated Biodegradation	28 days	BOD	32 % weight	OECD 301C - MITI test (I)
Ethanol	64-17-5	Experimental Biodegradation	14 days	BOD	89 % BOD/ThBOD	OECD 301C - MITI test (I)
1,10- Decanediol methacrylated phosphates	1207736-18-2	Estimated Biodegradation	28 days	BOD	91 % weight	OECD 301C - MITI test (I)
Copolymer of acrylic and itaconic acid	25948-33-8	Data not availbl-insufficient			N/A	
Camphorquino ne	10373-78-1	Estimated Biodegradation	28 days	BOD	20.6 % BOD/ThBOD	OECD 301C - MITI test (I)
Ethyl 4- dimethylamino benzoate	10287-53-3	Experimental Biodegradation	28 days	CO2 evolution	40 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2

# 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
2-	868-77-9	Experimental		Log Kow	0.42	Non-standard method
Hydroxyethyl		Bioconcentrati				
methacrylate		on				
(1-	1565-94-2	Estimated		Bioaccumulatio	5.8	Estimated:
methylethylide		Bioconcentrati		n factor		Bioconcentration factor
ne)bis[4,1-		on				
phenyleneoxy(						
2-hydroxy-3,1-						
propanediyl)]						
bismethacrylate						
Ethanol	64-17-5	Experimental		Log Kow	-0.35	Non-standard method
		Bioconcentrati				
		on				
1,10-	1207736-18-2	Estimated		Bioaccumulatio	4.5	Non-standard method
Decanediol		Bioconcentrati		n factor		
methacrylated		on				
phosphates						
Copolymer of	25948-33-8	Data not	N/A	N/A	N/A	N/A
acrylic and		available or				
itaconic acid		insufficient for				
		classification				
Camphorquino	10373-78-1	Estimated		Bioaccumulatio	7.1	Estimated:
ne		Bioconcentrati		n factor		Bioconcentration factor
		on				
Ethyl 4-	10287-53-3	Experimental		Log Kow	3.2	Non-standard method
dimethylamino		Bioconcentrati				
benzoate		on				

# 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Incinerate uncured product in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility. If no other disposal options are available, waste product—that has been completely cured or polymerized may be placed in a landfill properly designed for industrial waste. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

# **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: UN1133

**Proper Shipping Name:** Adhesives

Class/Division: 3

**Sub Risk:** Not applicable. **Packing Group:** III

Special Instructions: Dangerous Goods in Excepted Quantities, Class 3

Hazchem Code: 3Y

**IERG:** 14

International Air Transport Association (IATA) - Air Transport

**UN No.:** UN1133

Proper Shipping Name: Adhesives

Class/Division: 3

**Sub Risk:** Not applicable. **Packing Group:** III

Special Instructions: Dangerous goods in Excepted Quantities, Class 3

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: UN1133

**Proper Shipping Name:** Adhesives

Class/Division: 3

Sub Risk: Not applicable. Packing Group: III

Marine Pollutant: Not applicable.

Special Instructions: FORBIDDEN BY THIS MODE OF TRANSPORT, 3M DIVISION POLICY

# **SECTION 15: Regulatory information**

HSNO Approval number HSR002556

Group standard name Dental Products (Flammable) Group Standard 2017

HSNO Hazard classification Refer to Section 2: Hazard identification

#### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIOC listing requirements.

Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017

Certified handler Not required

Location Compliance Certificate 500 L (closed containers greater than 5 L) 1,500 L (closed containers up to and

including 5 L) 250 L (open containers)

Hazardous atmosphere zone 100 L (closed containers) 25 L (decanting) 5 L (open occasionally) 1 L

(open containers in continuous use)

Fire extinguishers Two required for 500 L

Emergency response plan 100 L (for a HSNO 9.1A substance); or 1,000 kg (for a HSNO 6.1D, 6.5A,

6.5B, 9.1B or 9.1C substance); or 10,000 kg (for all other substances)

Secondary containment 100 L (for a HSNO 9.1A substance); or 1,000 kg (for a HSNO 6.1D, 6.5A,

6.5B, 9.1B or 9.1C substance); or 10,000 kg (for all other substances)

Tracking Not required

Warning signage 100 L (for a HSNO 9.1A substance) or 1,000 L (for all other substances)

# **SECTION 16: Other information**

#### **Revision information:**

Complete document review.

Document group:	29-8287-4	Version number:	4.00
Issue Date:	03/03/2021	Supersedes date:	10/04/2019

#### Key to abbreviations and acronyms

**GHS** means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013 **HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz