

Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name: Red Utility Wax Strips

Manufacturer: Coltene Whaledent

SDS Expiry: 30 April 2023

Supplier Details: Henry Schein New Zealand
23 William Pickering Drive, Albany
PO Box 101 140, North Shore, Auckland 0745
Ph. 0800 808 855
www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours)
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: Non Hazardous

HSNO Group Standard: Non Hazardous

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet is prepared on 19 April 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

Red Utility Wax Strips

Coltene Inc.

Internal Document Number: 48278B

Revision Date: April 2018

Section 1 - IDENTIFICATION

Product Names: Red Utility Wax Strips

Product Codes: H00817

Recommended Use: Designed for lab technicians to help create working stone models in the dental lab.

Restrictions on Use: Red Utility Wax Strips should not be used in environments where temperatures can exceed 48° C (120°F)

Manufacturer 
 Coltene/Whaledent Inc.
 235 Ascot Parkway
 Cuyahoga Falls, OH 44223
 USA
 Phone: 1 330 916 8800
 E-mail: info.us@coltene.com
 Fax: 1 330 916 7077

Authorized EC Representative EC REP
 Coltene/Whaledent GmbH + Co. KG
 Raiffeisenstraße 30
 89129 Langenau
 Phone: 49 7345 805 0
 Fax: 49 7345 805 201
 Info.de@coltene.com

Emergency Contact Number:
 USA & Canada: 1 800 535 5053

Copies of this SDS can be found at
www.coltene.com

Section 2 - HAZARD(S) IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Hazard Category, Subcategory: None as defined under 29CFR 1910.1200

GHS Label Elements: None
Symbol(s): Not applicable

Signal Word: Not applicable

Hazard Statement(s): None

Precautionary Statement(s):

Prevention: None

Response: None

Storage: Store in a well ventilated place. Keep cool. Do not store at temperatures above 48° C (120°F)

Disposal: Dispose of in accordance with local, state and federal regulations.

Statement(s) of Unknown Acute Toxicity:

Zero % of the mixture consists of ingredient(s) of unknown acute toxicity.

Other Hazards which do not result in classification:

Above its melting point, wax becomes a liquid and flows more regularly as the temperature increases. If material becomes a hot liquid, it requires special handling. At temperatures significantly above its melting point, hydrocarbon vapors are given off which should be handled with adequate ventilation. Can cause eye, skin and respiratory irritation when heated significantly above its boiling point

Coltene Inc.

Red Utility Wax Strips

Internal Document Number: 48278B

Revision Date: April 2018

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS number	Percent (w/w%)
No classified ingredients present	Not applicable	Not applicable

Section 4 - FIRST AID MEASURES**Description of Necessary Measures****General Advice:**

Material as supplied is non-hazardous, however, if exposed to melted wax consider the following first aid measures:

Inhalation: Move person into fresh air. Call a physician if symptoms persist.

Skin: Exposure to fumes vapor and smoke from thermal degradation can cause skin irritation. Exposure to molten material can cause burns. Run exposed area under cool water for 15 minutes, and then contact a physician, if necessary. Do no attempt to remove material that is bonded to skin.

Eyes: Exposure to fumes vapor and smoke from thermal degradation can cause eye irritation. Flush eyes with copious amounts of water for at least 15 minutes. Call a physician.

Ingestion: Ingestion of molten wax is an extremely unlikely source of exposure

Section 5 - FIRE-FIGHTING MEASURES

Extinguishing Media: Foam, dry chemical or Carbon Dioxide (CO2)

Unsuitable Extinguishing Media: Do not use direct water stream

Specific Hazards Arising from the Chemical: Irritating fumes and vapors to skin and eyes. Respiratory irritation can occur with large amounts of inhaled smoke and fumes.

Special Protective Equipment and Precautions for Firefighters: Wear protective equipment and self-contained breathing apparatus (SCBA) per fire department's SOP.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Use personal protective equipment recommended in Section 8.

Methods and Materials for Containment and Cleaning Up: Handle as you would a plastic material. Allow molten material to cool and harden before attempting to clean up.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling: Use with adequate ventilation. Keep away from heat and ignition sources. Conditions for Safe Storage, Including Any Incompatibilities: Store in a cool, dry location, away from ignition sources. Use appropriate personal protective equipment when handling molten material. Do not store at temperatures above 48°C (120°F)

Red Utility Wax Strips

Coltene Inc.

Internal Document Number: 48278B

Revision Date: April 2018

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits:

There are no reported exposure limits for the product

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Appropriate Engineering Controls:

None needed if used at room temperature. If material is in molten state, wear appropriate personal protective equipment (thermal gloves, safety glasses and an apron or appropriate splash guard). If molten, insure adequate ventilation

Individual Protection Measures, such as Personal Protective Equipment (non-molten state):

Eye/Face Protection:

None required

Skin Protection:

None required

Respiratory Protection:

None required

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Red, solid	Physical State	Solid
Odor	Mild	Color	Red
Odor Threshold	Not available	pH	Not applicable
Melting Point	56-60°C ~ 140°F	Flammability class	None
Boiling Point	>316°C (600° F)	Freezing point	Not available
Evaporation Rate	Not applicable	Specific Gravity	1.0 g/ml
Autoignition Temperature	Not applicable	Flash Point	220°C (428°F)
Lower Explosive Limit	Not applicable	Decomposition temperature	Not available
Upper Explosive Limit	Not applicable	Vapor Pressure	<0.5 mmHg
Vapor Density (air=1)	Not available	Relative Density(water=1)	Not available
Water Solubility	Not soluble	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not soluble	Density	Not available
Molecular Weight	Not available		

Coltene Inc.

Red Utility Wax Strips

Internal Document Number: 48278B

Revision Date: April 2018

Section 10 - STABILITY AND REACTIVITY

Reactivity:

Not reactive

Chemical Stability:

Chemically Stable

Possibility of Chemical Reactions:

None

Conditions to Avoid:

Avoid strong oxidizing agents such as peroxides and chlorines

Incompatible Materials:

None

Hazardous decomposition products:

Will decompose into carbon dioxide, monoxide and other ketones and aldehydes when heated well above its boiling point.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Routes of Exposure:

Wax is non-hazardous but can cause slight mechanical irritation to the eyes

Section 12 - ECOLOGICAL INFORMATION

Non-Mandatory Section

Ecotoxicity**Component Analysis - Aquatic Toxicity:**

Material is not considered harmful to the environment

Persistence and Degradability:

No data available

Bioaccumulative Potential:

Material will not bioconcentrate in fish and aquatic organisms nor will it absorb to sediment and suspended organic matter

Mobility in Soil:

None known

Other Adverse Effects:

None known

The product does not contain persistent, bioaccumulative and toxic chemicals (PBT) nor does this product contain any very persistent and very bioaccumulative chemicals (vPvB)

Coltene Inc.

Red Utility Wax Strips

Internal Document Number: 48278B

Revision Date: April 2018

Section 13 - DISPOSAL CONSIDERATIONS**Non-Mandatory Section****Disposal Methods:**

Dispose of in accordance with local, state and federal regulations

Component Waste Numbers:

The U.S. EPA has not published waste numbers for this products components

Additional Disposal Considerations:

Dispose if shelf-life has been exceeded.

Section 14 - TRANSPORT INFORMATION**Non-Mandatory Section****Emergency Response Guide Number:** Not applicable**DOT & TDG Information:**

Not Regulated

Environmental Hazards:

None

International Bulk Chemical Code

The product does not contain any chemicals required by the IBC Code to be defined as dangerous chemicals in bulk

IATA & IMDG Information:

Not Regulated

Section 15 - REGULATORY INFORMATION**Non-Mandatory Section****U.S. Federal Regulations***None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.***SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories****[Classification according to SARA Section 311/312.]**

Not Classified

U.S. State Regulations*None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.***The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):***Not listed under California Proposition 65.***Canada Regulations:****CEPA – Priority Substance list***None of this product's components are on the list***Ozone Depleting Substances:***None of this product's components are on the list***Council of Ministers of the Environment – Soil Quality Guidelines***None of this product's components are on the list***Council of Ministers of the Environment – Water Quality Guidelines***None of this product's components are on the list*

Safety Data Sheet



Red Utility Wax Strips

Coltene Inc.

Internal Document Number: 48278B

Revision Date: April 2018

Section 16 - OTHER INFORMATION

HMIS and NFPA Ratings are not required, but are often found in Section 16.

HMIS Rating

Health: [0] Fire: [0] Reactivity: [0]

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

NFPA Ratings

Health: [0] Fire: [0] Reactivity: [0] Other:

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

REVISION HISTORY

REVISION	DATE	ECN #	CHG BY	APPR. BY	DESCRIPTION OF CHANGE
A	9/15/14	14383	TG	SBL	Updated MSDS to GHS/SDS Format 48278 Revision A supersedes 48078 Rev. C
B	4/10/18		M. Scott	PMc	Updated to WHMIS 2015 Regulations

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne - Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Red Utility Wax Strips

Coltene Inc.

Internal Document Number: 48278B

Revision Date: April 2018

Other Information:

DISCLAIMER: Information included in this Safety Data Sheet was obtained from sources which we believe are accurate and reliable as of the date hereof. **HOWEVER, NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.** User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of the product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Coltene/Whaledent Inc, assumes no risk or responsibility for adverse events which may occur in the use and/or misuse of this product and expressly disclaims liability for loss, damage and/or expense arising out of or in any way connected with the handling, storage, use and/or disposal of this product.