

**Safety Data Sheet Cover-Sheet** – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name: Lab Putty Activator

Manufacturer: Coltene

SDS Expiry: 11 October 2023

Supplier Details: Henry Schein New Zealand  
23 William Pickering Drive, Albany  
PO Box 101 140, North Shore, Auckland 0745  
Ph. 0800 808 855  
[www.henryschein.co.nz](http://www.henryschein.co.nz)

Emergency Contacts: Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours)  
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2017 HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared on 18 April 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

according to Regulation (EC) No 1907/2006

**Lab Putty Activator**

Revision date: 11.10.2018

Print date: 19.06.2019

Page 1 of 6

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Lab Putty Activator

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Activator.

**1.3. Details of the supplier of the safety data sheet**

Company name: COLTENE/Whaledent AG  
Street: Feldwiesenstrasse 20  
Place: CH-9450 Altstätten  
Telephone: +41 (71) 75 75 300  
Telefax: +41 (71) 75 75 301  
e-mail: info.ch@coltene.com  
Internet: www.coltene.com  
Responsible Department: Regulatory Affairs  
msds@coltene.com

**1.4. Emergency telephone number:** +41 (0) 44 251 51 51 - Tox Info Suisse (24 h)

**Further Information**

Only supplied to dentists and dental laboratories or upon their instructions  
The product is intended for professional use.


**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:  
Acute toxicity: Acute Tox. 4  
Skin corrosion/irritation: Skin Irrit. 2  
Serious eye damage/eye irritation: Eye Irrit. 2  
Specific target organ toxicity - repeated exposure: STOT RE 2  
Hazard Statements:  
Harmful if inhaled.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause damage to organs through prolonged or repeated exposure.

\*

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

Alkyl silicates

**Signal word:** Warning**Pictograms:****Hazard statements**

H315

Causes skin irritation.

according to Regulation (EC) No 1907/2006

### Lab Putty Activator

Revision date: 11.10.2018

Print date: 19.06.2019

Page 2 of 6

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

#### Precautionary statements

P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P314	Get medical advice/attention if you feel unwell.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	GHS Classification	
	Alkyl silicates	15 - < 20 %
	Flam. Liq. 3, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2, Aquatic Chronic 4; H226 H331 H315 H319 H335 H373 H413	
68299-15-0	Dioctyltindineodecanoate	5 - < 10 %
	269-595-4	
	STOT SE 2; H371	

Full text of H and EUH statements: see section 16.

#### Further Information

\*

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### After ingestion

Seek medical attention if problems persist.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Sand.

according to Regulation (EC) No 1907/2006

**Lab Putty Activator**

Revision date: 11.10.2018

Print date: 19.06.2019

Page 3 of 6

**Additional information**

Co-ordinate fire-fighting measures to the fire surroundings.

**SECTION 6: Accidental release measures****6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

The product is intended for professional use.

Avoid contact with skin and eyes.

Observe instructions for use.

**Further information on handling**

After use replace the closing cap immediately.

**7.2. Conditions for safe storage, including any incompatibilities****Further information on storage conditions**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 15 - 23 °C

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.2. Exposure controls****Protective and hygiene measures**

When using do not eat, drink or smoke.

**Eye/face protection**

Eye glasses with side protection

\*

**Hand protection**

Suitable material: When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Disposable gloves - Suitable material: NBR (Nitrile rubber).

\*

**Skin protection**

Wear suitable protective clothing.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Paste
Colour:	blue
Odour:	characteristic

**Test method****Changes in the physical state**

Initial boiling point and boiling range: &gt;150 °C

according to Regulation (EC) No 1907/2006

**Lab Putty Activator**

Revision date: 11.10.2018

Print date: 19.06.2019

Page 4 of 6

Density (at 23 °C): 1.0 g/cm<sup>3</sup>Water solubility:  
(at 23 °C) insoluble**Solubility in other solvents**

ketone.

**SECTION 10: Stability and reactivity****10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.4. Conditions to avoid**

Air, humid.

**Further information**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Harmful if inhaled.

LD50: &gt;2000 mg/kg (Rat)

The statement is derived from products of similar composition.

**ATEmix calculated**

ATE (inhalation vapour) 15.38 mg/l; ATE (inhalation aerosol) 2.564 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Alkyl silicates				
	inhalation vapour	ATE 3 mg/l			
	inhalation aerosol	ATE 0,5 mg/l			

**Irritation and corrosivity**

Causes serious eye irritation.

Irritant effect on the skin: (Rabbit)

Not an irritant.

The statement is derived from products of similar composition.

**Sensitising effects**

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

according to Regulation (EC) No 1907/2006

**Lab Putty Activator**

Revision date: 11.10.2018

Print date: 19.06.2019

Page 5 of 6

**Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number:** -----**Other applicable information (land transport)**

No dangerous good in sense of these transport regulations.

**Marine transport (IMDG)****14.1. UN number:** -----**Other applicable information (marine transport)**

No dangerous good in sense of these transport regulations.

**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number:** -----**Other applicable information (air transport)**

No dangerous good in sense of these transport regulations.

**Other applicable information**

Not a hazardous material with respect to these transportation regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information****Additional information**

-----

**SECTION 16: Other information****Changes**

\* Data changed compared with the previous version

**Abbreviations and acronyms**ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Relevant H and EUH statements (number and full text)**

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

according to Regulation (EC) No 1907/2006

**Lab Putty Activator**

Revision date: 11.10.2018

Print date: 19.06.2019

Page 6 of 6

H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H371	May cause damage to organs (immune system) if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
H413	May cause long lasting harmful effects to aquatic life.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*