

**Safety Data Sheet Cover-Sheet** – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name: Orotol<sup>®</sup> ultra Disinfection of suction systems

Manufacturer: Durr Dental

SDS Expiry: 30 December 2023

Supplier Details: Henry Schein New Zealand  
23 William Pickering Drive, Albany  
PO Box 101 140, North Shore, Auckland 0745  
Ph. 0800 808 855  
[www.henryschein.co.nz](http://www.henryschein.co.nz)

Emergency Contacts: Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours)  
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2017 HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet is prepared on 21 April 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Orotol® ultra Disinfection of suction systems

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Orotol® ultra is a highly effective aldehyde-free concentrate for the simultaneous disinfection, deodorization, cleaning and care of dental suction systems as well as spittoon bowls, being likewise suitable for all amalgam separators.

##### Product Categories [PC]

PCO - Other  
Disinfectants

##### Uses advised against

None, if handled according to order.

##### Remark

The product is intended for professional use.

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier (manufacturer/importer/only representative/downstream user/distributor)

orochemie GmbH + Co. KG

**Street :** Max-Planck-Straße 27

**Postal code/city :** 70806 Kornwestheim

**Telephone :** +49 7154 1308-0

**Telefax :** +49 7154 1308-40

**Information contact :** DÜRR DENTAL SE, Höpfigheimer Str. 17, 74321 Bietigheim-Bissingen, Germany

Tel: +49 7142 705-0, Fax: +49 7142 705-500, info@duerrdental.com

in Great Britain/Ireland:

DÜRR DENTAL [Products] UK Ltd., 14 Linnell Way - Telford Way Industrial Estate, Kettering Northants NN16 8PS, United Kingdom

Tel: +44 1536 526740, Fax.: +44 1536 526749, info@duerruk.com

#### 1.4 Emergency telephone number

INT: +49 6132 84463 (24 h/7 d)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

##### Classification procedure

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP] as well as in-house investigations.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



Exclamation mark (GHS07)

##### Signal word

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

Warning

### Hazard statements

H319 Causes serious eye irritation.

### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to hazardous or special waste collection point.

### 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Description

Orotol® ultra contains sodium peroxocarbonate, alkaline cleaning agents, complexing agents, non-ionic surfactants, special antifoaming agents and auxiliary agents.

#### Hazardous ingredients

SODIUM CARBONATE PEROXYHYDRATE ; REACH registration No. : 01-2119457268-30 ; EC No. : 239-707-6; CAS No. : 15630-89-4

Weight fraction :  $\geq 25 - < 30 \%$

Classification 1272/2008 [CLP] : Ox. Sol. 2 ; H272 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302

TETRAPOTASSIUM DIPHOSPHATE ; REACH registration No. : 01-2119489369-18 ; EC No. : 230-785-7; CAS No. : 7320-34-5

Weight fraction :  $\geq 10 - < 15 \%$

Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

TRISODIUM ORTHOPHOSPHATE ; REACH registration No. : 01-2119489800-32 ; EC No. : 231-509-8; CAS No. : 7601-54-9

Weight fraction :  $\geq 3 - < 8 \%$

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 STOT SE 3 ; H335

FATTY ALCOHOL ALKOXYLATE ; REACH registration No. : 02-2119552554-37 ; CAS No. : 111905-53-4

Weight fraction :  $\geq 1 - < 3 \%$

Classification 1272/2008 [CLP] : Acute Tox. 4 ; H302 Eye Irrit. 2 ; H319 Aquatic Chronic 3 ; H412

#### Additional information

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Immediately remove all contaminated clothing. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

Wash with plenty of water. When in doubt or if symptoms are observed, get medical advice.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

If swallowed, immediately drink: Water Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting. Call a physician immediately.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguishing powder Water spray Water mist

#### Unsuitable extinguishing media

Full water jet

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Oxygen

### 5.3 Advice for firefighters

Cool endangered containers with water in case of fire.

#### Special protective equipment for firefighters

When extinguishing fires, use breathing apparatus with an independent source of air.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. See protective measures under point 7 and 8.

#### For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

#### For emergency responders

##### Personal protection equipment

See protective measures under point 7 and 8.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 6.3 Methods and material for containment and cleaning up

#### For cleaning up

Sweep up and place in clean, dry plastic containers; closure must not be air-tight. Avoid dust formation.

#### Other information

Treat the recovered material as prescribed in the section on waste disposal.

### 6.4 Reference to other sections

None

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep/Store only in original container. Please note safety instructions and directions for use on the drum. Handle and open container with care. Provide adequate ventilation. Avoid dust formation. Do not breathe dust.

#### Protective measures

##### Measures to prevent fire

When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

### Requirements for storage rooms and vessels

Keep/Store only in original container. Do not store in temperatures exceeding 30 °C. Protect to direct exposure to the sun. Keep container tightly closed. Keep in a cool, well-ventilated place.

### Hints on joint storage

Do not store together with flammable substances and acids. Store the foodstuffs separately.

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### DNEL/DMEL and PNEC values

There are no data available on the preparation itself.

##### DNEL/DMEL

Limit value type :	DNEL Consumer (systemic) ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )
Exposure route :	Inhalation
Exposure frequency :	Long-term (repeated)
Limit value :	0,68 mg/l
Limit value type :	DNEL Consumer (systemic) ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )
Exposure route :	Oral
Exposure frequency :	Long-term (repeated)
Limit value :	> 70 mg/kg
Safety factor :	24 h
Limit value type :	DNEL Consumer (systemic) ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )
Exposure route :	Inhalation
Exposure frequency :	Long-term (repeated)
Limit value :	10,87 mg/m <sup>3</sup>
Limit value type :	DNEL worker (systemic) ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )
Exposure route :	Inhalation
Exposure frequency :	Long-term (repeated)
Limit value :	2,79 mg/m <sup>3</sup>
Limit value type :	DNEL worker (systemic) ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )
Exposure route :	Inhalation
Exposure frequency :	Long-term (repeated)
Limit value :	44,08 mg/m <sup>3</sup>
Limit value type :	DNEL Consumer (systemic) ( TRISODIUM ORTHOPHOSPHATE ; CAS No. : 7601-54-9 )
Exposure route :	Inhalation
Exposure frequency :	Long-term (repeated)
Limit value :	3,04 mg/m <sup>3</sup>
Limit value type :	DNEL worker (systemic) ( TRISODIUM ORTHOPHOSPHATE ; CAS No. : 7601-54-9 )
Exposure route :	Inhalation
Exposure frequency :	Long-term (repeated)
Limit value :	4,07 mg/m <sup>3</sup>

##### PNEC

Limit value type :	PNEC (Aquatic, freshwater) ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )
Limit value :	0,05 mg/l
Limit value type :	PNEC (Aquatic, intermittent release) ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )
Limit value :	0,5 mg/l
Limit value type :	PNEC (Aquatic, marine water) ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )
Limit value :	0,005 mg/l
Limit value type :	PNEC (Sewage treatment plant) ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

---

Limit value :	50 mg/l
Limit value type :	PNEC (Aquatic, freshwater) ( TRISODIUM ORTHOPHOSPHATE ; CAS No. : 7601-54-9 )
Limit value :	0,05 mg/l
Limit value type :	PNEC (Aquatic, intermittent release) ( TRISODIUM ORTHOPHOSPHATE ; CAS No. : 7601-54-9 )
Limit value :	0,5 mg/l
Limit value type :	PNEC (Aquatic, marine water) (TRISODIUM ORTHOPHOSPHATE ; CAS No. : 7601-54-9 )
Limit value :	0,005 mg/l
Limit value type :	PNEC (Sewage treatment plant) ( TRISODIUM ORTHOPHOSPHATE ; CAS No. : 7601-54-9 )
Limit value :	50 mg/l

### 8.2 Exposure controls

#### Personal protection equipment

##### Eye/face protection

Eye glasses with side protection DIN EN 166

##### Skin protection

###### Hand protection

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.1 mm.

Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

###### Body protection

Light protective clothing.

##### Respiratory protection

Usually no personal respiratory protection necessary.

#### General health and safety measures

Keep away from food, drink and animal feedingstuffs. Avoid contact with skin, eyes and clothes. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

#### Occupational exposure controls

##### Technical measures to prevent exposure

Provide adequate ventilation.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** Powder

**Colour :** white

**Odour :** like Peppermint

#### Safety relevant basis data

<b>Initial boiling point and boiling range :</b>	( 1013 hPa )		not applicable
<b>Decomposition temperature :</b>	( 1013 hPa )	>	60 °C
<b>Flash point :</b>			not applicable
<b>Ignition temperature :</b>			not applicable
<b>Lower explosion limit :</b>			not applicable
<b>Upper explosion limit :</b>			not applicable
<b>Vapour pressure :</b>	( 50 °C )		not applicable
<b>Density :</b>	( 20 °C )		none
<b>Bulk density :</b>		approx.	920 kg/m <sup>3</sup>
<b>Solvent separation test :</b>	( 20 °C )		not applicable
<b>pH value :</b>	( 20 °C / 10 g/l )		9 - 10

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

<b>log P O/W :</b>		No data available	
<b>Flow time :</b>	( 20 °C )	not applicable	DIN-cup 4 mm
<b>Odour threshold :</b>		not determined	
<b>Maximum VOC content (EC) :</b>		0,2	Wt %
<b>Flammable solids :</b>	Not applicable.		
<b>Oxidising solids :</b>	Not oxidising.		
<b>Explosive properties :</b>	Not applicable.		
<b>Corrosive to metals :</b>	Not corrosive to metals.		

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Thermal decomposition above approx. 60 °C (exothermal decomposition) combined with the liberation of oxygen.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7). Thermal decomposition above approx. 60 °C (exothermal decomposition) combined with the liberation of oxygen.

### 10.3 Possibility of hazardous reactions

Reactions with acids possible

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

Acids, heavy metals, decomposition catalysts.

### 10.6 Hazardous decomposition products

Oxygen

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute effects

##### Acute oral toxicity

Parameter :	LD50
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg
Method :	OECD 420
Parameter :	ATEmix calculated
Exposure route :	Oral
Effective dose :	2000 mg/kg
Parameter :	ATE ( SODIUM CARBONATE PEROXYHYDRATE ; CAS No. : 15630-89-4 )
Exposure route :	Oral
Effective dose :	500 mg/kg

##### Practical experience/human evidence

Causes serious eye irritation.

##### Acute dermal toxicity

Parameter :	ATEmix calculated
Exposure route :	Dermal
Effective dose :	not relevant
Parameter :	LD50 ( SODIUM CARBONATE PEROXYHYDRATE ; CAS No. : 15630-89-4 )
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 2000 mg/kg

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

---

Parameter : LD50 ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 2000 mg/kg  
Method : OECD 402  
Parameter : LD50 ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 4640 mg/kg  
Parameter : LD50 ( TRISODIUM ORTHOPHOSPHATE ; CAS No. : 7601-54-9 )  
Exposure route : Dermal  
Species : Rat  
Effective dose : > 2000 mg/kg  
Parameter : LD50 ( TRISODIUM ORTHOPHOSPHATE ; CAS No. : 7601-54-9 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 300 mg/kg  
Parameter : LD50 ( TRISODIUM ORTHOPHOSPHATE ; CAS No. : 7601-54-9 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 5000 mg/kg

### Acute inhalation toxicity

Parameter : LC50 ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 1,1 mg/l  
Method : OECD 403

### Irritant and corrosive effects

#### Primary irritation to the skin

Not an irritant. Method : Human Skin Model (HSM) test

#### Irritation to eyes

Causes serious eye irritation. Method : OECD 437.

#### Sensitisation

No data available.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

No information available.

## 11.5 Additional information

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP] as well as in-house investigations.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

##### Acute (short-term) fish toxicity

Parameter : LC0  
Species : Poecilia reticulata (Guppy)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 24,4 mg/l  
Exposure time : 96  
Method : OECD 203  
Parameter : EC50  
Species : Poecilia reticulata (Guppy)  
Evaluation parameter : Acute (short-term) fish toxicity



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

Effective dose : 24,4 mg/l  
Exposure time : 48 h  
Method : OECD 203

### Chronic (long-term) fish toxicity

Parameter : NOEC ( SODIUM CARBONATE PEROXYHYDRATE ; CAS No. : 15630-89-4 )  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Chronic (long-term) fish toxicity  
Effective dose : 7,4 mg/l  
Exposure time : 96 h

Parameter : NOEC ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Evaluation parameter : Chronic (long-term) fish toxicity  
Effective dose : 100 mg/l  
Exposure time : 96 h  
Method : OECD 203

### Acute (short-term) daphnia toxicity

Parameter : EC50  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 24,4 mg/l  
Exposure time : 48 h  
Method : OECD 202

Parameter : EC50  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 32,4 mg/l  
Exposure time : 24 h  
Method : OECD 202

Parameter : EC0  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 7,5 mg/l  
Exposure time : 48 h  
Method : OECD 202

### Chronic (long-term) daphnia toxicity

Parameter : NOEC ( SODIUM CARBONATE PEROXYHYDRATE ; CAS No. : 15630-89-4 )  
Species : Daphnia pulex (water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : 2 mg/l  
Exposure time : 48 h

Parameter : NOEC ( FATTY ALCOHOL ALKOXYLATE ; CAS No. : 111905-53-4 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : > 0,1 - 1 mg/l

### Acute (short-term) algae toxicity

Parameter : EC50  
Species : Desmodesmus subspicatus  
Evaluation parameter : Inhibition of growth rate  
Effective dose : 29,9 mg/l  
Exposure time : 72 h  
Method : OECD 201

Parameter : EC0  
Species : Desmodesmus subspicatus  
Evaluation parameter : Inhibition of growth rate  
Effective dose : 12,5 mg/l  
Exposure time : 72 h

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

Method : OECD 201

### Chronic (long-term) algae toxicity

Parameter : NOEC ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )  
Species : Algae  
Evaluation parameter : Chronic (long-term) algae toxicity  
Effective dose : > 100 mg/l  
Exposure time : 72 h  
Method : OECD 201

### Bacteria toxicity

Parameter : Bacteria toxicity ( FATTY ALCOHOL ALKOXYLATE ; CAS No. : 111905-53-4 )  
Species : Bacteria toxicity  
Effective dose : > 1000 mg/l  
Parameter : EC50 ( TETRAPOTASSIUM DIPHOSPHATE ; CAS No. : 7320-34-5 )  
Evaluation parameter : Bacteria toxicity  
Effective dose : > 1000 mg/l  
Exposure time : 3 h

## 12.2 Persistence and degradability

### Biodegradation

Readily biodegradable (according to OECD criteria). Method : OECD 301 D.

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

### Known or predicted distribution to environmental compartments

There are no data available on the preparation itself.

### Adsorption/Desorption

## 12.5 Results of PBT and vPvB assessment

No information available.

## 12.6 Other adverse effects

No information available.

## 12.7 Additional ecotoxicological information

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product/Packaging disposal

**Waste codes/waste designations according to EWC/AVV**

##### Waste code product

Concentrate/larger quantities: 18 01 06\* (disinfectant).

##### Waste treatment options

###### Appropriate disposal / Product

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

###### Appropriate disposal / Package

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### 14.1 UN number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Restrictions of occupation

According to directive 94/33/EC, juveniles are only allowed to handle this product as long as all effects of dangerous substances are prevented.

### 15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

None

### 16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimates

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CMR = Carcinogen, Mutagen or Reproductive toxicant

CO<sub>2</sub> = Carbon dioxide

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EC = European Commission

EC50 = Half maximal effective concentration

EN = European Standard (Norm)

EU = European Union

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

H statement = GHS Hazard statement

IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions

IMDG = International Maritime Dangerous Goods

LC50 = Median lethal concentration

LD50 = Median lethal dose

LogPow = Logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NOEC/NOEL = No observed effect concentration/level

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Orotol® ultra Disinfection of suction systems  
**Revision :** 30.12.2018  
**Print date :** 08.01.2019

**Version (Revision) :** 2.0.2 (2.0.1)

---

PNEC = Predicted No Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006]  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RMM = Risk Management Measure  
RRN = REACH Registration Number  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
SVHC = Substances of Very High Concern  
TLV/STEL = Threshold limit value/short-term exposure limit  
TLV/TWA = Threshold limit value/time weighted average  
UN = United Nations  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

### 16.6 Training advice

None

### 16.7 Additional information

Notice the directions for use on the label.

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---