

<u>Safety Data Sheet Cover-Sheet</u> – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name:	GC G-aenial Flo X
Manufacturer:	GC Corporation
SDS Expiry:	30 September 2024
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6
HSNO Group Standard:	: Dental Products Subsidiary Hazard Group Standard 2017 HSR002558
Statements/Pictogram	s: As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared on 18 March 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



²³ William Pickering Drive, Albany, North Shore 0632, New Zealand P O Box 101140, North Shore, Auckland 0745, New Zealand



Page 1/9

Safety Data Sheet in accordance with HSNO

Printing date 17.03.2020

Version number 3

Revision: 30.09.2019

1 Identification of the substance or mixture and of the supplier

· Product identifier

• Trade name: GC G-aenial Flo X

• *Relevant identified uses of the substance or mixture and uses advised against* No further relevant information available.

· Application of the substance / the mixture Auxillary for dental technology

• Details of the supplier of the safety data sheet Henry Schein Dental 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H333 May be harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

• Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). • Hazard pictograms



· Signal word Warning

Hazard-determining components of labelling: Urethane Dimethacrylate (UDMA)
6-tert-butyl-2,4-xylenol
2,2'-ethylenedioxydiethyl dimethacrylate
1,3,5-Triazine-2,4,6-triamine, polymer with formaldehyde
2-(2H-benzotriazol-2-yl)-p-cresol
Hazard statements

May be harmful if inhaled. May cause an allergic skin reaction.

(Contd. on page 2)

[–] NZ

Printing date 17.03.2020

Version number 3

Revision: 30.09.2019

Trade name: GC G-aenial Flo X

(Contd. of page 1)

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

• Dangerous compone	ents:	
CAS: 41637-38-1	<i>Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid.</i>	10-<25%
	Aquatic Chronic 4, H413	
CAS: 72869-86-4	Urethane Dimethacrylate (UDMA)	5-<10%
EINECS: 276-957-5	Skin Sens. 1, H317	
CAS: 109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	2.5-<5%
EINECS: 203-652-6	Skin Sens. 1, H317	
CAS: 9003-08-1	1,3,5-Triazine-2,4,6-triamine, polymer with formaldehyde	0.2-<0.5%
	Eye Dam. 1, H318; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 1879-09-0	6-tert-butyl-2,4-xylenol	0.1-<0.2%
EINECS: 217-533-1	Acute Tox. 2, H310; Acute Tox. 3, H331; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Aquatic Acute 2, H401	
CAS: 2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol	0.1-<0.2%
EINECS: 219-470-5	Acute Tox. 3, H311; Skin Sens. 1, H317; Aquatic Chronic 4, H413	
· Additional informati	ion: For the wording of the listed hazard phrases refer to section 16.	

4 First aid measures

· Description of first aid measures

- General information:
- *Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.*
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment. If skin irritation continues, consult a doctor.

(Contd. on page 3)

[•] Other hazards

Printing date 17.03.2020

Version number 3

Revision: 30.09.2019

(Contd. of page 2)

Trade name: GC G-aenial Flo X

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• *After swallowing: Rinse out mouth and then drink plenty of water.*

If symptoms persist consult doctor.

• Information for doctor:

- · Most important symptoms and effects, both acute and delayed Allergic reactions
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- *CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.*
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid formation of dust. Avoid contact with the eyes and skin. Wear protective clothing. · Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Allow to evaporate. Pick up mechanically. Prevent formation of dust. Dispose of the material collected according to regulations. • Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

Printing date 17.03.2020

Version number 3

Revision: 30.09.2019

Trade name: GC G-aenial Flo X

(Contd. of page 3)

7 Handling and storage

· Handling:

· Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: Dust can combine with air to form an explosive mixture.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: None.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

1879-09-0 6-tert-butyl-2,4-xylenol

Inhalative DNEL inhalation 0.14 mg/m3 (man)

· Additional information: The lists valid during the making were used as basis.

• Exposure controls

· Personal protective equipment:

- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended.

• Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

NZ

Printing date 17.03.2020

Version number 3

Revision: 30.09.2019

Trade name: GC G-aenial Flo X

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and chem	nical properties	
General Information		
Appearance: Form:	Pasty	
Colour:	According to product specification	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: 180 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic: Kinematic:	Not applicable. Not applicable.	

Printing date 17.03.2020

Version number 3

Revision: 30.09.2019

(Contd. of page 5)

Trade name: GC G-aenial Flo X

· Solvent content:

Organic solvents: Other information 0.0 % *No further relevant information available.*

10 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (OECD 401)

1879-09-0 6-tert-butyl-2,4-xylenol

Oral	LD50	910 mg/kg (rat (f+m)) (OECD 401)
------	------	----------------------------------

Dermal LD50 <200 mg/kg (rabbit) (OECD 402)

2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol

Oral LD50 10,000 mg/kg (rat (f+m))

Inhalative LC50/4 h 0.59 mg/l (rat (f+m))

· Primary irritant effect:

- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- Respiratory or skin sensitisation Sensitisation possible through skin contact.
- · Repeated dose toxicity No further relevant information available.
- *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)* No further relevant information available.

12 Ecological information

· Toxicity

• Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

(Contd. on page 7)

N7

Printing date 17.03.2020

Version number 3

Revision: 30.09.2019

Trade name: GC G-aenial Flo X

(Contd. of page 6)

• Additional ecological information:

· General notes:

- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

TTNT NT		
UN-Number ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
Packing group ADR, IMDG, IATA	not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals	
65997-17-3	Glass, oxide, chemicals
	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid.
2530-85-0	3-trimethoxysilylpropyl methacrylate
72869-86-4	Urethane Dimethacrylate (UDMA)

(Contd. on page 8)

NZ

Printing date 17.03.2020

Version number 3

Revision: 30.09.2019

Trade name: GC G-aenial Flo X

	(Contd. of page
	2,2'-ethylenedioxydiethyl dimethacrylate
	Silicon dioxide
10287-53-3	ethyl 4-dimethylaminobenzoate
	2-(2H-benzotriazol-2-yl)-p-cresol
1879-09-0	6-tert-butyl-2,4-xylenol
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
GHS label ele Hazard picto	ements The product is classified and labelled according to the Globally Harmonised System (GHS). grams
GHS07 Signal word	Warning
Urethane Din 6-tert-butyl-2 2,2'-ethylened 1,3,5-Triazing 2-(2H-benzot Hazard stater May be harm May cause an Precautionar Avoid breath Contaminated Wear protect IF INHALED If skin irritati	lioxydiethyl dimethacrylate e-2,4,6-triamine, polymer with formaldehyde riazol-2-yl)-p-cresol ments ful if inhaled. a allergic skin reaction. y statements ing dust/fume/gas/mist/vapours/spray. d work clothing should not be allowed out of the workplace.
Directive 201	2/18/EU erous substances - ANNEX I None of the ingredients is listed.

16 Other information

• Relevant phrases

H302 Harmful if swallowed. H310 Fatal in contact with skin.

- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H401 Toxic to aquatic life.

(Contd. on page 9)

NZ -

NZ

Printing date 17.03.2020

Version number 3

Revision: 30.09.2019

Trade name: GC G-aenial Flo X

	(Contd. of page 8)
H411 Toxic to aquatic life with long lasting effects.	
H413 May cause long lasting harmful effects to aquatic life.	
Department issuing SDS: Regulatory affairs	
Contact: msds@gc.dental	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de	fer (Regulations Concerning the
International Transport of Dangerous Goods by Rail)	for (negatations concerning the
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)	
ICAO: International Civil Aviation Organisation	
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreen	<i>ient concerning the International</i>
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity - oral – Category 4	
Acute Tox. 2: Acute toxicity - dermal – Category 2	
Acute Tox. 3: Acute toxicity - inhalation – Category 3	
Acute Tox. 5: Acute toxicity - inhalation – Category 5	
Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4	
Sources	
• ECHA (http://echa.europa.eu/)	
• EnviChem (www.echemportal.org)	
* Data compared to the previous version altered.	
This version replaces all previous versions.	
Disclaimer:	
The information contained herein is believed to be true and accurate. However, all s	tataments recommendations
or suggestions are made without any guarantee, representation or warranty, expr	
Therefore, no warranty is made or to be implied that the information set out in the	
complete, and we accordingly exclude all liability in connection with the use of this	
referred to herein. All such risks are assumed by the purchaser/user. The information	
subject to change without notice. For the avoidance of doubt, however, nothing in	this document excludes or
limits our liability for death or personal injury caused by our negligence or for fraudu	
	r