



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: W & H Service Oil F1 MD400

Manufacturer: W&H Dentalwerk Bürmoos GmbH

SDS Expiry: 6 August 2024

Supplier Details: Henry Schein New Zealand

243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 2

HSNO Group Standard: Aerosols Flammable Group Standard 2020 HSR002515

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – January 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



#### NS City Albany, Auckland 0632

Date printed 03.02.2020, Revision 06.08.2019 Version 01 Page 1 / 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### W & H Service Oil F1 MD400 REF 10940021 26

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Ivoclar Vivadent Ltd.

12 Omega Street

NS City Albany, Auckland 0632 / NEW ZEALAND

Phone +64 9 914 9999

E-mail orders.nz@ivoclarvivadent.com

Address enquiries to

Technical information orders.nz@ivoclarvivadent.com

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body National Poison Centre (New Zealand): 0800 764 766 (24 hours)

## **SECTION 2: Hazards identification**

Approval This product is considered to be a hazardous substance to the Hazardous Substances and

New Organisms Act (HSNO).

HSR002515

#### **Classes / Hazard Statements**

GHS.H222 H222 Extremely flammable aerosol.

GHS.H229 H229 Pressurised container: May burst if heated.

Hazard pictograms



Signal word DANGER

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122°F.

Other Classifications

There are no other Classifications that are known to apply.

#### NS City Albany, Auckland 0632

Date printed 03.02.2020, Revision 06.08.2019 Version 01 Page 2 / 9

## SECTION 3: Composition / Information on ingredients

#### Product-type:

3.2 The product is a mixture.

| Range [%]  | Substance  |
|------------|--|
| 50 - < 100 | iso-Butane   |
|            | CAS: 75-28-5, EINECS/ELINCS: 200-857-2, EU-INDEX: 601-004-00-0, Reg-No.: 01-2119485395-27-XXXX |
|            | GHS/CLP: Flam. Gas 1: H220 - Press. Gas: H280  |

Comment on component parts

All chemical substances in this material are included on or exempted from listing on the

NZIoC-Inventory.

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Remove contaminated soaked clothing immediately and dispose of safely.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

In the event of symptoms seek medical treatment.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

In the event of symptoms seek medical treatment.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Ingestion

Full water jet

#### 5.2 Special hazards arising from the substance or mixture

risk of formation of toxic pyrolysis products, carbon monoxide (CO), not combusted

hydrocarbons

Bursting aerosols can be forcibly projected from a fire.

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

## SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Ensure adequate ventilation.

Keep away from all sources of ignition.

#### NS City Albany, Auckland 0632

Date printed 03.02.2020, Revision 06.08.2019

Version 01

Page 3 / 9

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

## 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Provide good room ventilation even at ground level (vapours are heavier than air).

Avoid formation of aerosols.

Use solvent-resistant equipment.

Keep away from sources of ignition - refrain from smoking.

Vapours can form an explosive mixture with air.

Take precautionary measures against static discharges.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

#### 7.2 Conditions for safe storage, including any incompatibilities

Provide solvent-resistant and impermeable floor.

Do not store together with food and animal food/diet.

Keep in a cool place. Store in a dry place.

Protect from heat/overheating and from sun.

Recommended storage temperature: 5-25 °C (41-77 °F).

#### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (NZ)

Substance

CAS: 106-97-8, EINECS/ELINCS: 203-448-7, EU-INDEX: 601-004-00-0, Reg-No.: 01-2119474691-32-XXXX

Time Weighted Average (TWA): 800 ppm, 1900 mg/m³

#### NS City Albany, Auckland 0632

Date printed 03.02.2020, Revision 06.08.2019 Version 01 Page 4 / 9

#### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

**Eye protection** Safety glasses. (EN 166:2001)

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information.

0,7 mm; Butyl rubber, >480 min (EN 374-1/-2/-3).

Skin protection Solvent-resistant protective clothing (EN 340)

Other Avoid contact with eyes and skin.

Do not inhale gases/vapours/aerosols.

Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

**Respiratory protection** Breathing apparatus in the event of high concentrations.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Form aerosol

Color yellowish

Odor characteristic

Odour threshold not determined
pH-value not determined
pH-value [1%] not determined

Boiling point [°C] -40
Flash point [°C] -80

Flammability (solid, gas) [°C] not applicable
Lower explosion limit 1,5 Vol.%
Upper explosion limit 9,4 Vol.%
Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

**Density [g/ml]** 0,8575

Bulk density [kg/m³] not applicable
Solubility in water not determined
Partition coefficient [n-octanol/water] not determined
Viscosity not determined
Relative vapour density determined

in air

Evaporation speed not determined Melting point [°C] not determined Autoignition temperature [°C] not determined Decomposition temperature [°C] not determined

## 9.2 Other information

none

## SECTION 10: Stability and reactivity

## 10.1 Reactivity

See SECTION 10.3.

## NS City Albany, Auckland 0632

Date printed 03.02.2020, Revision 06.08.2019 Version 01 Page 5 / 9

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Evolution of flammable mixtures possible during spraying or misting in air.

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

Not required under normal conditions.

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

**Acute toxicity** 

Substance

iso-Butane, CAS: 75-28-5

LC50, inhalative, mouse: 1237 mg/l (2h) (Lit.)

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled. Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity -Based on the available information, the classification criteria are not fulfilled.

single exposure

Specific target organ toxicity -Based on the available information, the classification criteria are not fulfilled. repeated exposure

Based on the available information, the classification criteria are not fulfilled. Mutagenicity Reproduction toxicity Based on the available information, the classification criteria are not fulfilled. Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The determination of properties hazardous to health does not take the propellant or carrier

material into account.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## 12.2 Persistence and degradability

Behaviour in environment No information available.

compartments No information available. Behaviour in sewage plant **Biological degradability** No information available.

## 12.3 Bioaccumulative potential

No information available.

## W & H Service Oil F1 MD400 REF 10940021 26

#### Ivoclar Vivadent Ltd.

## NS City Albany, Auckland 0632

Date printed 03.02.2020, Revision 06.08.2019 Version 01 Page 6 / 9

## 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage.

## SECTION 13: Disposal considerations

**Restrictions** There are no product-specific restrictions. However, state and local disposal regulations may

apply

Disposal method The substance must be handled as hazardous waste and disposed of in an approved facility.

Contaminated packaging Rinse containers with water before disposal. Preferably re-cycle container, otherwise send to

landfill or similar.

## SECTION 14: Transport information

#### 14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

1950

Air transport in accordance with IATA 1950

#### 14.2 UN proper shipping name

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

Aerosols

**- EMS** F-D, S-U

- Label

- IMDG LQ 1

Air transport in accordance with IATA Aerosols, flammable

- Label



## NS City Albany, Auckland 0632

Date printed 03.02.2020, Revision 06.08.2019 Version 01 Page 7 / 9

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

Air transport in accordance with IATA 2.1

14.4 Packing group

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

no

Inland navigation (ADN)

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

# Safety Data Sheet (New Zealand) W & H Service Oil F1 MD400 REF 10940021 26

#### Ivoclar Vivadent Ltd.

## NS City Albany, Auckland 0632

Date printed 03.02.2020, Revision 06.08.2019 Version 01 Page 8 / 9

## SECTION 15: Regulatory information

This product is considered to be a hazardous substance to the Hazardous Substances and New Organisms Act (HSNO). HSR002515

#### Specific Workplace Controls (as per HSNO approval referenced to Controls Matrix)

Key workplace requirements are:

MSDS The content and format of this Safety-Data-Sheet is in accordance with HSNO Approved

Code of Practice.

Labelling No removal of labels and/or decanting of product into other containers can occur.

Emergency plan Required if > 3000 L is stored

Approved handler Not required.

Tracking Not required.

Bunding & secondary containment Required if > 3000 L is stored

Signage Required if > 3000 L is stored

Location test certificateNot required.Flammable zoneZone 1Fire extinguisheryes

**Note:** The above workplace requirements apply if only this particular substance is present. The

complete set of controls for a location will depend on the classification and total quantities of

other substances present in that location.

Other Legislation In New Zealand, the use of this product may come under the Resource Management Act and

Regulations, the Health, Safety in Employment Act and Regulations, local Council Rules and

Regional Council Plans.

## **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 03)

H280 Contains gas under pressure; may explode if heated.

H220 Extremely flammable gas.

#### NS City Albany, Auckland 0632

Date printed 03.02.2020, Revision 06.08.2019 Version 01 Page 9 / 9

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

Classification procedure Aerosol 1: H222 Extremely flammable aerosol. (Bridging principle "Aerosols") H229

Pressurised container: May burst if heated. (Bridging principle "Aerosols")

Modified position none

Copyright: Chemiebüro®