


<u>Safety Data Sheet Cover-Sheet</u> – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name:	K Etchant Syringe
Manufacturer:	Kuraray
SDS Expiry:	1 August 2022
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	8
HSNO Group Standard:	Dental Products Corrosive Group Standard 2017 HSR002555
Statements/Pictograms	: As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared on 31 March 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.







Safety Data Sheet acc. to OSHA HCS Version 2

Rev

Reviewed on 08/01/2017

1 Identification

· Product identifier

· Trade name: K-ETCHANT Syringe

• Article number: US197

• Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
- \cdot Application of the substance / the mixture Dental etching composite

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com **Emergency telephone number:** For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night Within USA and Canada: 1-800-424-9300 CCN706984 or

+1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture **GHS05** Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. · Label elements **GHS** label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labeling: phosphoric acid Hazard statements H314 Causes severe skin burns and eye damage. Precautionary statements P260 Do not breathe dusts or mists. Wear protective gloves/protective clothing/eye protection/face protection. P280 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). P321 P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2)



Reviewed on 08/01/2017

(Contd. of page 1)

Trade name: K-ETCHANT Syringe

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

$\sqrt{5}$ Skin Corr. 1B, H314; $\sqrt{7}$ Acute 10x. 4, H302 23-4376	7664-38-2 phosphoric acid	Skin Corr. 1B, H314; Acute Tox. 4, H302	25-45%
---	---------------------------	--	--------

- Other ingredients:
- Polyethyleneglycol Colloidal silica

Water

Pigment

4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.

- · Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 3)

contact: Rinse opened eye for several minutes und lowing: Drink copious amounts of water and prov

⁻ U



Safety Data Sheet acc. to OSHA HCS

Version 2

Printing date 08/01/2017

Reviewed on 08/01/2017

Trade name: K-ETCHANT Syringe

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25 °C).
- Information about storage in one common storage facility:
- Store away from oxidizing agents.
- Store away from reducing agents.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7664-38-2 phosphoric acid

PEL 1 mg/m³

- REL Short-term value: 3 mg/m³ Long-term value: 1 mg/m³
- TLV Short-term value: 3 mg/m³

Long-term value: 1 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

(Contd. of page 2)



Safety Data Sheet acc. to OSHA HCS

Version 2

Reviewed on 08/01/2017

Trade name: K-ETCHANT Syringe

(Contd. of page 3) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



*

Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and	chemical properties	
General Information		
· Appearance: Form:	Gel	
Color:	Blue	
· Odor:	Odorless	
· pH-value:	1.9	
• Change in condition		
Melting point/Melting range:	42.4 °C (phosphoric acid)	
Boiling point/Boiling range:	Not determined	
· Flash point:	Not determined	
· Ignition temperature:	Not determined	
· Decomposition temperature:	Not determined	
· Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
· Oxidizing properties	Not determined	
· Vapor pressure:	Not determined	
· Density:	1.3 g/cm^3	
· Relative density	Not determined	
Vapor density	Not determined	
· Evaporation rate	Not determined	
· Solubility in / Miscibility with		
Water:	Partly miscible.	
· Partition coefficient (n-octanol/wat	ter): Not determined	
· Viscosity:	Not determined	
• Other information	No further relevant information available.	

(Contd. on page 5)



Reviewed on 08/01/2017

Trade name: K-ETCHANT Syringe

(Contd. of page 4)

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

7664-38-2 phosphoric acid

Oral LD50 1250 mg/kg (mouse)

1250 mg/kg (rat)

Dermal LD50 2740 mg/kg (rabbit)

· Primary irritant effect:

· on the skin: Caustic effect on skin and mucous membranes.

• on the eye: Strong caustic effect.

Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

·NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.



Safety Data Sheet acc. to OSHA HCS

Version 2

(Contd. of page 5)

Trade name: K-ETCHANT Syringe

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT	UN1805
ADR, IMDG, IATA	1805
UN proper shipping name	
ADR	1805 PHOSPHORIC ACID, SOLUTION
IMDG, IATA	PHOSPHORIC ACID, SOLUTION
Transport hazard class(es)	
DOT	
~	
with the second s	
CORROSIVE	
V	
Class	8 Corrosive substances
Label	8
ADR, IMDG, IATA	
No. 10 August 10	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.

US



Safety Data Sheet acc. to OSHA HCS Version 2

Reviewed on 08/01/2017

Trade name: K-ETCHANT Syringe

(Contd. of page 6)

· UN "Model Regulation":

UN1805; PHOSPHORIC ACID, SOLUTION; 8; III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara
Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

7664-38-2 phosphoric acid

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. • NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



(Contd. on page 8)



Safety Data Sheet acc. to OSHA HCS

Version 2

Printing date 08/01/2017

Reviewed on 08/01/2017

Trade name: K-ETCHANT Syringe

Abbreviations and acronyms: Acute Tox. 4: Acute toxicity – Category 4
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 * Data compared to the previous version altered.

(Contd. of page 7)

US