

**Safety Data Sheet Cover-Sheet** – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name: Pana Spray Plus

Manufacturer: NSK

SDS Expiry: 23 August 2023

Supplier Details: Henry Schein New Zealand  
23 William Pickering Drive, Albany  
PO Box 101 140, North Shore, Auckland 0745  
Ph. 0800 808 855  
[www.henryschein.co.nz](http://www.henryschein.co.nz)

Emergency Contacts: Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours)  
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 3 / 6

HSNO Group Standard: Dental Products Flammable Group Standard 2017 HSR002556

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared on 23 March 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

## SAFETY DATA SHEET(SDS)

Issued on 2018-08-23  
Revised on -

## 1. IDENTIFICATION

Product Identifier	PANA SPRAY Plus
Order code	Z182600
Recommended use of the chemical and restrictions on use	Cleaning and lubrication for dental and surgical handpieces.
Details of the supplier of the safety data sheet	NAKANISHI INC.
Address	700 Shimohinata Kanuma-shi Tochigi 322-8666, Japan
TEL	+81(0)289-64-3380

## 2. HAZARDS IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of § 1910.1200

Aerosols Category 1  
Flammable liquids Category 2  
Serious eye damage/eye irritation Category 2B  
Germ cell mutagenicity Category 1B  
Carcinogenicity Category 1A  
Reproductive toxicity Category 1A  
Specific target organ toxicity (single exposure) Category 2 (heart)  
Specific target organ toxicity (single exposure) Category 3 (narcotic effect respiratory tract irritation)  
Specific target organ toxicity (repeated exposure) Category 1 (liver)  
Specific target organ toxicity (repeated exposure) Category 2 (central nervous system)

GHS Label Elements  
Symbols



Signal Word  
Hazard Statements

Danger  
H222 Extremely flammable aerosol  
H225 Highly flammable liquid and vapour  
H320 Causes eye irritation  
H340 May cause genetic defects  
H350 May cause cancer  
H360 May damage fertility or the unborn child  
H371 May cause damage to organs(heart)  
H335 May cause respiratory irritation  
H336 May cause drowsiness or dizziness  
H372 Causes damage to organs(liver) through prolonged or repeated exposure  
H373 May cause damage to organs(central nervous system) through prolonged or repeated exposure  
  
H229 Pressurized container: may burst if heated

## Precautionary Statements

### Prevention

Obtain special instructions before use(P201)  
Do not handle until all safety precautions have been read and understood(P202)  
Keep away from heat, sparks, open flames and hot surfaces. No smoking.(P210)  
Do not spray on an open flame or other ignition source(P211)  
Keep container tightly closed.(P233)  
Ground/bond container and receiving equipment(P240)  
Use explosion-proof electrical/ ventilating/ lighting/ equipment(P241)  
Use only non-sparking tools(P242)  
Take precautionary measures against static discharge(P243)  
Pressurized container: Do not pierce or burn, even after use(P251)  
Wash thoroughly after handling.(P264)  
Do not eat, drink or smoke when using this product(P270)  
Use only outdoors or in a well-ventilated area(P271)

### Response

Wear protective gloves, eye protection and face protection.(P280)  
Use personal protective equipment as required.(P281)  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower(P303+P361+P353)  
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.(P304+P340)  
  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing(P305+P351+P338)  
  
IF exposed or concerned: Get medical advice/attention(P308+P313)  
IF exposed or if you feel unwell: Call a doctor.(P309+P311)  
Call a POISON CENTER or doctor. If you feel unwell.(P312)  
Get medical advice/attention if you feel unwell(P314)

### Storage

If eye irritation persists: Get medical advice/attention(P337+P313)  
In case of fire: Use appropriate extinguishing media.(P370+P378)  
Store in a well-ventilated place. Keep container tightly closed.(P403+P233)  
Store in a well-ventilated place. Keep cool(P403+P235)  
Store locked up(P405)  
Protect from sunlight. Do not expose to temperatures exceeding 50 ° C/122 ° F(P410+P412)

### Disposal

Dispose of contents/ container to an approved landfill.(P501)

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	Contents	CAS number
Synthetic ester lubricant	5.0 – 10.0%	N/A
Ethanol	25.0 – 35.0%	64-17-5
Propane	15.0 – 25.0%	74-98-6
n-Butane	25.0 – 35.0%	106-97-8
i-Butane	5.0 – 15.0%	75-28-5

### 4. FIRST-AID MEASURES

In case of inhalation

Call a POISON CENTER or doctor / physician if you feel unwell.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

IF exposed or concerned: Get medical advice and attention.

In case of skin contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

IF exposed or concerned: Get medical advice and attention.

In case of eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Get medical advice and attention.

In case of ingestion

Rinse mouth.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF exposed or concerned: Get medical advice and attention.

Being a volatile liquid, forcing to vomit increases risks such as aspirating into the lungs. Arrange medical treatment immediately. Also, have mouth rinsed thoroughly with water.

Never give anything by mouth to an unconscious person.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, alcohol-resistant foam, CO<sub>2</sub>, sand, water spray.

Unsuitable extinguishing media

Cylindric water.

Specific hazards arising from the chemical

Risk of producing harmful gases such as carbon monoxide and sulfur oxides. Avoid inhalation of smoke or gases

Special protective equipment and precautions for fire-fighters

Use goggles in combination with dust mask, and another protections as appropriate to situation.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Environmental precautions  
 Large spills :Evacuate area.  
 Ensure adequate ventilation.  
 Do not discharge into the drains, surface waters or ground water directly.

Methods and materials for containment and cleaning up  
 If not harmful, evaporate and disperse while being careful of fire and ventilation. You may also spray water to accelerate the evaporation.

**7. HANDLING AND STORAGE**

Precautions for safe handling  
 Technical measures

Ground/bond container and receiving equipment.

Use only non-sparking tools.  
 Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.  
 Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Safe handling advice

Pressurized container: Do not pierce or burn, even after use.  
 Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 Keep cool.  
 Do not breathe dust/fume/gas/mist/vapours/spray.

Conditions for safe storage, including any incompatibilities

Suitable storage conditions

Protect from sunlight and store in well-ventilated place.  
 Protect from sunlight.  
 Store locked up.  
 Store container tightly closed in well-ventilated place.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

	ACGIH (TLV)	OSHA (PEL)	Exposure Limits
Ethanol	TWA -,STEL 1000 ppm	1000 ppm TWA; 1900 mg/m3 TWA	1000 ppm STEL
Propane	TWA (See Appendix F: Minimal Oxygen Content),STEL (See Appendix F: Minimal Oxygen Content)	1000 ppm TWA; 1800 mg/m3 TWA	See Appendix F: Minimal Oxygen Content, explosion hazard
n-Butane	TWA -,STEL (1000 ppm)	Not established	1000 ppm STEL (explosion hazard, listed under Butane, isomers)
i-Butane	TWA -,STEL (1000 ppm)	Not established	1000 ppm STEL (explosion hazard, listed under Butane, isomers)

Appropriate engineering controls

Use local exhaust ventilation in case of production of fume or mist.  
Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.  
Use explosion-proof electrical equipment and prevent from static electricity.

Individual protection measures

Respiratory protection  
Hand protection  
Eye protection  
Skin and body protection

If necessary, wear respiratory protection.  
Wear protective gloves.  
Wear eye protection/face protection.  
Wear protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State

Liquid:Fluid  
Spray:Gas (under atmospheric pressure)/ Fluid (in a pressure container)

Color

clear

Odor

Liquid:alcohol  
Spray:odorless

Odor threshold

No data available

pH

No data available

Melting point

Liquid:-114.5°C(as ethanol)

Boiling point

Spray:-187.7~-138.4°C

Flash point

Liquid:78.32°C(101.325KPa)(as ethanol)

Spray:-42.1~-0.5°C

Evaporation rate

Liquid:13°C(airtight-type)(as ethanol)

Spray:-104.4~-73.8°C

Flammability(Solid, Gas)

Liquid:No data available

Spray:1.8~9.5vol%

Flammability or explosive limits

Combustible

Vapor pressure

No data available

Vapor density

Liquid:No data available

Spray:0.248~1.275MPa (40°C)

Specific Gravity (Density)

Liquid:No data available

Spray:1.895~2.538kg/m<sup>3</sup> (1MPa, 15.6°C)

Solubility

Liquid:0.803 (20°C)

Spray:0.551 (15°C)

Partition coefficient: n-octanol/water

Liquid:easily soluble in water

Spray:soluble in water

Auto-ignition temperature

Liquid:-0.30(lowPow)(as ethanol)

Spray:No data available

Decomposition temperature

No data available

Viscosity

No data available

No data available

## 10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stable under normal conditions of use.

Possibility of hazardous reactions

No information available

Conditions to avoid

No information available

Incompatible materials

No information available

Hazardous decomposition products

No information available

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity (Oral)	<p>Not classified:64-17-5 (source: NITE)  Not applicable:106-97-8 (source: NITE), 74-98-6 (source: NITE)  No data:75-28-5 (source: None), N/A (source: None)</p> <p>Contains substance of unknown toxicity. Changed from Not classified to Classification not possible.</p>
Acute toxicity (Dermal)	<p>Not classified:64-17-5 (source: NITE)  Not applicable:106-97-8 (source: NITE), 74-98-6 (source: NITE)  No data:75-28-5 (source: None), N/A (source: None)</p> <p>Contains substance of unknown toxicity. Changed from Not classified to Classification not possible.</p>
Acute toxicity (Inhalation : Gases)	Does not fall under gas based on GHS definitions.
Acute toxicity (Inhalation : Vapours)	<p>Not classified:64-17-5 (source: NITE)  Not applicable:75-28-5 (source: NITE), 106-97-8 (source: NITE), 74-98-6 (source: NITE)  No data:N/A (source: None)</p> <p>Contains substance of unknown toxicity. Changed from Not classified to Classification not possible.</p>
Acute toxicity (Inhalation : dust/mist) Skin corrosion/ Irritation	<p>Unable to classify due to insufficient data.  Not classified:64-17-5 (source: NITE), 75-28-5 (source: NITE), 74-98-6 (source: NITE)  No data:106-97-8 (source: None), N/A (source: None)</p> <p>Contains substance of unknown toxicity. Changed from Not classified to Classification not possible.</p>
Serious eye damage/ irritation	<p>Category 2B:64-17-5 (source: NITE)  Not classified:75-28-5 (source: NITE)  No data:106-97-8 (source: None), 74-98-6 (source: None), N/A (source: None)</p> <p>Sum of Category 2B Concentration limit = 10%.  Classification result = Category 2B.</p>
Respiratory Sensitization Skin Sensitization Germ cell mutagenicity	<p>Unable to classify due to insufficient data.  Unable to classify due to insufficient data.  Category 1B:75-28-5 (source: 1272/2008/EC), 106-97-8 (source: 1272/2008/EC)  No data:64-17-5 (source: None), 74-98-6 (source: None), N/A (source: None)</p> <p>106-97-8 &gt;= 0.1% Classification result = Category 1B</p>

Carcinogenicity	<p>Category 1A:64-17-5 (source: NITE), 75-28-5 (source: 1272/2008/EC), 106-97-8 (source: 1272/2008/EC)</p> <p>No data:74-98-6 (source: None), N/A (source: None)</p> <p>106-97-8 &gt;= 0.1% Classification result = Category 1A</p>
Reproductive toxicity	<p>Category 1A:64-17-5 (source: NITE)</p> <p>No data:75-28-5 (source: None), 106-97-8 (source: None), 74-98-6 (source: None), N/A (source: None)</p> <p>64-17-5 &gt;= 0.1% Classification result = Category 1A</p>
Reproductive toxicity, effects on or via lactation	<p>Unable to classify due to insufficient data.</p>
Specific target organ toxicity – Single exposure	<p>Category 2:75-28-5 (organ = heart, source: NITE)</p> <p>Category 3:64-17-5 (organ = narcotic effect, respiratory tract irritation, source: NITE), 75-28-5 (organ = narcotic effect, source: NITE), 106-97-8 (organ = narcotic effect, source: NITE), 74-98-6 (organ = narcotic effect, source: NITE)</p> <p>No data:N/A (source: None)</p> <p>75-28-5 &gt;= 1% Classification result = Category 2(heart)</p> <p>Sum of Category 3(narcotic effect) Concentration limit = 20%. Classification result = Category 3(narcotic effect).</p> <p>Sum of Category 3(respiratory tract irritation) Concentration limit = 20%. Classification result = Category 3(respiratory tract irritation).</p>
Specific target organ toxicity – Repeated exposure	<p>Category 1:64-17-5 (organ = liver, source: NITE)</p> <p>Category 2:64-17-5 (organ = central nervous system, source: NITE)</p> <p>No data:75-28-5 (source: None), 106-97-8 (source: None), 74-98-6 (source: None), N/A (source: None)</p> <p>64-17-5 &gt;= 1% Classification result = Category 1(liver)</p> <p>64-17-5 &gt;= 1% Classification result = Category 2(central nervous system)</p>
Aspiration hazard	<p>Does not fall under solid, liquid based on GHS definitions.</p>

## 12. ECOLOGICAL INFORMATION

No information available

## 13. DISPOSAL CONSIDERATIONS

### Residual Waste

Before disposal, make the wastes harmless, stabilized, and neutralized, and minimize danger and toxicity of the wastes.  
Dispose of waste in accordance with local, state and federal regulations.



Contaminated Container and Packaging	Passed to a licensed waste contractor. In case of disposal of empty containers, remove the content thoroughly.
--------------------------------------	-------------------------------------------------------------------------------------------------------------------

14. TRANSPORT INFORMATION

IMDG	
UN number	1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Packing group	-
IATA	
UN number	1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Packing group	-
DOT	
UN number	1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Packing group	-

15. REGULATORY INFORMATION

California – Proposition 65	California – Proposition 65 – Carcinogens List California – Proposition 65 – Developmental Toxicity
U.S. – RTK (Right To Know) List	New Jersey – RTK (Right to Know) – Hazardous Substance List Pennsylvania – RTK (Right to Know) List Massachusetts – RTK (Right To Know) List
California – Safer Consumer Products – Informational List of Candidate Chemicals and Chemical Groups	California – Safer Consumer Products – Informational List of Candidate Chemicals and Chemical Groups

16. OTHER INFORMATION

Literature References	NITE GHS EU CLP Regulation, AnnexVI
Other data	The information suggested in this Safety Data Sheet does not comprehend everything and should be adopted only as a guide. The accuracy of the information and recommendations suggested herein are credible. However the company makes no warranty regarding such information and recommendations and disclaims all liability for reliance thereon.
National Fire Protection Association(U.S.A)	
Health	1
Flammability	4
Reactivity	0
Specific hazard	Not applicable
HMIS(U.S.A)	
Health Hazard	*3
Fire Hazard	4
Reactivity	4
Personal Protection	The customer is responsible for determining the PPE code for this material