

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: Solder Silver

Manufacturer: PRODUITS DENTAIRES SA.

SDS Expiry: 7 June 2023

Supplier Details: Henry Schein New Zealand
23 William Pickering Drive, Albany
PO Box 101 140, North Shore, Auckland 0745
Ph. 0800 808 855
www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –
0800POISON/0800764766 (24 Hours)
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6 / 8

HSNO Group Standard: Dental Products Corrosive Group Standard 2020 HSR002555

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared - July 2021

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



SAFETY DATA SHEET

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : UNIVERSAL SOLDER STICKS WHITE

Product code : ART.10001/10002.

1.2. Relevant identified uses of the substance or mixture and uses advised against

For dental professional use only.

1.3. Details of the supplier of the safety data sheet

Registered company name : PRODUITS DENTAIRE SA.

Address : Rue des Bosquets 18 .1800 .Vevey .Switzerland.

Telephone : +41 21 921 26 31. Fax : +41 21 921 39 79.

info@pdsa.ch

http://www.pdsa.ch

1.4. Emergency telephone number : +41 21 921 26 31.

Association/Organisation : .

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS compliant.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Acute dermal toxicity, Category 5 (Acute Tox. 5, H313).

Acute inhalation toxicity, Category 3 (Acute Tox. 3, H331).

Skin corrosion, Category 1B (Skin Corr. 1B, H314).

Reproductive toxicity, Category 1A (Repr. 1A, H360).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

GHS compliant.

Hazard pictograms :



GHS08



GHS05



GHS06

Signal Word :

DANGER

Product identifiers :

CAS 12045-78-2

CAS 16871-90-2

CAS 7789-29-9

TETRABORATE DE POTASSIUM TETRAHYDRATE

SILICOFLUORURE DE POTASSIUM

HYDROGENOFUORURE DE POTASSIUM

Hazard statements :

H302

Harmful if swallowed.

H313

May be harmful in contact with skin.

H314

Causes severe skin burns and eye damage.

H331

Toxic if inhaled.

H360

May damage fertility or the unborn child .

UNIVERSAL SOLDER STICKS WHITE - ART.10001/10002_GHS

Precautionary statements - Prevention :

P201	Obtain special instructions before use.
P260	Do not breathe vapours.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves according to the hygienic rules in force in dental surgeries.

Precautionary statements - Response :

P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell.
P303 + P361 + P353	IF ON SKIN (or hair):Rinse skin with cold water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statements - Disposal :

P501	Dispose of contents/container according to the hygienic rules in force in dental surgeries and according to the legislation in force.
------	---

2.3. Other hazards

No data available.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures****Composition :**

Identification	GHS	Note	%
CAS: 12045-78-2 EC: 215-575-5 TETRABORATE DE POTASSIUM TETRAHYDRATE	GHS08 Repr. 1A, H360	[2]	10 <= x % < 25
CAS: 16871-90-2 EC: 240-896-2 SILICOFLUORURE DE POTASSIUM	GHS06 Dgr Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330		10 <= x % < 25
CAS: 7789-29-9 EC: 232-156-2 REACH: 009-008-00-9 HYDROGENOFLUORURE DE POTASSIUM	GHS06, GHS05, GHS07 Dgr Acute Tox. 3, H301 Skin Corr. 1B, H314 STOT SE 3, H335		2.5 <= x % < 10

(Full text of H-phrases: see section 16)

Information on ingredients :

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures**In the event of exposure by inhalation :**

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

Do not proceed with mouth-to-mouth or mouth-to-nose resuscitation. Use the appropriate equipment.

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

UNIVERSAL SOLDER STICKS WHITE - ART.10001/10002_GHS

In the event of splashes or contact with skin :

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

Be careful with product which can remain between the skin and the clothes, the watch, the jewels.

Wash the skin thoroughly with soap and fresh water.

In the event of swallowing :

Do not give the patient anything orally.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- powder
- carbon dioxide (CO₂)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)
- metallic oxide smokes

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid inhaling the vapours.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming).

6.4. Reference to other sections

No data available.

UNIVERSAL SOLDER STICKS WHITE - ART.10001/10002_GHS

SECTION 7 : HANDLING AND STORAGE**7.1. Precautions for safe handling**

Always wash hands after handling.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

Packages which have been opened must be reclosed carefully.

7.2. Conditions for safe storage, including any incompatibilities

Keep the container tightly closed

Storage

Respect storage precautions mentioned on the packaging or in the instructions for use.

Packaging

Always conserve in the original packaging.

7.3. Specific end use(s)

Consult instructions for use enclosed.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

No data available.

8.2. Exposure controls**Personal protection measures, such as personal protective equipment**

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :

**- Eye / face protection**

Avoid contact with eyes.

- Hand protection

Wear gloves according to the hygienic rules in force in dental surgeries.

- Body protection

Avoid skin contact.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid breathing vapours.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties****General information :**

Physical state : Solid.
Colour: Silver

Important health, safety and environmental information

pH : Not relevant.
Boiling point/boiling range : Not relevant.
Flash point interval : Not relevant.
Vapour pressure (50°C) : Not relevant.
Density : Not stated.
Water solubility : Insoluble.
Melting point/melting range : 630 - 680°C
Self-ignition temperature : Not relevant.

UNIVERSAL SOLDER STICKS WHITE - ART.10001/10002_GHS

Decomposition point/decomposition range : Not relevant.

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

Do not use if the expiry date is exceeded.

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- humidity

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO₂)
- metallic oxide smokes

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Harmful if swallowed.

May be harmful in contact with skin.

Toxic by inhalation.

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure between three minutes and one hour.

Known human reproductive toxicant.

11.1.1. Substances

Skin corrosion/skin irritation :

HYDROGENOFLUORURE DE POTASSIUM (CAS: 7789-29-9)

Corrosivity : Causes severe skin burns.

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

UNIVERSAL SOLDER STICKS WHITE - ART.10001/10002_GHS

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

The appropriate waste management of the mixture and/or its container must be determined in accordance with local regulations.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

14.1. UN number

2928


14.2. UN proper shipping name

UN2928=TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.

(tetraborate de potassium tetrahydrate, tetraborate de potassium tetrahydrate)

14.3. Transport hazard class(es)

- Classification :



6.1+8

14.4. Packing group

II

14.5. Environmental hazards

-

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	6.1	TC2	II	6.1+8	68	500 g	274	E4	2	D/E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	6.1	8	II	500 g	F-A,S-B	274	E4

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	6.1	8	II	668	15 kg	675	50 kg	A5	E4
	6.1	8	II	Y644	1 kg	-	-	A5	E4

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

UNIVERSAL SOLDER STICKS WHITE - ART.10001/10002_GHS

SECTION 15 : REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

The following regulations have been used:

- Globally Harmonized System of Classification and Labelling of Chemicals (GHS), review no. 5 (2013)

- Container information:


The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

No data available.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=3 Inflammability=1 Instability/Reactivity=1 Specific Risk=none

**15.2. Chemical safety assessment**

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H301 + H311	Toxic if swallowed or in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child .

Abbreviations :

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS05 : Corrosion

GHS06 : Skull and crossbones

GHS08 : Health hazard

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.