

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	J-Temp
Manufacturer:	Ultradent Australia Pty Ltd.
SDS Expiry:	21 April 2023
Supplier Details:	Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2020 HSR002558 (PDF, 205 KB)
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared – MAY 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



Page 1/8

# Safety Data Sheet according to WHS Regulations

Printing date 21.04.2023

\*

Revision: 21.04.2023

1 Identification		
· Product identifier		
• Trade name: <u>J-Temp<sup>TM</sup></u>		
• Article number: SDS 445-001.02R01, 10076 • Relevant identified uses of the substance or • Application of the substance / the mixture L	mixture and uses advised against Light-Cured Temp	orary Resin
<ul> <li>Details of the supplier of the safety data sheat</li> <li>Manufacturer/Supplier: Ultradent Products, Inc.</li> <li>505 W. Ultradent Drive (10200 S)</li> <li>South Jordan, UT 84095-3942</li> <li>USA</li> <li>onlineordersupport@ultradent.com</li> </ul>	et	
Ultradent Australia Pty Ltd. 16/1 Market St. Sydney NSW 2000 Email: info.anz@ultradent.com Toll Free: 1-800-290929		
<ul> <li>Further information obtainable from: Customer Service Not applicable None</li> <li>Emergency telephone number: CHEMTREC (NORTH AMERICA) : (800) 42- (INTERNATIONAL) : +(703) 52</li> <li>Not applicable</li> </ul>		
2 Hazard(s) Identification		
· Classification of the substance or mixture		
Skin Irrit. 2	H315 Causes skin irritation.	
Serious eye damage/irritation – Category 2A	H319 Causes serious eye irritation.	
Skin Sens. 1	H317 May cause an allergic skin reaction.	
• Label elements • GHS label elements Void • Hazard pictograms GHS07 • Signal word Warning		
<ul> <li>Hazard-determining components of labelling Triethylene Glycol Dimethacrylate Hydroxypropyl Methacrylate</li> <li>Hazard statements H315 Causes skin irritation.</li> </ul>	g:	
11515 Causes skin irradion.		(Contd. on page 2)

Printing date 21.04.2023

Revision: 21.04.2023

(Contd. of page 1)

## Trade name: J-Temp<sup>TM</sup>

H319 Causes serio	us eye irritation.
H317 May cause a	n allergic skin reaction.
Precautionary stat	ements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	<i>If eye irritation persists: Get medical advice/attention.</i>
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

## **3** Composition and Information on Ingredients

#### · Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

109-16-0	Triethylene Glycol Dimethacrylate	>1-<10%
	() Skin Sens. 1, H317	
20882-04-6	Mono-2-(Methacryloyloxy) Ethyl Succinate	>1-<10%
	🚯 Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319	
27813-02-1	Hydroxypropyl Methacrylate	>1-<10%
	🚸 Serious eye damage/irritation – Category 2A, H319; Skin Sens. 1, H317	
	Trade Secret	>0.1-<5%
	📀 Skin Corr. 1A, H314; Eye Dam. 1, H318	
79-41-4	Methacrylic Acid	<1%
	♦ Acute Tox. 3, H331; ♦ Skin Corr. 1A, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Acute Tox. 4, H312; Flam. Liq. 4, H227	
162881-26-7	Organophosphine Oxide	<1%
	♦ Skin Sens. 1, H317	

*dditional information:* For the wording of the listed hazard phrases refer to section 16.

## **4 First Aid Measures**

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:
- If skin irritation continues, consult a doctor.
- Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 21.04.2023

Revision: 21.04.2023

(Contd. of page 2)

Trade name: J-Temp™

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

#### **5 Fire Fighting Measures**

· Suitable extinguishing agents:

Water spray, fog, or mist, foam, dry chemical, carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

- Special hazards arising from the substance or mixture No further relevant information available.
- Protective equipment: Wear fully protective suit.

## **6** Accidental Release Measures

• Personal precautions, protective equipment and emergency procedures Not required.

• *Environmental precautions:* Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and Storage

#### · Handling:

• **Precautions for safe handling:** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about fire - and explosion protection: No special measures required.

· Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: See product labelling.

*Keep container tightly sealed.* 

• Specific end use(s) No further relevant information available.

## 8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

79-41-4 Methacrylic Acid

WES Long-term value: 70 mg/m<sup>3</sup>, 20 ppm

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

AU -

Printing date 21.04.2023

Revision: 21.04.2023

#### *Trade name:* J- $Temp^{TM}$

(Contd. of page 3)

Personal protective equipment:
General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eves and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

General Information		
Appearance:		
Form:	Medium Viscosity	
Colour:	Violet	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable (non-aqueous)	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	

Printing date 21.04.2023

Revision: 21.04.2023

#### Trade name: J-Temp™

	(Contd. of pa	ige 4)
· Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	Not determined.	
• Other information	No further relevant information available.	

## **10 Stability and Reactivity**

- · Reactivity Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological Information**

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

	-	Glycol Dimethacrylate
Oral	LD50	>5,000 mg/kg (rat)
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>2,000 mg/kg (mouse)
79-41-4 M	ethacrylic A	<i>Acid</i>
Oral	LD50	1,250 mg/kg (mouse)
		1,060 mg/kg (rat)
		1,200 mg/kg (rabbit)
	LC50 Fish	86 mg/l (Fish)
Dermal	LD50	1,000 mg/kg (Guinea pig)
		500 mg/kg (rabbit)
Inhalative	LC50/4 h	7.1 mg/l (rat)
162881-26	-7 Organop	bhosphine Oxide
Oral	LD50	>2,000 mg/kg (rat)
	LC50 Fish	>0.09 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>2,000 mg/kg (rat)

(Contd. on page 6)

Printing date 21.04.2023

Revision: 21.04.2023

(Contd. of page 5)

#### Trade name: J-Temp™

- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **12 Ecological Information**

Aquatic toxicity:	
109-16-0 Triethylene Glycol Dim	ethacrylate
EC50	>100 mg/kg (Algae)
Biodegradability	28 days (Aerobic) (Biodegradability testing)
Aqua toxicity	32 mg/l (daphnia) (No Observed Effect Concentration)
79-41-4 Methacrylic Acid	
EC50	17,000 mg/kg (Algae)
	<180 mg/kg (daphnia) (Toxicity to aquatic invertebrates)
162881-26-7 Organophosphine O	Dxide
EC50 (static)	>1.175 mg/kg (daphnia) (Toxicity to aquatic invertebrates)
Aqua toxicity	≥0.008 mg/l (daphnia) (Daphnia Magna Reproduction Test)
Toxicity to Aquatic Plants (static)	>0.26 mg/l (Plant) (Toxicity to algae)
	further relevant information available.
Behaviour in environmental syste	
<b>Bioaccumulative potential</b> No fur <b>Mobility in soil</b> No further relevan	ther relevant information available.
Additional ecological information	
General notes:	••
	gulation) (Self-assessment): slightly hazardous for water
	large quantities of it to reach ground water, water course or sewage system
Results of PBT and vPvB assessm	<i>ient</i>

- *PBT:* Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of contents/container in accordance with international, federal, state, and local regulations.

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 7)

AT

<sup>•</sup> Uncleaned packaging:

Printing date 21.04.2023

Revision: 21.04.2023

Trade name: J-Temp<sup>TM</sup>

(Contd. of page 6)

UN-Number	not norvelated	
ADG, IMDG, IATA	not regulated	
UN proper shipping name ADG, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADG, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADG, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not Applicable	
Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	

5 Regulatory	n formation
· Safety, health	h and environmental regulations/legislation specific for the substance or mixture
· Australian In	wentory of Industrial Chemicals
9033-79-8	Sodium Acrylate Copolymer
109-16-0	Triethylene Glycol Dimethacrylate
20882-04-6	Mono-2-(Methacryloyloxy) Ethyl Succinate
27813-02-1	Hydroxypropyl Methacrylate
	Silicon Dioxide Chemically Prepared
10287-53-3	Ethyl-4-Dimethylamino Benzoate
79-41-4	Methacrylic Acid
162881-26-7	Organophosphine Oxide
10373-78-1	Camphorquinone
75-56-9	Methyloxirane
	Co-Cr-AL Spinel Blue Green
1332-37-2	Red Iron Oxide
14808-60-7	Silica Glass
• Standard for	the Uniform Scheduling of Medicines and Poisons
75-56-9 Meth	hyloxirane
· Australia: Pr	iority Existing Chemicals
None of the in	ngredients is listed.

Named dangerous substances - ANNEX I None of the ingredients is listed.
Chemical safety assessment: A chemical safety assessment has not been carried out.

(Contd. on page 8)

AU

Printing date 21.04.2023

Revision: 21.04.2023

## Trade name: J-Temp<sup>TM</sup>

(Contd. of page 7)

	ent knowledge. However, this shall not constitute a guarantee for an stablish a legally valid contractual relationship.
	stablish a legally valia contractual relationship.
• Relevant phrases from Section 3	
H227 Combustible liquid.	
H302 Harmful if swallowed.	
H312 Harmful in contact with skin.	
H314 Causes severe skin burns and eye	damage.
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction	n.
H318 Causes serious eye damage.	
H319 Causes serious eye irritation.	
H331 Toxic if inhaled.	
· Department issuing SDS: Environmenta	ıl. Health. and Safety
• Contact: Customer Service	
· Abbreviations and acronyms:	
	es marchandises dangereuses par route (European Agreement Concerning the Internation
Carriage of Dangerous Goods by Road)	s marchanaises aungereuses par route (European Agreement Concerning the Internation
IMDG: International Maritime Code for Dangero	us Goods
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commen	rcial Chemical Substances
ELINCS: European List of Notified Chemical Sub-	
CAS: Chemical Abstracts Service (division of the	American Chemical Society)
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic	
<i>vPvB: very Persistent and very Bioaccumulative</i>	
Flam. Liq. 4: Flammable liquids – Category 4	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Corr. 1A: Skin corrosion/irritation - Categor	
Skin Irrit. 2: Skin corrosion/irritation – Category	
Eye Dam. 1: Serious eye damage/eye irritation –	
Serious eye damage/irritation – Category 2A: Ser	ious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1	