


GENERAL BUSINESS: 0800 808 855 FAX: 0508 808 555 www.henryschein.co.nz

<u>Safety Data Sheet Cover-Sheet</u> – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name:	Oraseal Caulk, Oraseal Putty		
Manufacturer:	Ultradent		
SDS Expiry:	22 March 2023		
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz		
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police		
HSNO Class/Category:	Non Hazardous		
HSNO Group Standard:	Non Hazardous		
Statements/Pictograms: As per attached Safety Data Sheet (SDS)			
Date Prepared:	This coversheet was prepared on 21 January 2019		

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.05.2018

LTRADENT RODUCTS, INC.

Revision: 22.03.2018

1 Identification of the substance/mixture and of the company/undertaking · Product identifier · Trade name: Oraseal<sup>®</sup> Caulk, Oraseal<sup>®</sup> Putty · Article number: 10321, 10322 · Index number: SDS 87-001.08 · Relevant identified uses of the substance or mixture and uses advised against Professional Dental Caulking & Sealing Materials · Application of the substance / the mixture Professional Dental Caulking & Sealing Materials • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Ultradent Products Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@utradent.com EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany *Email: infoDe@ultradent.com* Emergency Phone: +49(0)2203-35-92-0 • Further information obtainable from: Customer Service · Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL): +(703) 527-3887

### **2** Hazards identification

· Classification of the substance or mixture

- · Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.

· Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void

· Hazard statements Void

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

• Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 57-55-6 EINECS: 200-338-0Propylene Glycolsubstance with a Community workplace exposure limit>25-≤50%	· Dangerous components:			
		10 0	substance with a Community workplace exposure limit	>25-≤50%

GB

Printing date 30.05.2018

Revision: 22.03.2018

Trade name: Oraseal<sup>®</sup> Caulk, Oraseal<sup>®</sup> Putty

· Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

### 4 First aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Firefighting measures

#### · Extinguishing media

- · Suitable extinguishing agents:
- Water spray, fog, or mist, foam, dry chemical, carbon dioxide
- Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: See product labelling.
- Specific end use(s) Professional Dental Caulking & Sealing Materials

(Contd. on page 3)

Printing date 30.05.2018

Revision: 22.03.2018

Trade name: Oraseal<sup>®</sup> Caulk, Oraseal<sup>®</sup> Putty

(Contd. of page 2)

### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

### Ingredients with limit values that require monitoring at the workplace:

57-55-6 Propylene Glycol

WEL Long-term value: 474\* 10\*\* mg/m<sup>3</sup>, 150\* ppm

\*total vapour and particulates \*\*particulates

• *Additional information:* The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling

· Body protection: Protective work clothing

### 9 Physical and chemical properties

General Information		
Appearance:	Paste	
Form:		
Colour:	Ivory	
	Purple	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not applicable (non-aqueous)	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra		
<u> </u>	<u> </u>	
Flash point:	>121 °C	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	

GE

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.05.2018

Revision: 22.03.2018

#### Trade name: Oraseal<sup>®</sup> Caulk, Oraseal<sup>®</sup> Putty

	(Contd. of page 3
• Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	$1-1.3 \ g/cm^3$
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	<40 %
VÕC (EC)	< 40%
Solids content:	<70.0 %
• Other information	No further relevant information available.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

57-55-6	Propylene Glycol		
Oral LD50 18,000 mg/kg (rabbit)			
	LC50 Fish	>5,000 mg/l (Fish) 20,800 mg/kg (rabbit)	
Dermal	LD50	20,800 mg/kg (rabbit)	
Sodium	Carboxymethyl Ce	llulose	
Oral	LC50 Fish (static)	>100 mg/l (Fish)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
			(Contd. on page

Printing date 30.05.2018

Revision: 22.03.2018

Trade name: Oraseal<sup>®</sup> Caulk, Oraseal<sup>®</sup> Putty

			(Contd. of page 4)
63148-62-9 Dimethyl siloxane			
Oral	LD50	>15,400 mg/kg (rat)	
Dermal	Dermal LD50 >2,000 mg/kg (rabbit)		
· Primary irritant effect:			
· Skin corrosion/irritation Based on available data, the classification criteria are not met.			
• Serious eye damage/irritation Based on available data, the classification criteria are not met.			

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

### **12 Ecological information**

· Toxicity

• Aquatic toxicity:

57-55-6 Propylene Glycol

EC50 18,100 mg/l (Algae)

>100,000 mg/l (daphnia)

• **Persistence and degradability** No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

• *Recommendation* Smaller quantities can be disposed of with household waste.

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.* 

### **14 Transport information**

· UN-Number

· ADR, ADN, IMDG, IATA

not regulated

(Contd. on page 6)

GΒ

Printing date 30.05.2018

Revision: 22.03.2018

Trade name: Oraseal<sup>®</sup> Caulk, Oraseal<sup>®</sup> Putty

		(Contd. of page 5)
· UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· Packing group · ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II o and the IBC Code	<b>f Marpol</b> Not applicable.	
· UN "Model Regulation":	not regulated	

### **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment:
- Device is biocompatible when used as directed by dental professionals per ISO 10993-1

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Regulatory Affairs
- Contact: Customer Service
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

GB -