


<u>Safety Data Sheet Cover-Sheet</u> – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name:	Ultra-Blend Plus
Manufacturer:	Ultradent
SDS Expiry:	11 April 2024
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6 / 8
HSNO Group Standard:	Dental Products Toxic 6.1 Corrosive Group Standard 2017 HSR002559
Statements/Pictograms	: As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared on 15 April 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.08.2019

ODUCTS, INC.

Revision: 11.04.2019

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

- · Trade name: Ultra-Blend[™] plus
- · Article number: 41601, 41618
- · Index number: SDS 39-001.12
- **Relevant identified uses of the substance or mixture and uses advised against** Professional Dental Liner • **Application of the substance / the mixture** Professional Dental Liner
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ultradent Products Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@utradent.com

EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany Email: infoDe@ultradent.com Emergency Phone: +49(0)2203-35-92-0

· Further information obtainable from: Customer Service

• Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazards identification

Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· Labelling according to Regulation (EC) No 1272/2008

The Regulation EC 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) shall not apply to a medical device in the finished state used in direct physical contact with the human body according to Art. 1.5 (d). Therefore, the product is exempted from the CLP labeling requirements, and no SDS is required by Regulation 1907/2006, Art. 2 (6c), REACH. Therefore, all given data, classification, and information on this SDS are provided solely on a voluntary basis.

· Hazard pictograms GHS05, GHS07

· Signal word Danger

(Contd. on page 2)

Printing date 15.08.2019

Revision: 11.04.2019

Trade name: Ultra-Blend[™] plus

	(Contd. of page 1)
· Hazard-detern	nining components of labelling:
Diurethane Di	
Trade Secret	
Calcium Hydr	oxide
Triethylene Gl	lycol Dimethacrylate
Amine Methac	rylate
· Hazard staten	nents
H314 Causes	severe skin burns and eye damage.
H317 May cai	use an allergic skin reaction.
· Precautionary	v statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe dusts or mists.
P303+P361+	P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P305+P351+.	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Other hazards	

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 72869-86-4		
EINECS: 276-957-5	♦ Skin Sens. 1, H317	
CAS: 7727-43-7	Barium Sulfate	>10- ≤ 25%
EINECS: 231-784-4	substance with a Community workplace exposure limit	
	Trade Secret	>2.5- <i>≤</i> 10%
	📀 Skin Corr. 1A, H314; Eye Dam. 1, H318	
CAS: 1305-62-0	Calcium Hydroxide	>2.5- <i>≤</i> 10%
EINECS: 215-137-3	📀 Eye Dam. 1, H318	-
CAS: 109-16-0	Triethylene Glycol Dimethacrylate	>2.5- <i>≤</i> 10%
EINECS: 203-652-6	♦ Skin Sens. 1, H317	
	Amine Methacrylate	<i>≤</i> 2.5%
	() Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
· Additional informati	ion: For the wording of the listed hazard phrases refer to section 16.	

(Contd. on page 3)

[·] Results of PBT and vPvB assessment

Printing date 15.08.2019

Revision: 11.04.2019

Trade name: Ultra-Blend[™] plus

(Contd. of page 2)

4 First aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- *After inhalation: This product is a thick paste, therefore inhalation is extremely unlikely.*
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting. Seek medical help if necessary.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:
- Foam, dry chemical, carbon dioxide
- Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters:
- **Protective equipment:** Wear fully protective suit. Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling:
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep respiratory protective device available.

(Contd. on page 4)

GB2

Printing date 15.08.2019

Revision: 11.04.2019

(Contd. of page 3)

Trade name: Ultra-Blend[™] plus

- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from exposure to the light. Keep container tightly sealed.
- · Specific end use(s) Professional Dental Liner

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 7727-43-7 Barium Sulfate
- WEL (Great Britain) Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust
- 1305-62-0 Calcium Hydroxide
- WEL (Cupat Duitain) Chant torn 1
- WEL (Great Britain) Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction
- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5) GB2

Printing date 15.08.2019

Revision: 11.04.2019

(Contd. of page 4)

Trade name: Ultra-Blend[™] plus

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and chem	ical properties	
General Information		
Appearance:		
Form:	Paste	
Colour: Odour:	According to product specification Acrylic	
Odour threshold:	Not determined.	
pH-value:	Not applicable (non-aqueous)	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.33-1.39 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC (EC)	0.00 %	

(Contd. on page 6)

Printing date 15.08.2019

Revision: 11.04.2019

(Contd. of page 5)

Trade name: Ultra-Blend[™] plus

10 Stability and reactivity

- · Reactivity Stable
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Light
- · Incompatible materials:
- Metals
- Strong Acids
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC30	values relev	ant for classification:	
72869-86-	4 Diurethan	ne Dimethacrylate	
Oral	LD50	>5,000 mg/kg (rat)	
7727-43-7	' Barium Su	lfate	
Oral	LD50	>3,000 mg/kg (mouse)	
		307,000 mg/kg (rat)	
1305-62-0	Calcium H	ydroxide	
Oral	LD50	7,340 mg/kg (rat)	
109-16-0	Triethylene	Glycol Dimethacrylate	
Oral	LD50	>5,000 mg/kg (rat)	
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)	
Dermal	LD50	>2,000 mg/kg (mouse)	
Amine Me	ethacrylate		
Oral	LD50	1,550 mg/kg (rat)	
	LC50 Fish	19 mg/l (Fish)	
Dermal	LD50	2,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	96 mg/l (rat)	
Skin corre Causes ser Serious ey Causes ser May cause CMR effe Germ cell Carcinoge Reproduct STOT-sin	ve damage/in rious eye dan ry or skin set e an allergic cts (carcinog mutagenicit enicity Based tive toxicity gle exposure	on rns and eye damage. ritation mage.	

(Contd. on page 7)

GB2

Printing date 15.08.2019

Revision: 11.04.2019

(Contd. of page 6)

Trade name: Ultra-Blend[™] plus

• Aspiration hazard Based on available data, the classification criteria are not met.

<i>Toxicity</i> <i>Aquatic toxicity:</i>	
	ethane Dimethacrylate
Biodegradability 28 days (Aerobic) (Biodegradability testing)	
EC50	>0.6 mg/l (Algae) (Toxicity to algae)
	>1.2 mg/l (daphnia) (Toxicity to aquatic invertebrates)
7727-43-7 Bariu	
EC50	32 mg/l (daphnia)
109-16-0 Triethy	lene Glycol Dimethacrylate
Biodegradability	28 days (Aerobic) (Biodegradability testing)
Aqua toxicity	32 mg/l (daphnia) (No Observed Effect Concentration)
EC50	>100 mg/l (Algae) (Toxicity to algae)
Amine Methacry	late
EC50	42 mg/l (Algae)
Persistence and d Behaviour in env Bioaccumulative Mobility in soil N Additional ecolog General notes:	legradability No further relevant information available. ironmental systems: potential No further relevant information available. Io further relevant information available. gical information: ss 1 (German Regulation) (Self-assessment): slightly hazardous for water
Persistence and a Behaviour in env Bioaccumulative Mobility in soil N Additional ecolog General notes: Water hazard cla Do not allow und Must not reach se Results of PBT a PBT: Not applica vPvB: Not applic	legradability No further relevant information available. ironmental systems: potential No further relevant information available. Io further relevant information available. gical information: ss 1 (German Regulation) (Self-assessment): slightly hazardous for water iluted product or large quantities of it to reach ground water, water course or sewage system wage water or drainage ditch undiluted or unneutralised. nd vPvB assessment ible. able.
Persistence and a Behaviour in env Bioaccumulative Mobility in soil N Additional ecolog General notes: Water hazard cla Do not allow und Must not reach se Results of PBT a PBT: Not applica PBT: Not applica Other adverse efj	legradability No further relevant information available. ironmental systems: potential No further relevant information available. Io further relevant information available. gical information: ss 1 (German Regulation) (Self-assessment): slightly hazardous for water iluted product or large quantities of it to reach ground water, water course or sewage system wage water or drainage ditch undiluted or unneutralised. nd vPvB assessment ible. able. Fects No further relevant information available. Fects No further relevant information available. Fects No further relevant information available.
Persistence and a Behaviour in env Bioaccumulative Mobility in soil N Additional ecolog General notes: Vater hazard cla Do not allow und Must not reach se Results of PBT a PBT: Not applica PvB: Not applica Disposal cons Waste treatment Recommendation Must not be dispo	legradability No further relevant information available. ironmental systems: potential No further relevant information available. io further relevant information available. gical information: ss 1 (German Regulation) (Self-assessment): slightly hazardous for water iluted product or large quantities of it to reach ground water, water course or sewage system wage water or drainage ditch undiluted or unneutralised. nd vPvB assessment ible. able. fects No further relevant information available. fects No further relevant information available. fects No further relevant information available. fects No further relevant information available.
Persistence and a Behaviour in env Bioaccumulative Mobility in soil N Additional ecolog General notes: Vater hazard cla Do not allow und Aust not reach se Results of PBT a PBT: Not applica PvB: Not applica Disposal cons Vaste treatment Recommendation Aust not be dispo European waste	legradability No further relevant information available. ironmental systems: potential No further relevant information available. io further relevant information available. gical information: ss 1 (German Regulation) (Self-assessment): slightly hazardous for water iluted product or large quantities of it to reach ground water, water course or sewage system wage water or drainage ditch undiluted or unneutralised. nd vPvB assessment ible. able. fects No further relevant information available. fects No further relevant information available. fects No further relevant information available. fects No further relevant information available.
Persistence and a Behaviour in env Bioaccumulative Mobility in soil N Additional ecolog General notes: Water hazard cla Do not allow und Must not reach se Results of PBT a PBT: Not applica PVB: Not applica Other adverse efj Disposal cons Waste treatment Recommendation	legradability No further relevant information available. ironmental systems: potential No further relevant information available. Io further relevant information available. gical information: ss 1 (German Regulation) (Self-assessment): slightly hazardous for water iluted product or large quantities of it to reach ground water, water course or sewage system wage water or drainage ditch undiluted or unneutralised. nd vPvB assessment ible. able. Fects No further relevant information available. fiderations methods I seed together with household garbage. Do not allow product to reach sewage system. catalogue

(Contd. on page 8)

Printing date 15.08.2019

Revision: 11.04.2019

Trade name: Ultra-Blend[™] plus

(Contd. of page 7)

UN-Number		
ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I	l of Marpol	
and the IBC Code	Not applicable.	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• *Chemical safety assessment:* Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed. H312 Harmful in contact with skin.

- H314 Causes severe skin burns and eve damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- · Department issuing SDS: Regulatory Affairs
- · Contact: Customer Service

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Printing date 15.08.2019

Revision: 11.04.2019

Trade name: Ultra-Blend[™] plus

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 (Contd. of page 8)

GB2 -