



<u>Safety Data Sheet Cover-Sheet</u> – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name: UltraPro TX Prophy Paste

Manufacturer: Ultradent

SDS Expiry: 12 December 2023

Supplier Details: Henry Schein New Zealand

23 William Pickering Drive, Albany

PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours)

Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2017 HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared on 15 April 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Printing date 18.04.2019 Revision: 12.12.2018

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Ultrapro™ Tx Prophy Paste

· Article number: 8309, 8310, 8311, 8312, 8313, 8314, 8315, 8320, 8321, 8322, 8323, 8324, 8326, 8327

· Index number: SDS 213-001.06

· Relevant identified uses of the substance or mixture and uses advised against Professional Dental Prophy Paste

· Application of the substance / the mixture Professional Dental Prophy Paste

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@utradent.com

EC Responsible Person

Ultradent Products GmbH

Am Westhover Berg 30

51149 Cologne Germany

Email: infoDe@ultradent.com

Emergency Phone: +49(0)2203-35-92-0

· Further information obtainable from: Customer Service

· Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The Regulation EC 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) shall not apply to a medical device in the finished state used in direct physical contact with the human body according to Art. 1.5 (d). Therefore, the product is exempted from the CLP labeling requirements, and no SDS is required by Regulation 1907/2006, Art. 2 (6c), REACH. Therefore, all given data, classification, and information on this SDS are provided solely on a voluntary basis.

- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard-determining components of labelling:

Phosphoric Acid

Sodium Fluoride

Sodium Silicate Solution

· Hazard statements

H302 Harmful if swallowed.

(Contd. on page 2)

Printing date 18.04.2019 Revision: 12.12.2018

Trade name: Ultrapro™ Tx Prophy Paste

(Contd. of page 1)

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 7757-79-1	Potassium Nitrate	<i>≤</i> 5%
EINECS: 231-818-8	� Ox. Sol. 2, H272; ♦ Skin Irrit. 2, H315; STOT SE 3, H335-H336	
CAS: 7664-38-2	Phosphoric Acid	≤5%
EINECS: 231-633-2	Acute Tox. 1, H330; 🌕 Met. Corr.1, H290; Skin Corr. 1B, H314; 🔱 Acute Tox. 4, H302	
CAS: 1344-09-8	Sodium Silicate Solution	3%
EINECS: 215-687-4	Acute Tox. 3, H331; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 7681-49-4	Sodium Fluoride	2.7%
EINECS: 231-667-8	Acute Tox. 3, H301; Acute Tox. 2, H310; () Skin Irrit. 2, H315; Eye Irrit. 2, H319	

[•] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: After contact with skin, wash immediately with: Water and soap.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If swallowed in large quantities seek medical attention.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

For symptoms and effects caused by the contained substances, see Section 11.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

GB2

Printing date 18.04.2019 Revision: 12.12.2018

Trade name: Ultrapro™ Tx Prophy Paste

(Contd. of page 2)

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Foam

Water

Carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters:
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling: Keep away from heat and direct sunlight.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: See product labelling.
- · Specific end use(s) Professional Dental Prophy Paste

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7664-38-2 Phosphoric Acid

WEL (Great Britain) Short-term value: 2 mg/m³

Long-term value: 1 mg/m³

(Contd. on page 4)

Printing date 18.04.2019 Revision: 12.12.2018

Trade name: Ultrapro™ Tx Prophy Paste

(Contd. of page 3)

7681-49-4 Sodium Fluoride

WEL (Great Britain) Long-term value: 2.5 mg/m³

as F

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Not required.
- · Body protection: Protective work clothing

9 Physical and chemical properties
· Information on basic physical and chemical properties · General Information

1	ppearance:		
ı,	ppeurunce.		

Color Dependent
Odour: Flavor Dependent
Odour threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Form:

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Not determined

· Flash point: Not determined

· Flammability (solid, gas):

Not determined.

Not applicable.

· **Decomposition temperature:** Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Paste

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

(Contd. on page 5)

Printing date 18.04.2019 Revision: 12.12.2018

Trade name: Ultrapro™ Tx Prophy Paste

	(Contd. c	of page
· Vapour pressure:	Not applicable.	
· Density at 20 °C:	1.9 g/cm³	
Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Soluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
VOC (EC)	0.00 %	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions:

Reacts with oxidising agents.

Reacts with acids.

- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Inhalative $LC50/4 h$ $\geq 7.52 mg/l$ 7757-79-1 Potassium Nitrate Oral $LD50$ $3,015 mg/kg (rat)$ $1,901 mg/kg (rabbit)$ $LC50 Fish$ $1,378 mg/l (Fish)$	LD/LC50	values relevant fo	r classification:	
Dermal LD50 6,481 mg/kg Inhalative LC50/4 h ≥7.52 mg/l 7757-79-1 Potassium Nitrate Oral LD50 3,015 mg/kg (rat) 1,901 mg/kg (rabbit) 1,901 mg/kg (rabbit) LC50 Fish 1,378 mg/l (Fish)	ATE (Acu	te Toxicity Estima	tes)	
Inhalative $LC50/4 h$ ≥7.52 mg/l 7757-79-1 Potassium Nitrate Oral $LD50$ 3,015 mg/kg (rat) $1,901 \text{ mg/kg (rabbit)}$ $LC50 \text{ Fish}$ 1,378 mg/l (Fish)	Oral	LD50	≥1,652 mg/kg	
7757-79-1 Potassium Nitrate Oral	Dermal	LD50	6,481 mg/kg	
Oral LD50 3,015 mg/kg (rat) 1,901 mg/kg (rabbit) LC50 Fish 1,378 mg/l (Fish)	Inhalative	LC50/4 h	≥7.52 mg/l	
1,901 mg/kg (rabbit) LC50 Fish 1,378 mg/l (Fish)	7757-79-1	Potassium Nitrat	ę	
LC50 Fish 1,378 mg/l (Fish)	Oral	LD50	3,015 mg/kg (rat)	
			1,901 mg/kg (rabbit)	
		LC50 Fish	1,378 mg/l (Fish)	
Dermal LD50 >5,000 mg/kg (rat)	Dermal	LD50	>5,000 mg/kg (rat)	

Printing date 18.04.2019 Revision: 12.12.2018

Trade name: Ultrapro™ Tx Prophy Paste

		(Contd. of page 5
	LC50(Daphnia magna)	490 mg/l (daphnia)
7664-38-2	Phosphoric Acid	
Oral	LD50	1,530 mg/kg (rat)
Dermal	LD50	2,740 mg/kg (rabbit)
Inhalative	LC50/4 h	0.42225 mg/l (rabbit)
1344-09-8	Sodium Silicate Solutio	n
Oral	LD50	1,100 mg/kg (mouse)
		3,400 mg/kg (rat)
	LC50 Fish	1,108 mg/l (Fish)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50/4 h	2.06 mg/l (rat)
7681-49-4	Sodium Fluoride	
Oral	LD50	52 mg/kg (mouse)
	LC50 Fish (static)	17 mg/l (Fish)
Dermal	LD50	175 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Irritant effect on the skin
- · Serious eye damage/irritation Contact may cause mild irritation with redness and tearing.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

Aquatic toxicity:		
1344-09-8 Sodium Silicate Solution		
EC50	EC50 1,700 mg/l (daphnia)	
7681-49-4 Sodium Fl	7681-49-4 Sodium Fluoride	
EC50 Algae Toxicity (static)	272 mg/kg (Algae)	
	98 mg/kg (daphnia)	
Algae Toxicity (static)	7 mg/l (Algae)	

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 7)

Printing date 18.04.2019 Revision: 12.12.2018

Trade name: Ultrapro™ Tx Prophy Paste

(Contd. of page 6)

- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Euroj	pean waste catalogue
HP 6	Acute Toxicity
HP 8	Corrosive

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

4 Transport information		
· UN-Number · ADR, ADN, IMDG, IATA	not regulated	
· UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· Packing group · ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	not regulated	

15 Regulatory information

· Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidiser.

H290 May be corrosive to metals.

(Contd. on page 8)

Printing date 18.04.2019 Revision: 12.12.2018

Trade name: Ultrapro™ Tx Prophy Paste

(Contd. of page 7)

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

· Department issuing SDS: Regulatory Affairs

· Contact: Customer Service

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids - Category 2

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Acute Tox. 1: Acute toxicity - Category 1 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3