

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	Vertex Castapress Clear - Vertex Castavaria - Vertex Implacryl Cold - Vertex TCA
Manufacturer:	Vertex Dental
SDS Expiry:	7 December 2023
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	3. 6
HSNO Group Standard:	Dental Products Flammable Group Standard 2017 HSR002556
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared on November 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/12/2018 Version: 1.0

SECTION 1: Identification of the substan	ce/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Mixture	
Product name	: Vertex Castapress Clear - Vertex Castavaria - Vertex Implacryl Cold - Vertex TCA	
Product group	: Trade product	
1.2. Relevant identified uses of the substance	e or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category :	Professional use	
Use of the substance/mixture :	Manufacture of 3D-printed applications for the dental industry	
Use of the substance/mixture :	Dentistry	
Title	Use descriptors	
Vertex Castapress Clear - Vertex Castavaria - Vertex Implacryl Cold - Vertex TCA	SU20	
Full text of use descriptors: see section 16		
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the safety data s		
Supplier	Manufacturer	
Henry Schein Hallas Ltd.	Vertex Dental	
Building 3, Level 6	Centurionbaan 190	
189 – O'Riordan Street,	3769 AV Soesterberg - The Netherlands	
Mascot, NSW 2020 - Australia	T +31 886160400	
T 1300 65 88 22 customer.care@henryschein.com.au - https://henrysch	info@vertex-dental.com - <u>www.vertex-dental.com</u>	
1.4. Emergency telephone number Emergency number : Au	ustralia: 13 11 26	
(Only for the purpose of informing medical personnel in cases of accidental intoxications. The emergency phone number is 24 hours/day available.)		
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture	A	
Classification according to Regulation (EC) No. 12 Mixtures/Substances: SDS EU 2015: According to		
Flammable liquids, Category 2	H225	
Skin corrosion/irritation, Category 2	H315	
	H317	
Skin sensitisation, Category 1		
Specific target organ toxicity — Single exposure, Cate Respiratory tract irritation	gory 3, H335	
Full text of H statements : see section 16		
Adverse physicochemical, human health and envir	onmental effects	
No additional information available		

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)

Signal word (CLP) Hazardous ingredients

Hazard statements (CLP)



- : Danger
- : ethylene dimethacrylate; 2-hydroxyethyl methacrylate; methyl methacrylate; methyl 2methylprop-2-enoate; methyl 2-methylpropenoate; 2-(2H-benzotriazol-2-yl)-p-cresol
- : H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P370+P378 - In case of fire: Use foam, dry extinguishing powder, carbon dioxide (CO2) to
	extinguish. P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Extra phrases	: HAZARDOUS CHEMICAL and DANGEROUS GOODS.
2.3. Other hazards	

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (Note D)	(CAS-No.) 80-62-6 (EC-No.) 201-297-1 (EC Index-No.) 607-035-00-6 (REACH-no) 01-2119452498-28	>= 75	Flam. Liq. 2, H225 STOT SE 3, H335 Skin Irrit. 2, H315 Skin Sens. 1, H317
ethylene dimethacrylate (Note D)	(CAS-No.) 97-90-5 (EC-No.) 202-617-2 (EC Index-No.) 607-114-00-5 (REACH-no) 01-2119965172-38	< 10	STOT SE 3, H335 Skin Sens. 1, H317
2-(2H-benzotriazol-2-yl)-p-cresol	(CAS-No.) 2440-22-4 (EC-No.) 219-470-5 (REACH-no) 01-2119583811-34	< 5	Skin Sens. 1B, H317 Aquatic Chronic 1, H410
2-hydroxyethyl methacrylate (Note D)	(CAS-No.) 868-77-9 (EC-No.) 212-782-2 (EC Index-No.) 607-124-00-X (REACH-no) 01-2119490169-29	< 10	Eye Irrit. 2, H319 Skin Sens. 1, H317
Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
ethylene dimethacrylate	(CAS-No.) 97-90-5 (EC-No.) 202-617-2 (EC Index-No.) 607-114-00-5 (REACH-no) 01-2119965172-38	(C >= 10) STOT SE 3, H335	

Note D : Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3.

However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words "non-stabilised".

Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.		
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.		
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects after inhalation	: May cause respiratory irritation.		
Symptoms/effects after skin contact	: Causes skin irritation.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed	
No additional information available	

SECTION 5: Firefighting measures 5.1. Extinguishing media : Foam. Dry powder. Carbon dioxide. Suitable extinguishing media Unsuitable extinguishing media : Water. 5.2. Special hazards arising from the substance or mixture No additional information available 5.3. Advice for firefighters **Firefighting instructions** : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. **SECTION 6: Accidental release measures** 6.1. Personal precautions, protective equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open General measures flames. No smoking. 6.1.1. For non-emergency personnel Emergency procedures : Evacuate unnecessary personnel. 6.1.2. For emergency responders : Equip cleanup crew with proper protection. Avoid breathing Protective equipment dust/fume/gas/mist/vapours/spray. : Ventilate area. Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Contain and collect spillages with non-combustible absorbent materials, e.g. Store away from other materials. Keep in suitable, closed containers for disposal.	
Other information	: Remove all sources of ignition.	
6.4. Reference to other sections		

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Use only outdoors or in a well-ventilated area. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing vapours, mist. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. No open flames. No smoking. Use only non-sparking tools.
Hygiene measures	: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting equipment.
Storage conditions	: Keep only in the original container in a cool, well-ventilated place. Keep in fireproof place. Keep container tightly closed.
Incompatible products	: Strong bases. Strong acids.
Storage temperature	: < 30 °C
Heat and ignition sources	: Keep away from : ignition sources. Direct sunlight. heat sources.
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)			
Australia	Local name	Methyl methacrylate	
Australia	TWA (mg/m³)	208 mg/m ³	
Australia	TWA (ppm)	50 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EO) 2015/830			
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)				
	STEL (mg/m ³)		416 mg/m ³	
	STEL (ppm)		100 ppm	
Australia	Remark (AU)		Sen - Respiratory and/or Skin Sensitiser.	
	ethylene dimethacrylate (97-90-5)			
DNEL/DMEL (Workers)				
Long-term - systemic effects, de	ermal	1.3 mg/kg bodyweight/day	1.3 mg/kg bodyweight/day	
Long-term - systemic effects, inh	halation	2.45 mg/m ³		
DNEL/DMEL (General population	ion)	1		
Long-term - systemic effects,ora	al	0.83		
Long-term - systemic effects, inh	halation	1.45 mg/m³	1.45 mg/m³	
Long-term - systemic effects, de	ermal	0.83 mg/kg bodyweight/day		
PNEC (Water)				
PNEC aqua (freshwater)		0.139 mg/l		
PNEC aqua (marine water)		0.0139 mg/l		
PNEC aqua (intermittent, freshw	vater)	0.15 mg/l		
PNEC (Sediment)				
PNEC sediment (freshwater)		1.6 mg/kg bw		
PNEC sediment (marine water)		0.16 mg/kg bw		
PNEC (Soil)				
PNEC soil		0.239 mg/kg bw		
PNEC (STP)				
PNEC sewage treatment plant		57 mg/l		
2-hydroxyethyl methacrylate (868-77-9)				
DNEL/DMEL (Workers)				
Long-term - systemic effects, dermal 1.3 mg/kg bodyweight/day				
Long-term - systemic effects, inhalation 4		4.9 mg/m ³		
DNEL/DMEL (General population)				
Long-term - systemic effects,ora	al	0.83 mg/kg bodyweight/day		
Long-term - systemic effects, inh	halation	2.9 mg/m ³		
Long-term - systemic effects, dermal		0.83 mg/kg bodyweight/day		
PNEC (Water)				
PNEC aqua (freshwater)		0.48 mg/l		
PNEC aqua (marine water)		0.48 mg/l		
PNEC aqua (intermittent, freshw	vater)	1 mg/l		
PNEC aqua (intermittent, marine	e water)	1 mg/l		
PNEC (Sediment)				
PNEC sediment (freshwater)				
PNEC sediment (marine water)				
PNEC (Soil)				
PNEC soil		0.47 mg/kg bw		
PNEC (STP)	PNEC (STP)			
PNEC sewage treatment plant	NEC sewage treatment plant 10 mg/l			
PNEC (STP) PNEC sewage treatment plant 2-hydroxyethyl methacrylar DNEL/DMEL (Workers) Long-term - systemic effects, de Long-term - systemic effects, inf DNEL/DMEL (General populati Long-term - systemic effects, oral Long-term - systemic effects, de PNEC (Water) PNEC aqua (freshwater) PNEC aqua (intermittent, freshw PNEC aqua (intermittent, marine PNEC aqua (intermittent, marine PNEC sediment (freshwater) PNEC sediment (marine water) PNEC soil PNEC (Soil) PNEC soil	ermal halation ion) al halation ermal	57 mg/l 1.3 mg/kg bodyweight/day 4.9 mg/m ³ 0.83 mg/kg bodyweight/day 2.9 mg/m ³ 0.83 mg/kg bodyweight/day 0.83 mg/kg bodyweight/day 0.48 mg/l 1 mg/l 1 mg/l 1 mg/l 3.79 mg/kg bw 3.79 mg/kg bw 0.47 mg/kg bw		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	op-2-enoate; methyl 2-methylpropenoate (80-62-6)
DNEL/DMEL (Workers)	1
Acute - local effects, dermal	1.5 mg/cm ²
Long-term - systemic effects, dermal	13.67 mg/kg bodyweight/day
Long-term - local effects, dermal	1.5 mg/cm ²
Long-term - systemic effects, inhalation	208 mg/m ³
Long-term - local effects, inhalation	208 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, dermal	1.5 mg/cm ²
Long-term - systemic effects, inhalation	74.3 mg/m ³
Long-term - systemic effects, dermal	8.2 mg/kg bodyweight/day
Long-term - local effects, dermal	1.5 mg/cm ²
Long-term - local effects, inhalation	104 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.94 mg/l
PNEC aqua (marine water)	0.94 mg/l
PNEC aqua (intermittent, marine water)	0.94 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	5.74 mg/kg bw
PNEC (Soil)	
PNEC soil	1.47 mg/kg bw
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
2-(2H-benzotriazol-2-yl)-p-cresol (2440-2	22-4)
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	1 mg/m ³
Acute - local effects, inhalation	1 mg/m ³
Long-term - systemic effects, dermal	2.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	1.2 mg/kg bodyweight/day
Long-term - systemic effects, dermal	1.2 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.00026 mg/l
PNEC aqua (marine water)	0.000002 mg/l
PNEC aqua (intermittent, freshwater)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.136 mg/kg bw
PNEC sediment (marine water)	0.0136 mg/kg bw
PNEC (Soil)	
PNEC soil	0.0269 mg/kg bw
PNEC (STP)	
PNEC sewage treatment plant	1 mg/l
<u> </u>	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Appropriate engineering controls:

Ensure that there is a suitable ventilation system.

Hand protection:

Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374. penetration time (maximum wearing period): 60 m. Suitable material: butyl rubber. Layer thickness : 0,7 mm . If there is a risk of liquid being splashed : Nitrile rubber gloves Incidental

Eye protection:

Wear eye glasses with side protection according to EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. At high concentrations: Wear respiratory protection. Combination filtering device (DIN EN 141). High gas/vapour concentration: gas mask with filter type A

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Colour	: clear. Colourless.		
Odour	: Ester. characteristic. strong. acid.		
Odour threshold	: No data available		
рН	: Not applicable		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: -48 °C		
Freezing point	: No data available		
Boiling point	: 100.5 °C		
Flash point	: 10 °C		
Auto-ignition temperature	: 421 °C		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Highly flammable liquid and vapour		
Vapour pressure	: 3.6 Pa @ 20°C		
Relative vapour density at 20 °C	: No data available		
Relative density	: 0.94 @ 15.5 °C		
Solubility	: miscible with most organic solvents.		
	Water: 1.6 % slightly soluble		
	Organic solvent:Soluble in organic solvents		
Log Pow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: Not applicable.		
Oxidising properties	: Not applicable.		
Explosive limits	: 2.1 - 12.5 vol %		
9.2. Other information			
VOC content	: < 95 %		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity Stable under normal conditions.

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.3. Possibility of hazardous reactions

Exothermic reaction. Keep away from oxidizers, strong acids and strong bases. 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Water, humidity.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information 11.1. Information on toxicological effects		
•	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
ethylene dimethacrylate (97-90-5)		
LD50 oral rat	8300 ml/kg	
LD50 dermal rat	2000 mg/kg	

2-hydroxyethyl methacrylate (868-77-9)	
LD50 oral rat	5564 mg/kg
LD50 dermal rabbit	5000 mg/kg

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)	
LD50 oral rat	7900 - 9400 mg/kg
LD50 dermal rabbit	5000 mg/kg
LC50 inhalation rat (mg/l)	29.8 mg/l/4h

2-(2H-benzotriazol-2-yl)-p-cresol (2440-22-4)	
LD50 oral rat	10000 mg/kg
LD50 dermal rat	2000 mg/kg
LC50 inhalation rat (mg/l)	590 mg/m³
Skin corrosion/irritation	: Causes skin irritation.
	pH: Not applicable
Serious eye damage/irritation	: Not classified
	pH: Not applicable
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause respiratory irritation.
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethylene dimethacrylate (97-90-5)	
NOAEL (oral, rat, 90 days) 100 - 1500 mg/kg bodyweight/day	
2-hydroxyethyl methacrylate (868-77-9)	
NOAEL (oral, rat, 90 days)	100 - 1500 mg/kg bodyweight/day

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)	
LOAEC (inhalation, rat, vapour, 90 days)	416 mg/m³ air
NOAEL (oral, rat, 90 days)	124.1 - 164 mg/kg bodyweight/day
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	500 - 1000 ppm

2-(2H-benzotriazol-2-yl)-p-cresol (2440-22-4)	
NOAEL (oral, rat, 90 days)	47 - 58 mg/kg bodyweight/day
Aspiration hazard Additional information	: Not classified : Based on available data, the classification criteria are not met

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	Avoid release to the environment.
Acute aquatic toxicity	Not classified
Chronic aquatic toxicity	Not classified
ethylene dimethacrylate (97-90-5)	
LC50 fishes	15.95 mg/l
EC50 Daphnia	44.9 mg/l
EC50 72h algae (1)	17.3 mg/l
NOEC (chronic)	5.05 mg/l

2-hydroxyethyl methacrylate (868-77-9)	
LC50 fishes	100 mg/l
EC50 other aquatic organisms 1	380 mg/l 48h
EC50 72h algae (1)	345 - 836 mg/l
NOEC chronic crustacea	24.1 mg/l (21 d)

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)	
LC50 fishes	79 mg/l
EC50 Daphnia	69 mg/l
EC50 72h algae (1)	110 mg/l
LOEC (chronic)	68 mg/l (21 d)
NOEC (acute)	40 mg/l (4 d)
NOEC chronic fish	37 mg/l (21 d)

2-(2H-benzotriazol-2-yl)-p-cresol (2440-22-4)	
LC50 fishes	0.17 mg/l
EC50 72h algae (1)	100 mg/l
LOEC (chronic)	0.041 mg/l (21 d)
NOEC (acute)	0.17 mg/l (4 d)
NOEC chronic crustacea	0.013 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with its	s amendment Regulation (EU) 2015/830		
12.2. Persistence and degradability			
No additional information available			
12.3. Bioaccumulative potential	12.3. Bioaccumulative potential		
Vertex Castapress Clear - Vertex Castavaria - Vertex Implacryl Cold - Vertex TCA			
Bioaccumulative potential	Not established.		
ethylene dimethacrylate (97-90-5)			
Log Pow	2.4		
2-hydroxyethyl methacrylate (868-77-9)			
Log Pow	0.42 @ 25 °C and pH 5.9 - 6.1		
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)			
methyl methacrylate; methyl z-methylprop-z-	enoate; methyl z-methylpropenoate (80-62-6)		
Log Pow	1.38 @ 20 °C and pH 7		
2-(2H-benzotriazol-2-yl)-p-cresol (2440-22-4)			
Log Pow	4.2 @ 25 °C and pH 6.3		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Other adverse effects	. As wild release to the environment		
Additional information	: Avoid release to the environment.		
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Regional legislation (waste)	: Disposal must be done according to official regulations.		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.		
Additional information	: Handle empty containers with care because residual vapours are flammable.		
Ecology - waste materials	: Avoid release to the environment.		
SECTION 14: Transport information			
In accordance with ADR / RID / IMDG / IATA / ADN			

In accordance with ADR / Ki				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				
14.6. Special precaution	is for user			
Overland transport				
Not applicable				
Transport by sea				
Not applicable				

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1. EU-Regulations The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006: 3. Liquid substances or mixtures which are regarded as dangerous in ethylene dimethacrylate - 2-hydroxyethyl methacrylate - methyl accordance with Directive 1999/45/EC or are fulfilling the criteria for any methacrylate; methyl 2-methylprop-2-enoate; methyl 2of the following hazard classes or categories set out in Annex I to methylpropenoate Regulation (EC) No 1272/2008 3(a) Substances or mixtures fulfilling the criteria for any of the following Vertex Castapress Clear - Vertex Castavaria - Vertex Implacryl Cold hazard classes or categories set out in Annex I to Regulation (EC) No Vertex TCA - methyl methacrylate; methyl 2-methylprop-2-enoate; 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, methyl 2-methylpropenoate 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F Vertex Castapress Clear - Vertex Castavaria - Vertex Implacryl Cold -3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No Vertex TCA - ethylene dimethacrylate - 2-hydroxyethyl methacrylate -1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2function and fertility or on development, 3.8 effects other than narcotic methylpropenoate effects, 3.9 and 3.10 40. Substances classified as flammable gases category 1 or 2, methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, methylpropenoate substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances VOC content : < 95 % Directive 2012/18/EU (SEVESO III) 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	(REACH) with its amenument regulation (EO) 2015/050		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
STP	Sewage treatment plant		
vPvB	Very Persistent and Very Bioaccumulative		
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.		
Other information	: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.		
Full text of H- and EUH-statemen	its:		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		
H225	Highly flammable liquid and vapour		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		
H410	Very toxic to aquatic life with long lasting effects.		
Full text of use descriptors			
SU20	Health services		
Classification and procedure use	d to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 2	H225 On basis of test data		
Skin Irrit. 2	H315 Calculation method		
Skin Sens. 1	H317 Calculation method		
STOT SE 3	H335 Calculation method		

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product