



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: NextDent Gingiva Mask

Manufacturer: Vertex Dental

SDS Expiry: 3 January 2024

Supplier Details: Henry Schein New Zealand

23 William Pickering Drive, Albany

PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6 / 9

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2020

HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared - May 2021

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Dent® NextDent Gingiva Mask

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/31/2018 Revision date: 1/3/2019 Supersedes: 7/31/2018 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: NextDent Gingiva Mask Product name Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Manufacture of 3D-printed applications for the dental industry

Use of the substance/mixture : Dentistry

| Title | Life cycle stage | Use descriptors |
|-----------------------|------------------|-----------------|
| NextDent Gingiva Mask | Professional | SU20 |

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier Manufacturer HENRY SCHEIN HALAS Vertex Dental Centurionbaan 190 Building 3, Level 6

3769 AV Soesterberg - The Netherlands 189 - O'Riordan Street,

Mascot, NSW 2020 - Australia T+31 886160400

T 1300 65 88 22 info@vertex-dental.com - www.vertex-dental.com

customer.care@henryschein.com.au - https://henryschein.com.au

1.4. Emergency telephone number

Emergency number : Australia: 13 11 26

(Only for the purpose of informing medical personnel in cases of accidental intoxications. The

emergency phone number is 24 hours/day available.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment — Chronic Hazard, Category 4 H413

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS07

Signal word (CLP) : Warning

: phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide; 2-hydroxyethyl acrylate; Methacrylic Hazardous ingredients

acid, monoester with propane-1,2-diol

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H413 - May cause long lasting harmful effects to aquatic life.

AU - en 1/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P280 - Wear protective gloves, eye protection, face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P501 - Dispose of contents/container to an approved waste disposal plant.

Extra phrases : HAZARDOUS CHEMICAL and NON-DANGEROUS GOODS.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % w/w (% w/w) | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|------------------|--|
| Poly(oxy(methyl-1,2-ethanediyl)), .alpha(2-methyl-1-oxo-2- propenyl)omegahydroxy- (4-PO) | (CAS-No.) 39420-45-6 (EC-No.) 609-674-6 | 20 - 30 | Aquatic Chronic 3, H412 |
| Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate | (CAS-No.) 7534-94-3 (EC-No.) 231-403-1 (REACH-no) 01-2119886505-27 | 10 - 20 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| Methacrylic acid, monoester with propane-1,2-diol | (CAS-No.) 27813-02-1 (EC-No.) 248-666-3 (REACH-no) 01-2119490226-37 | 1 - 5 | Eye Irrit. 2, H319 Skin Sens. 1, H317 |
| phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | (CAS-No.) 162881-26-7 (EC-No.) 423-340-5 (EC Index-No.) 015-189-00-5 (REACH-no) 01-2119489401-38 | 1 - 5 | Skin Sens. 1, H317 Aquatic Chronic 4, H413 |
| 2-hydroxyethyl acrylate (Note D) | (CAS-No.) 818-61-1 (EC-No.) 212-454-9 (EC Index-No.) 607-072-00-8 (REACH-no) 01-2119459345-34 | 0.1 - 1 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |
| Titanium dioxide substance with a Community workplace exposure limit | (CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (REACH-no) 01-2119489379-17 | < 0.1 | Not classified |
| Specific concentration limits: | | | |
| Name | Product identifier | Specific co | oncentration limits |
| 2-hydroxyethyl acrylate | (CAS-No.) 818-61-1 (EC-No.) 212-454-9 (EC Index-No.) 607-072-00-8 (REACH-no) 01-2119459345-34 | (C >= 0.2) S | kin Sens. 1, H317 |

Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3.

However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words "non-stabilised".

Full text of H-statements: see section 16

SECTION 4: First aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

7/31/2018 (Version: 1.0) AU - en 2/11 1/3/2019 (Version: 1.1)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Store away from other materials.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed

out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Keep container closed when not in use. To avoid the risks

of fires, all contaminated materials should be stored in purpose-built containers or in metal

containers with tight-fitting self-closing lids.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Titanium dioxide (13463-67-7) | | |
|-------------------------------|-------------|--|
| Australia | Local name | Titanium dioxide |
| Australia | TWA (mg/m³) | 10 mg/m³ |
| Australia | Remark (AU) | (a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica. |

Titanium dioxide (13463-67-7)

DNEL/DMEL (Workers)

| DNEL/DWEL (WORKERS) | | |
|---------------------------------------|----------|--|
| Long-term - local effects, inhalation | 10 mg/m³ | |

7/31/2018 (Version: 1.0) AU - en 3/11 1/3/2019 (Version: 1.1)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 | | |
|--|---------------------------|--|
| itanium dioxide (13463-67-7) | | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 700 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 0.000184 mg/l | |
| PNEC aqua (marine water) | 0.0184 mg/l | |
| PNEC aqua (intermittent, freshwater) | 0.193 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 1000 mg/kg bw | |
| PNEC sediment (marine water) | 100 mg/kg bw | |
| PNEC (Soil) | | |
| PNEC soil | 100 mg/kg bw | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 100 mg/l | |
| phenyl bis(2,4,6-trimethylbenzoyl)-phosp | phine oxide (162881-26-7) | |
| DNEL/DMEL (Workers) | | |
| Acute - systemic effects, dermal | 3.33 mg/kg bodyweight/day | |
| Acute - systemic effects, inhalation | 7.84 mg/m³ | |
| Long-term - systemic effects, dermal | 3.33 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 7.84 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Acute - systemic effects, dermal | 1.67 mg/kg bodyweight | |
| Acute - systemic effects, inhalation | 3.92 mg/m³ | |
| Acute - systemic effects, oral | 1.67 mg/kg bodyweight | |
| Long-term - systemic effects,oral | 1.5 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 1.93 mg/m³ | |
| Long-term - systemic effects, dermal | 1.5 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 0.0008 - 0.001 mg/l | |
| PNEC aqua (marine water) | 0.0008 - 0.001 | |
| PNEC aqua (intermittent, marine water) | 0.0008 - 0.001 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 0.712 mg/kg bw | |
| PNEC sediment (marine water) | 0.712 mg/kg bw | |
| PNEC (Soil) | | |
| PNEC soil | 20 mg/kg bw | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 1 mg/l | |
| 2-hydroxyethyl acrylate (818-61-1) | | |
| DNEL/DMEL (Workers) | | |
| Long-term - local effects, inhalation | 2.4 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - local effects, inhalation | 1.2 mg/m³ | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 0.0172 mg/l | |
| | | |

7/31/2018 (Version: 1.0) 1/3/2019 (Version: 1.1) AU - en

4/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 | | |
|--|----------------------------|--|
| 2-hydroxyethyl acrylate (818-61-1) | | |
| PNEC aqua (marine water) | 0.00172 mg/l | |
| PNEC aqua (intermittent, freshwater) | 0.0361 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 0.0636 mg/kg bw | |
| PNEC sediment (marine water) | 0.00636 mg/kg bw | |
| PNEC (Soil) | | |
| PNEC soil | 0.00263 mg/kg bw | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 10 mg/l | |
| Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-y | l methacrylate (7534-94-3) | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 1.04 mg/kg bodyweight/day | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects, dermal | 0.625 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 0.00466 mg/l | |
| PNEC aqua (marine water) | 0.00000466 mg/l | |
| PNEC aqua (intermittent, freshwater) | 0.0179 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 0.604 mg/kg bw | |
| PNEC sediment (marine water) | 0.0604 mg/kg bw | |
| PNEC (Soil) | | |
| PNEC soil | 0.118 mg/kg bw | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 2.45 mg/l | |
| Methacrylic acid, monoester with propane-1,2-diol (27813-02-1) | | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 4.2 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 14.7 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 2.5 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 8.8 mg/m³ | |
| Long-term - systemic effects, dermal | 2.5 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 0.904 mg/l | |
| PNEC aqua (marine water) | 0.904 mg/l | |
| PNEC aqua (intermittent, freshwater) | 0.972 mg/l | |
| PNEC aqua (intermittent, marine water) | 0.972 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 6.28 mg/kg bw | |
| PNEC sediment (marine water) | 6.28 mg/kg bw | |
| PNEC (Soil) | | |
| PNEC soil | 0.727 mg/kg bw | |
| | I | |

7/31/2018 (Version: 1.0) 1/3/2019 (Version: 1.1) AU - en 5/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)

PNEC (STP)

PNEC sewage treatment plant 10 mg/l

8.2. Exposure controls

Hand protection:

Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. penetration time (maximum wearing period): > 480 m. Suitable material: butyl rubber. Layer thickness: 0,3 mm. If there is a risk of liquid being splashed: Nitrile rubber gloves Incidental

Eye protection:

Wear eye glasses with side protection according to EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No personal breathing protective equipment is normally required. In case of inadequate ventilation wear respiratory protection. particle filter device (DIN EN 143)

Personal protective equipment symbol(s):







Environmental exposure controls:

Use appropriate container to avoid environmental contamination.

Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Viscous. Colour : pink. Odour : Ester

Odour threshold : No data available : No data available Ηg Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available **Boiling point** : No data available : No data available Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Relative density : 1.05 - 1.2 Relative density, liquid (water=1)

Solubility : Water: Insoluble

Organic solvent: Soluble in organic solvents

Log Pow : No data available Viscosity, kinematic : No data available Viscosity, dynamic : 1 - 2 Pa·s

Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

7/31/2018 (Version: 1.0) AU - en 6/11

1/3/2019 (Version: 1.1)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified Acute toxicity (oral) Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Titanium dioxide (13463-67-7)

| LD50 oral rat | 2000 - 25000 mg/kg |
|----------------------------|---------------------|
| LC50 inhalation rat (mg/l) | 3.43 - 6.82 mg/l/4h |

phenyl bis(2.4.6-trimethylbenzoyl)-phosphine oxide (162881-26-7)

| LD50 oral rat | 2000 mg/kg |
|-----------------|------------|
| LD50 dermal rat | 2000 mg/kg |

2-hydroxyethyl acrylate (818-61-1)

| LD50 oral rat | 540 mg/kg |
|-----------------|-------------------|
| LD50 dermal rat | 1000 mg/kg bw/day |

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)

LD50 oral rat 3.16 - 6.81 ml/kg

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)

| LD50 oral rat | > 2000 mg/kg bodyweight | |
|---------------------------|---------------------------|--|
| LD50 dermal rabbit | 5000 mg/kg | |
| Skin corrosion/irritation | : Causes skin irritation. | |

: Causes serious eye irritation. Serious eye damage/irritation Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure Not classified

Additional information : Based on available data, the classification criteria are not met

7/31/2018 (Version: 1.0) 7/11 AU - en

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7) | |
|--|---------------------------|
| NOAEL (oral, rat, 90 days) | 1000 mg/kg bodyweight/day |

| 2-hydroxyethyl acrylate (818-61-1) | |
|--|-----------|
| NOAEL (oral, rat, 90 days) | 196 - 305 |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | 2.4 mg/m³ |

| Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3) | |
|---|-------------------------------|
| NOAEL (oral, rat, 90 days) | 25 - 500 mg/kg bodyweight/day |

| lethacrylic acid, monoester with propane-1,2-diol (27813-02-1) | |
|--|---------------------------------|
| NOAEL (oral, rat, 90 days) | 300 - 2500 mg/kg bodyweight/day |

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Avoid release to the environment.

Ecology - water : May cause long lasting harmful effects to aquatic life.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

| Titanium dioxide (13463-67-7) | | |
|-------------------------------|------------------|--|
| LC50 fishes | 155 - 294 mg/l | |
| EC50 Daphnia | 19.3 - 33.6 mg/l | |
| EC50 72h algae (1) | 100 mg/l | |

| phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7) | |
|--|-----------------|
| LC50 fishes | 0.09 mg/l |
| EC50 Daphnia | 1.175 mg/l |
| EC50 72h algae (1) | 0.26 mg/l |
| LOEC (chronic) | 0.008 mg/l |
| NOEC (chronic) | 0.008 mg/l 21 d |
| NOEC chronic algae | 0.26 mg/l |

| 2-hydroxyethyl acrylate (818-61-1) | droxyethyl acrylate (818-61-1) | |
|------------------------------------|--------------------------------|--|
| LC50 fishes | 4.8 - 17.5 mg/l | |
| EC50 Daphnia | 9.3 mg/l | |
| EC50 72h algae (1) | 6 mg/l | |
| NOEC (chronic) | 0.48 - 0.86 mg/l | |
| NOEC chronic algae | 1 mg/l | |

| Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl met | o-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3) | |
|--|---|--|
| LC50 fishes | 1.79 mg/l | |
| EC50 Daphnia | 2.57 mg/l | |
| EC50 72h algae (1) | 2.28 mg/l | |
| NOEC (chronic) | 0.233 mg/l (21 d) | |

7/31/2018 (Version: 1.0) AU - en 8/11

1/3/2019 (Version: 1.1)

Safety Data Sheet

Persistence and degradability

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Methacrylic acid, monoester with propane-1,2 | ethacrylic acid, monoester with propane-1,2-diol (27813-02-1) | |
|--|---|--|
| EC50 Daphnia | 143 mg/l | |
| EC50 72h algae (1) | 97.2 mg/l | |
| NOEC chronic crustacea | 45.2 mg/l (21 d) | |
| 12.2. Persistence and degradability NextDent Gingiva Mask | | |

May cause long-term adverse effects in the environment.

| Titanium dioxide (13463-67-7) | tanium dioxide (13463-67-7) | |
|--|-----------------------------|---------------------------|
| Biochemical oxygen demand (BOD) | not applicable | |
| Chemical oxygen demand (COD) | not applicable | |
| ThOD | not applicable | |
| BOD (% of ThOD) | not applicable | |
| 12.3. Bioaccumulative potential NextDent Gingiva Mask | | |
| | | Bioaccumulative potential |

| phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7) | |
|--|----------------------------------|
| Log Pow | 4.65 - 5.8 @ 20-22 °C and pH 7.5 |

| 2-hydroxyethyl acrylate (818-61-1) | |
|------------------------------------|--------------|
| Log Pow | -0.17 @ 25°C |

| Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3) | | |
|---|---------|------|
| | Log Pow | 5.09 |

| Methacrylic acid, monoester with propane-1,2 | -diol (27813-02-1) |
|--|---------------------------|
| Log Pow | 0.97 @ 20 °C and pH 2 - 8 |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Can be dumped in according to local regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|----------------------------------|----------------|----------------|----------------|----------------|
| 14.1. UN number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

7/31/2018 (Version: 1.0) AU - en 9/11

1/3/2019 (Version: 1.1)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 14.4. Packing group | | | | | |
|--|----------------|----------------|----------------|----------------|--|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.5. Environmental hazards | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| No supplementary information available | | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

| ne following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006: | | | | |
|--|---|--|--|--|
| 3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 | 2-hydroxyethyl acrylate - Methacrylic acid | | | |
| 3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 | NextDent Gingiva Mask - 2-hydroxyethyl acrylate - Exo-1,7,7- trimethylbicyclo[2.2.1]hept-2-yl methacrylate - Methacrylic acid - Methacrylic acid, monoester with propane-1,2-diol | | | |
| 3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 | NextDent Gingiva Mask - 2-hydroxyethyl acrylate | | | |

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

VOC content : 0 %

Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Indication of changes: Section **Changed item** Change Comments Supersedes Added Revision date Added 1.3 Modified Name 2.2 Extra phrases Added

7/31/2018 (Version: 1.0) AU - en 10/11 1/3/2019 (Version: 1.1)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

| Full text of H- and EUH-statements: | | | |
|---|--|------------------------|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 | | |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 | | |
| Aquatic Chronic 4 | Hazardous to the aquatic environment — Chronic Hazard, Category 4 | | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | | |
| Skin Corr. 1B | Skin corrosion/i | rritation, Category 1B | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | | |
| Skin Sens. 1 | Skin sensitisation, Category 1 | | |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | | |
| H302 | Harmful if swallowed. | | |
| H312 | Harmful in contact with skin. | | |
| H314 | Causes severe skin burns and eye damage. | | |
| H315 | Causes skin irritation. | | |
| H317 | May cause an allergic skin reaction. | | |
| H319 | Causes serious eye irritation. | | |
| H335 | May cause respiratory irritation. | | |
| H412 | Harmful to aquatic life with long lasting effects. | | |
| H413 | May cause long lasting harmful effects to aquatic life. | | |
| Full text of use descriptors | | | |
| SU20 | Health services | | |
| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | | |
| Skin Irrit. 2 | H315 | Calculation method | |
| Eye Irrit. 2 | H319 | Calculation method | |
| Skin Sens. 1 | H317 | Calculation method | |
| Aquatic Chronic 4 | H413 | Calculation method | |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

7/31/2018 (Version: 1.0) AU - en 11/11 1/3/2019 (Version: 1.1)