

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	NextDent Tray Blue / Pink
Manufacturer:	Vertex Dental
SDS Expiry:	3 January 2024
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6 / 9
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2020 HSR002558
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared - May 2021

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





NextDent Tray Blue / Pink Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/31/2018 Revision date: 1/3/2019 Supersedes: 7/31/2018 Version: 1.1

SECTION 1: Identification of the substar	nce/mixture and of th	e company/undertaking			
1.1. Product identifier					
Product form	: Mixture				
Product name	: NextDent Tray Blue / Pir	k			
Product group	: Trade product				
1.2. Relevant identified uses of the substance	e or mixture and uses	advised against			
1.2.1. Relevant identified uses					
Main use category	: Professional use				
Use of the substance/mixture	: Manufacture of 3D-printe	d applications for the dental industry			
Use of the substance/mixture	: Dentistry				
Title	Life cycle stage	Use descriptors			
NextDent Tray Blue / Pink	Professional	SU20			
Full text of use descriptors: see section 16	·				
1.2.2. Uses advised against					
No additional information available					
1.3. Details of the supplier of the safety data	sheet				
Supplier	Man	ufacturer			
HENRY SCHEIN HALAS	Vert	ex Dental			
Building 3, Level 6		urionbaan 190			
189 – O'Riordan Street,		AV Soesterberg - The Netherlands			
Mascot, NSW 2020 - Australia		1 886160400			
T 1300 65 88 22		<u> 2vertex-dental.com</u> - <u>www.vertex-dental.com</u>			
customer.care@henryschein.com.au - https://henrysc	nem.com.au				
1.4. Emergency telephone number           Emergency number         : A	ustralia: 13 11 26				
		ming medical personnel in cases of accidental intoxications. The			
	mergency phone number is				
SECTION 2: Hazards identification					
2.1. Classification of the substance or mixtu	re				
	272/2008 [CLP]Mixtures/S	ubstances: SDS EU 2015: According to Regulation (EU)			
2015/830 (REACH Annex II) Skin sensitisation, Category 1 H317					
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412					
Full text of H statements : see section 16					
Adverse physicochemical, human health and envi	ronmental effects				
No additional information available					
2.2. Label elements					
Labelling according to Regulation (EC) No. 1272/2	008 [CLP]				
Hazard pictograms (CLP) :					
ě					
	$\mathbf{V}$				
	GHS07				
Signal word (CLP)	: Warning				
Hazardous ingredients		4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl			
	bismethacrylate; Ethyl pl trimethylbenzoyl)-phospl	nenyl(2,4,6-trimethylbenzoyl)phosphinate; phenyl bis(2,4,6- nine oxide			
Hazard statements (CLP)	: H317 - May cause an all				
		c life with long lasting effects.			
Precautionary statements (CLP)	Precautionary statements (CLP) : P280 - Wear protective gloves.				
	P333+P313 - If skin irrita	tion or rash occurs: Get medical advice/attention.			
P363 - Wash contaminated clothing before reuse. P273 - Avoid release to the environment.					
		nts/container to an approved waste disposal plant.			
Extra phrases		L and NON-DANGEROUS GOODS.			
2.3. Other hazards					
No additional information available					
	All on				

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable 3.2. Mixtures

5.2. MIXICIES			
Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethoxylated bisphenol A dimethacrylate	(CAS-No.) 41637-38-1 (EC-No.) 609-946-4	>= 75	Aquatic Chronic 4, H413
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12- diazahexadecane-1,16-diyl bismethacrylate	(CAS-No.) 72869-86-4 (EC-No.) 276-957-5 (REACH-no) 01-2120751202-68	10 - 20	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	(CAS-No.) 162881-26-7 (EC-No.) 423-340-5 (EC Index-No.) 015-189-00-5 (REACH-no) 01-2119489401-38	< 10	Skin Sens. 1, H317 Aquatic Chronic 4, H413
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	(CAS-No.) 84434-11-7 (EC-No.) 282-810-6 (REACH-no) 01-2119987994-10	< 10	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Titanium dioxide substance with a Community workplace exposure limit	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (REACH-no) 01-2119489379-17	< 0.1	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures					
4.1. Description of first aid measures					
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).				
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.				
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.				
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.				
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.				
<ul> <li>4.2. Most important symptoms and effects, both acute and delayed</li> <li>No additional information available</li> <li>4.3. Indication of any immediate medical attention and special treatment needed</li> </ul>					
No additional information available					
SECTION 5: Firefighting measures					
5.1. Extinguishing media					
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.				
Unsuitable extinguishing media	: Do not use a heavy water stream.				
5.2. Special hazards arising from the substance or mixture					
No additional information available					
5.3. Advice for firefighters					
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.				

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures					
S.1.1. For non-emergency personnel     Emergency procedures     Evacuate unnecessary personnel.					
6.1.2. For emergency responders No additional information available					
6.2. Environmental precautions					

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methods for cleaning up : Soak up spills with	6.3. Methods and material for	containment and cleaning up
······································	Methods for cleaning up	: Soak up spills with

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials.

#### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions	: Keep only in original container. Keep container closed when not in use. To avoid the risks of fires, all contaminated materials should be stored in purpose-built containers or in metal containers with tight-fitting self-closing lids.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection					
8.1. Control parameters Titanium dioxide (13463-67-7)					
Australia	Local name		Titanium dioxide		
Australia	TWA (mg/m <sup>3</sup> )		10 mg/m <sup>3</sup>		
Australia	Remark (AU)		(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.		
Ethoxylated bisphenol A c	limethacrylate	(41637-38-1)			
DNEL/DMEL (Workers)					
Long-term - systemic effects, de	ermal	2 mg/kg bodyweight/day			
Long-term - systemic effects, in	halation	3.52 mg/m <sup>3</sup>			
DNEL/DMEL (General population	tion)				
Long-term - systemic effects,ora	al	0.5 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation 0.87 mg/m <sup>3</sup>					
Long-term - systemic effects, dermal 1 mg/kg bodyweight/day					
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate (84434-11-7)					
DNEL/DMEL (Workers)					
Long-term - systemic effects, dermal 1.7 mg/kg bodyweight/day					
Long-term - systemic effects, in	halation	5.88 mg/m³			
PNEC (Water)					
PNEC aqua (freshwater) 1.01 µg/l					
PNEC aqua (marine water)		101 ng/l			
PNEC aqua (intermittent, freshv	water)	35.3 μg/l			
PNEC (Sediment)					
PNEC sediment (freshwater) 240 µg/kg					
PNEC sediment (marine water) 24 µg/kg					
PNEC (Soil)					
PNEC soil 47 µg/kg					

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

phenyl bis(2,4,6-trimethylbenzoyl)-pho	sphine oxide (162881-26-7)		
DNEL/DMEL (Workers)			
Acute - systemic effects, dermal	3.33 mg/kg bodyweight/day		
Acute - systemic effects, inhalation	7.84 mg/m <sup>3</sup>		
Long-term - systemic effects, dermal	3.33 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	7.84 mg/m <sup>3</sup>		
DNEL/DMEL (General population)			
Acute - systemic effects, dermal	1.67 mg/kg bodyweight		
Acute - systemic effects, inhalation	3.92 mg/m <sup>3</sup>		
Acute - systemic effects, oral	1.67 mg/kg bodyweight		
Long-term - systemic effects,oral	1.5 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	1.93 mg/m <sup>3</sup>		
Long-term - systemic effects, dermal	1.5 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	0.0008 - 0.001 mg/l		
PNEC aqua (marine water)	0.0008 - 0.001		
PNEC aqua (intermittent, marine water)	0.0008 - 0.001 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	0.712 mg/kg bw		
PNEC sediment (marine water)	0.712 mg/kg bw		
PNEC (Soil)			
PNEC soil	20 mg/kg bw		
PNEC (STP)			
PNEC sewage treatment plant	1 mg/l		
Titanium dioxide (13463-67-7)			
DNEL/DMEL (Workers)			
Long-term - local effects, inhalation	10 mg/m <sup>3</sup>		
DNEL/DMEL (General population)	· ·		
Long-term - systemic effects,oral	700 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	0.000184 mg/l		
PNEC aqua (marine water)	0.0184 mg/l		
PNEC aqua (intermittent, freshwater)	0.193 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	1000 mg/kg bw		
PNEC sediment (marine water)	100 mg/kg bw		
PNEC (Soil)			
PNEC soil	100 mg/kg bw		
PNEC (STP)			
PNEC sewage treatment plant	100 mg/l		
8.2. Exposure controls			
Hand protection:			
Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of the regulation			

Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. penetration time (maximum wearing period): > 480 m. Suitable material: Nitrile rubber, Chloroprene rubber, Polyvinylchloride (PVC). Layer thickness : 0,4 mm - 0,5 mm - 0,7 mm

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Eye protection:

Wear eye glasses with side protection according to EN 166.

#### Skin and body protection:

#### Wear suitable protective clothing

#### **Respiratory protection:**

No personal breathing protective equipment is normally required. In case of inadequate ventilation wear respiratory protection. particle filter device (DIN EN 143)

#### Personal protective equipment symbol(s):



#### Environmental exposure controls:

Use appropriate container to avoid environmental contamination.

#### Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes.

9.1. Information on basic physical and c	hemical properties
Physical state	: Liquid
Colour	: Blue. pink.
Odour	: Ester.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 200 °C
Flash point	: No data available
Auto-ignition temperature	: 375 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.1 - 1.2 Relative density, liquid (water=1)
Solubility	: Soluble in organic solvents.
	Water: insoluble in water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 0.9 - 1.1 Pa·s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
VOC content	: 0 %

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **10.5. Incompatible materials**

No	ad	ditio	nal infoi	mation a	available	)
	-		_	-		-

**10.6. Hazardous decomposition products** No additional information available

SECTION 11: Toxicological inform		
11.1. Information on toxicological effe		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Ethoxylated bisphenol A dimethacrylate (41637-38-1)		
LD50 oral rat	2000 mg/kg	
LD50 dermal rat	2000 mg/kg	

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate (84434-11-7)	
LD50 oral rat	5000 mg/kg
LD50 dermal rat	2000 mg/kg

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)	
LD50 oral rat	2000 mg/kg
LD50 dermal rat	2000 mg/kg

Titanium dioxide (13463-67-7)	
LD50 oral rat	2000 - 25000 mg/kg
LC50 inhalation rat (mg/l)	3.43 - 6.82 mg/l/4h

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)	
LD50 oral rat	5000 mg/kg
LD50 dermal rat	2000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Ethoxylated bisphenol A dimethacrylate (41637-38-1)	
NOAEL (aral rat 00 days)	200 ma/ka bad/waight/day

NOAEL (oral, ra	at, 90 days)
-----------------	--------------

300 mg/kg bodyweight/day
--------------------------

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)		
	NOAEL (oral, rat, 90 days)	100 - 300 mg/kg bodyweight/day

Aspiration hazard

: Not classified

<b>SECTION 12: Ecological informati</b>	lion
12.1. Toxicity	
Ecology - general	: Avoid release to the environment.

# NextDent Tray Blue / Pink Safety Data Sheet

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.
Ethoxylated bisphenol A dimethacrylate (41637-38-1)	
NOEC (chronic)	14.3 mg/l 28 d

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphin	ate (84434-11-7)
LC50 fishes	1 - 10 mg/l

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)	
LC50 fishes	0.09 mg/l
EC50 Daphnia	1.175 mg/l
EC50 72h algae (1)	0.26 mg/l
LOEC (chronic)	0.008 mg/l
NOEC (chronic)	0.008 mg/l 21 d
NOEC chronic algae	0.26 mg/l

Titanium dioxide (13463-67-7)	
LC50 fishes	155 - 294 mg/l
EC50 Daphnia	19.3 - 33.6 mg/l
EC50 72h algae (1)	100 mg/l

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)	
LC50 fishes	10.1 mg/l
EC50 Daphnia	1.2 mg/l
EC50 72h algae (1)	0.68 mg/l
12.2. Persistence and degradability	
Titanium dioxide (13463-67-7)	
Biochemical oxygen demand (BOD)	not applicable
Chemical oxygen demand (COD)	not applicable
ThOD	not applicable
BOD (% of ThOD)	not applicable
12.3. Bioaccumulative potential	
Ethoxylated bisphenol A dimethacrylate (41637-38-1)	
Log Pow	3.43 - 5.62 @ pH 6.44

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)	
Log Pow	4.65 - 5.8 @ 20-22 °C and pH 7.5

Log Pow	3 - 3.39 @ 20 °C and pH 7
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
Additional information	: Avoid release to the environment.

**13.1. Waste treatment methods** Regional legislation (waste)

: Disposal must be done according to official regulations.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Product/Packaging disposal recommendations

Ecology - waste materials

- : Can be dumped in according to local regulations.
- : Avoid release to the environment.

SECTION 14: Transport information				
In accordance with ADR / RID / IMDG / IATA / ADN				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

**Overland transport** 

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006: 3(b) Substances or mixtures fulfilling the criteria for any of the following NextDent Tray Blue / Pink - 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14hazard classes or categories set out in Annex I to Regulation (EC) No dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate - Ethyl 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual phenyl(2,4,6-trimethylbenzoyl)phosphinate function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 NextDent Tray Blue / Pink - Ethoxylated bisphenol A dimethacrylate -3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1272/2008: Hazard class 4.1 1,16-diyl bismethacrylate - Ethyl phenyl(2,4,6trimethylbenzoyl)phosphinate

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

VOC content	:0%
Directive 2012/18/EU (SEVESO III)	
15.1.2. National regulations	
No additional information available	
45.2 Chamical addate apparament	

**15.2. Chemical safety assessment** No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 16: Other information** Indication of changes: Section **Changed item** Change Comments Supersedes Added Revision date Added 1.3 Name Modified 2.2 Extra phrases Added

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H317	May cause an allergic skin reaction.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Full text of use descriptors		
SU20	Health services	
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product