

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: Obtura Cleaning Solution

Manufacturer: Young Innovations, Inc.

SDS Expiry: 13 December 2026

Supplier Details: Henry Schein New Zealand
23 William Pickering Drive, Albany
PO Box 101 140, North Shore, Auckland 0745
Ph. 0800 808 855
www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –
0800POISON/0800764766 (24 Hours)
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 3

HSNO Group Standard: Dental Products Flammable Group Standard 2020 HSR002556

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – January 2022

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

Section 1: IDENTIFICATION

Manufactured for: Address: City, State, Zip: Telephone: Product Item No.: Product Name/Identifier: Common Name: Chemical Name: Product Use: 24 hr EMERGENCY PHONE #	Young Innovations, Inc. - dba Obtura 2260 Wendt Street Algonquin, IL 60102 USA 1-800-275-0020 822-609, 3069-01A, 823-703, 823-803 Obtura Cleaning Solution Obtura Cleaning Solution d-Limonene / hydrocarbon mixture A solvent degreasing agent for removing tar, adhesives, grease, oil and other residues from metal and other hard surfaces. INFOTRAC 1-800-535-5053 Outside U.S. 1-352-323-3500
---	---

Section 2: HAZARD(S) IDENTIFICATION

PHYSICAL HAZARDS

Flammable liquids: Category 3

HEALTH HAZARDS

Skin corrosion/irritation: Category 2
 Serious eye damage/eye irritation: Category 2A
 Sensitization, skin: Category 1
 Specific target organ toxicity, single exposure: Category 3 narcotic effects
 Aspiration hazard: Category 1

ENVIRONMENTAL HAZARDS

Not classified.

OSHA DEFINED HAZARDS

Not classified.

LABEL ELEMENTS



Signal Word: Danger

Hazard statement: Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

PRECAUTIONARY STATEMENT

Prevention

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/eye protection/face protection.

Response

In case of fire: Use appropriate media to extinguish. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see this label). Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Storage

Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

HAZARD(S) NOT OTHERWISE CLASSIFIED (HNOC): None known.

SUPPLEMENTAL INFORMATION: Not applicable.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

MIXTURES

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS NUMBER	%
Distillates Petroleum Hydrotreated Light		64742-47-8	60 - 70
3-Methoxy-3-methyl-1-butanol (MMB)		56539-66-3	10 - 20
d-limonene		5989-27-5	10 - 20

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume

Section 4: FIRST AID MEASURES

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed.

Do not use mouth-to-mouth method if victim inhaled the substance.

Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops and persists.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if irritation develops and persists.

Ingestion: Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed: Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Defatting of the skin. Rash. Symptoms of overexposure can include shortness of breath, drowsiness, headaches, confusion, decreased coordination, visual disturbances and vomiting, and are reversible if exposure is stopped.

Indication of immediate medical attention and special treatment needed: Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim under observation. Symptoms may be delayed.

General information: In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media: Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: By heating and fire, harmful vapors/gases may be formed. Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire fighting equipment/instructions: In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage.

Specific methods: Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards: Flammable liquid and vapor.

Section 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Use water spray to reduce vapors or divert vapor cloud drift. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.

ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Section 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Keep away from heat, sparks and open flame. Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep in an area equipped with sprinklers.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

No exposure limits noted for ingredient(s).

BIOLOGICAL LIMIT VALUES: No biological exposure limits noted for the ingredient(s).

APPROPRIATE ENGINEERING CONTROLS: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

Eye/face protection: Wear safety glasses with side shields (or goggles). Eye wash fountain is recommended.

Skin protection

Hand protection: Chemical resistant gloves are recommended.

Other: Wear suitable protective clothing.

Respiratory protection: No personal respiratory protective equipment normally required. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

Thermal hazards: Not applicable.

General hygiene considerations: When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9: PHYSICAL & CHEMICAL PROPERTIES

Appearance Physical state: Liquid. Form: Liquid. Color: Clear, Off-white.	Upper/lower flammability or explosive limits Flammability limit - lower (%): 0.7 % Flammability limit - upper (%): 6 % Explosive limit - lower (%): Not available. Explosive limit - upper (%): Not available.
Odor: Orange	Vapor pressure: < 5 mm Hg @ 20°C
Odor threshold: Not established	Vapor density: > 1 (air = 1)
pH: Not applicable	Relative density: Not available.
Melting point/freezing point: Not established	Solubility(ies) Solubility (water): < 15 %
Initial boiling point and boiling range: > 302 °F (> 150 °C)	Partition coefficient (n-octanol/water): Not established
Flash point: 104.0 °F (40.0 °C) Tag Closed Cup	Auto-ignition temperature: > 392 °F (> 200 °C)
Evaporation rate: > 0.1 BuAc	Decomposition temperature: Not established
Flammability (solid, gas): Not available.	Viscosity: < 3 cSt @ 25°C
Other information Heat of combustion: > 30 kJ/g Percent volatile: 100 % Specific gravity: 0.82 - 0.86 @ 20°C VOC (Weight %): 100 % per U.S. State and Federal Consumer Product Regulations CARB	

Section 10: STABILITY & REACTIVITY

Reactivity: The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Heat, flames and sparks. Avoid temperatures exceeding the flash point.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: Carbon oxides.

Section 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: May cause drowsiness and dizziness.

Skin contact: Causes skin irritation. May cause sensitization by skin contact.

Eye contact: Causes eye irritation.

Ingestion: Harmful if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics: Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Defatting of the skin. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Information on toxicological effects

Acute toxicity: Not expected to be acutely toxic.

COMPONENTS	SPECIES	TEST RESULTS
3-Methoxy-3-methyl-1-butanol (MMB) (CAS 56539-66-3)		
Acute Dermal LD50	Rat	> 2000 mg/kg, 24 Hours
Oral LD50	Mouse Rat	5830 mg/kg > 2000 mg/kg
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)		
Acute Dermal LD50	Rabbit	> 2000 mg/kg > 2000 mg/kg, 24 Hours
Inhalation Aerosol LC50	Cat Rat	> 6.4 mg/l, 6 Hours > 7.5 mg/l, 6 Hours > 4.3 mg/l, 4 Hours
Vapor LC50	Rat	> 0.1 mg/l, 8 Hours
Oral LD50	Rat	> 5000 mg/kg
d-limonene (CAS 5989-27-5)		
Acute Oral LD50	Mouse Rat	5600 - 6600 mg/kg > 2000 mg/kg
Skin corrosion/irritation: Causes skin irritation.		
Serious eye damage/eye irritation: Causes serious eye irritation.		
Respiratory or skin sensitization		
Respiratory sensitization: Not a respiratory sensitizer.		
Skin sensitization: May cause sensitization by skin contact.		
Germ cell mutagenicity: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overall Evaluation of Carcinogenicity: d-limonene (CAS 5989-27-5): 3 Not classifiable as to carcinogenicity to humans.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed.		
US. National Toxicology Program (NTP) Report on Carcinogens: Not listed.		
Reproductive toxicity: This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure: Narcotic effects.		
Specific target organ toxicity - repeated exposure: Not classified.		
Aspiration hazard: May be harmful if swallowed and enters airways. If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death.		
Chronic effects: Prolonged exposure may cause chronic effects.		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Toxic to aquatic life with long lasting effects.

COMPONENTS	SPECIES	TEST RESULTS
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8) Aquatic Fish LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours
d-limonene (CAS 5989-27-5) Aquatic Crustacea EC50 Fish LC50	Water flea (Daphnia pulex) Fathead minnow (Pimephales promelas)	69.6 mg/l, 48 hours 0.619 - 0.796 mg/l, 96 hours
Persistence and degradability: Not inherently biodegradable.		
Bioaccumulative potential: No data available. Partition coefficient n-octanol / water (log Kow): d-limonene 4.232.		
Mobility in soil: Readily absorbed into soil.		
Other adverse effects: None known.		

Section 13: DISPOSAL CONSIDERATIONS

Disposal instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code:

D001: Waste Flammable material with a flash point <140 °F

Waste from residues / unused products: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14: TRANSPORTATION INFORMATION

D.O.T.

UN No:	UN1950	Packing group:	III
UN proper shipping name:	Flammable liquids, n.o.s. (d-limonene, Naptha)	Environmental hazards:	
Transport hazard class(es):		Marine pollutant:	No
Class	3	Special provisions	B1, B52, IB3, T4, TP1, TP29
Subsidiary risk -	-	Packaging non bulk	203
Label(s)	3	Packaging exceptions	150
Special precautions for user:	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.	Packaging bulk	242
		May be reclassified as combustible liquid for domestic transport.	

IATA

UN number	UN1993	Packing group:	III
UN proper shipping name:	Flammable liquid, n.o.s. (d-limonene, Naptha)	Environmental hazards	Yes
Transport hazard class(es):		Other information:	
Class	3	Passenger and cargo aircraft	Allowed with restrictions.
Subsidiary risk	-	Cargo aircraft only	Allowed with restrictions.
ERG Code	3L		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.		

IMDG		Packing group:	III
UN No:	UN1993	Environmental hazards:	
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (d-limonene, Naptha), MARINE POLLUTANT	Marine pollutant:	Yes
Transport hazard class(es):		Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Class	3	EmS	F-E, S-E
Subsidiary risk -	-		

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.

DOT	IATA; IMDG	MARINE POLLUTANT
		

General information: DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

Section 15: REGULATORY INFORMATION

U.S. Federal Regulations: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)
Not listed.

SARA 304 Emergency release notification
Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
Not listed.

Other Federal Regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List
Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.

Safe Drinking Water Act (SDWA)
Not regulated.

US State Regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)
Not listed.

US. Massachusetts RTK - Substance List
Not regulated.

US. New Jersey Worker and Community Right-to-Know Act
Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law
Not listed.

US. Rhode Island RTK
Not regulated.

US. California Proposition 65
California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance
Not listed.

SARA 311/312 Hazardous chemical
Yes.

SARA 313 (TRI reporting)
Not regulated.

International Inventories

Country(s) or Region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16: OTHER INFORMATION

Disclaimer: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Obtura Spartan makes no recommendation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for particular purpose.

NO REPRESENTATIONS, OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR TO THE PRODUCT TO WHICH THE INFORMATION REFERS.

Issue Date: 12/13/2021

Supersedes SDS 08/07/2015 & 11/15/2019